



hansgrohe

# Sales manual 2022

---

hansgrohe bathroom range

## **Sales & Service**

Whether by phone, email or fax, the hansgrohe customer advice team offers you individual and customer-oriented support - both technical and commercial.

Monday - Thursday: 7.30am - 5pm

Friday: 7.30am - 3.30pm

Phone +49 7836 51-3124

Fax +49 7836 51-1400

service@hansgrohe.com

## **Professional website**

We provide additional information and services on our partner website, including delivery information, online spare parts catalogue, price lists, planning data and marketing tools. You can access it at any time, whether you're out and about or with a customer.

[pro.hansgrohe.com](http://pro.hansgrohe.com)

## **Project consultation**

Are you in the process of planning one or multiple bathrooms, and need support with planning or tendering? Our project consultancy is here to help.

Monday - Thursday: 7.30am - 5pm

Friday: 7.30am - 3.30pm

Phone +49 7836 51-3126

Fax +49 7836 51-1878

gpservices@hansgrohe.com

[pro.hansgrohe.com](http://pro.hansgrohe.com)

## **Expert service**

Our service specialists are trained experts and technicians and can advise you on technical issues. If something cannot be clarified by telephone or over email, you can also arrange a visit from a specialist on site.

Monday - Friday: 7am - 6pm

Phone +49 7836 51-1282

Fax +49 7836 51-1440

info@hansgrohe.com

## **Online spare parts catalogue**

You can find spare or additional parts easily using our online spare parts catalogue. There are also other useful resources, such as dimensional drawings, links to drawings and service parts, watch lists and assembly and service instructions downloads.

[spares.hansgrohe.com](http://spares.hansgrohe.com)

## **Hansgrohe Aquademie Schiltach The Water Studio Hamburg**

Get advice from the experts. In the stilwerk in Hamburg and in the Aquademie in Schiltach, our fittings, showers and installation technology is available to see in real life scenarios. Many of them are useable - like in the Showerworld in Schiltach, where the latest shower products can be tried out.

[pro.hansgrohe.com/service/showrooms](http://pro.hansgrohe.com/service/showrooms)

## Spray modes



**Powder Rain**  
A unique shower experience thanks to the soft caress of micro droplets.



**Intense Powder Rain**  
Intense jet of micro-fine droplets for sensational showering.



**Rain**  
Full shower rain, ideal for washing hair.



**Intense Rain**  
An intense jet of water that activates and wakes you up.



**Turbo Rain**  
Intensive shower rain that refreshes and rejuvenates.



**Rain Air**  
Gentle shower rain with air-enriched drops.



**RainAir XL**  
Large jet envelops your whole body in soft droplets.



**SoftRain**  
A soft water spray that caresses the body for that feel-good sensation.



**Mono**  
Focused jet for a soothing, feelgood shower.



**Massage**  
A strong massage spray that invigorates and soothes aching muscles.



**Whirl**  
Concentrated targeted massage spray.



**Mix**  
The harmonious combination of gentle shower drops and dynamic spray.



**Caresse Air**  
Boosts energy after a challenging day.



**Balance Air**  
A harmonious combination of soft shower rain and a dynamic spray.



**Normal**  
Full shower rain, ideal for washing hair.



**Shampoo**  
An intense jet of water that activates and wakes you up.



**RainFlow**  
Powerful flood jet for generous coverage.



**Rain Stream**  
Generous flow of soft sprays.



**Fur Spray**  
Full shower spray for rinsing off dirt and shampoo.



**Leg Spray**  
For legs and other sensitive areas.



**Paw Spray**  
A soft spray, ideal for gently cleaning paws.



**Laminar Spray**  
Crystal clear and economical, without added air. Ideal for quickly filling large containers, and preventing splashing.



**Normal Spray**  
Ventilated water spray thanks to AirPower technology. Fuller, lighter and softer drops for a gentler water spray.



**Shower Spray**  
Economical and cleansing. Also perfect for fast spraying at the sink.



**Satin Flow Spray**  
The soft, flat spray is splash-free, making it highly efficient at saving water.

## Finishes

When choosing the surface, each order number (#) has 8 digits, for example 28500, - 000 = chrome



-000  
Chrome



-090  
Chrome/Gold  
Optic




-140  
Brushed Bronze



-340  
Brushed Black  
Chrome



-400  
White/Chrome



-450  
White



-540  
Petrol



-560  
Pink




-600  
Black/Chrome



-610  
Black



-670  
Matt Black



-700  
Matt White



-800  
Stainless Steel




-820  
Brushed Nickel



-990  
Polished Gold  
Optic

# Technologies



**Select**  
Simply regulates the water flow at the touch of a button: a convenient way to turn the shower on and off or switch between spray modes.



**EcoSmart**  
Reduces the flow rate to save water and energy. For long-lasting pleasure.




**AirPower**  
Combines water with a generous amount of air. For a soft, splashfree water spray and rich, full shower drops.



**Quick Clean**  
Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.



**Quick Clean**  
Easy and fast cleaning and maintenance of surfaces.



**XXL Performance**  
Distributes the water over the large spray face enveloping the whole body in drops of wellbeing.




**Adjustable Shower Head**  
With the adjustable shower head, the water jet can be adjusted individually.



**Fast Drain**  
Fast drainage of shower to reduce the dripping time.



**PushSlider**  
With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.



**Water Flow Control**  
Easy water control: with the control dial the water flow can be adjusted easily.



**Cool Contact**  
Cools through the controlled flow of cold water to stop the product getting hot. For even safer showering.




**Rotatable Bath Spout**  
The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.



**CoolStart**  
Cold water starts to flow when it is opened in the basic setting. You consume hot water only when you need it.



**Comfort Zone**  
Defines the useable area between washstand and mixer. Something to suit every customer.



**Pull-out Faucet**  
Highest flexibility by pull-out function.



**Sensor Activation**  
Like many motion detectors, the sensor reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water will flow.



**Comfort Zone**  
Defines the height, side clearance and – with the pull-out function – the length of the space around the mixer.



**sBox Kitchen**  
The hose extends quietly and smoothly from the base cabinet by up to 76 cm.



**Tilt Function**  
The kitchen tap can easily be removed its holder and lowered, so that a window can be opened inwards.




**Low Pressure**  
Low pressure fitting for cold water pipes with boiler/heat storage.



**Glue or Screw Fix**  
Assembly possible both with included glue-kit and screws.



**EasyClick**  
All accessories can be easily clicked onto the wall bar and removed from it.



**Variable Installation Depth**  
Variable installation depth of finish set for an individual look.



**Adjustable Frame Height**  
For flush integration into the adjacent area.



**Water Damage Protection**  
Water damage protection via water proof basic set and preassembled sealing membrane.



**In-floor Installation**  
In-floor installation as design highlight.



**One-sided Installation**  
Wallbound installation for comfortable use of space.



**Two-sided Installation**  
Installation adapted to the integration between two walls.



**Three-sided Installation**  
Minimalistic installation against back and side walls.



**Resizable Cover Length**  
Drain can be cut to length. For optimal adaptation to the installation surrounding.



**High Drainage Capacity**  
High capacity drain.



**Easy Clean Siphon**  
Comfortable cleaning of the siphon.



**Water Boost**  
You can increase the amount of water in a targeted way when needed.

hansgrohe brand	4 Editorial	12 Quality
	6 Company	13 Service
	8 Innovation	14 Responsibility
	10 Design	15 Sports sponsorship

Spray types & technologies	Bathroom	Kitchen
16	Spray modes	30 Spray modes
18	Technologies	31 Technologies
28	FinishPlus	35 FinishPlus

## Bathroom

Hand showers and shower sets	38 Rainfinity	54 Jocolino <b>NEW</b>
	40 Raindance	56 DogShower <b>NEW</b>
	44 Pulsify S <b>NEW</b>	
	46 Croma	
	50 Crometta	
	52 Vernis <b>NEW</b>	

Shower bars and accessories	58 Shower rails & care
	64 Shower hoses
	66 Shower supports and hose connections
	69 Soap dishes and shelves

Overhead and side showers	72 Rainmaker Select	86 Croma
	74 Rainfinity	90 Crometta
	76 Raindance	91 Vernis <b>NEW</b>
	84 Pulsify S <b>NEW</b>	

Showerpipes	96 Rainmaker Select	110 Croma
	98 Rainfinity	118 Crometta
	100 Raindance	120 Vernis <b>NEW</b>
	108 Pulsify S <b>NEW</b>	

Thermostats	Exposed	Concealed
124	ShowerTablet Select <b>NEW</b>	130 RainSelect
126	Ecostat	134 Concealed installation overview of functions
128	Shower systems	138 ShowerSelect
		144 Ecostat

Mixers	150 Metropol	182 Focus
	158 Metris	186 Vernis <b>NEW</b>
	164 Finoris <b>NEW</b>	194 Logis <b>NEW</b>
	168 Vivenis <b>NEW</b>	200 Electronics & care
	172 Talis	

Accessories	204 XtraStoris <b>NEW</b>
	208 Logis
	210 AddStoris <b>NEW</b>
	212 Logis Universal
	214 WallStoris <b>NEW</b>

Drainage systems	Shower	Basin
219	RainDrain <b>NEW</b>	228 Siphons & accessories
219	Staro	
	Bath	
226	Flexaplust	
227	Exafill	

Planning and Installation	230 iBox universal	240 Example installations
	236 sBox bath	
	238 uBox universal <b>NEW</b>	

## The kitchen

Kitchen mixers	268 Aquino Select	284 Zesis <b>NEW</b>
	270 Metris	286 Logis
	274 Talis	287 Vernis <b>NEW</b>
	280 Focus	288 Accessories

# Meet the beauty of water

## **The new meaning of 'home'**

Over the past year, many of us have come to realise the importance of home providing a place of relaxation and retreat. As a company, we know we are providing something truly fundamental to our customers: a home filled with beauty and quality, a place of escape from the outside world. Whatever happens, we are – and always will – be by your side.

## **Innovations to bring your business to life**

This year, we're introducing a range of exciting new products that deliver on our guiding principles: **innovation, design, quality and responsibility**. We offer solutions to every need, by developing cutting-edge products to suit every lifestyle. Meet Pulsify, the shower that offers a completely new experience in any sized bathroom, thanks to the innovative PowderRain spray. Or Finoris, the tap that gives a new freedom of movement in the bathroom. Innovation continues with the multi-sensory shower experience RainTunes\*, the fun Jocolino children's shower, the flexible WallStoris storage system and the RainDrain shower channels.

## **Designed for people**

hansgrohe is a brand for life. Whether you are looking for a moment of calm or refreshment, every product we make is designed to make life easier. Our products are not one-off ideas but comprehensive solutions, destined to become integral to everyday life. It's this that defines our brand: our focus on people.



\* RainTunes is not available worldwide




# hansgrohe – our past informs our future

hansgrohe is a company steeped in tradition. It was founded by Hans Grohe in 1901, with a small metalwork shop in Schiltach, the Black Forest. Today, you will still find our Innovation Centre and corporate headquarters there. The hansgrohe brand has an international reputation for excellence, thanks largely to the commitment of its people. Each employee is passionate about water, but it's our expertise which really set us apart as a company. These qualities have resulted in revolutionary bathroom innovations and pioneering water-saving technologies, yesterday, today and tomorrow.



In 1901, Hans Grohe founded his metalwork business. He was a visionary, recognising the changing role of the bathroom in the home (despite it being a fairly new concept to most at the time).





1928

**Hand shower**  
The first shower with a white porcelain handle. This hansgrohe innovation made showering affordable for many households for the first time.



1953

**Shower bar Unica**  
Thanks to this revolutionary idea, hand showers could be mounted at a required height.



1974

**Tribel**  
First design award winning hand shower in many colours and with three spray types.



1981

**ALLEGROH**  
The first mixer with the new lever handle, swivel spout and innovative ball mix technique.



2001

**iBox universal**  
First and only basic set for all standard and thermostat solutions - a revolution in concealed installation.



2003

**Raindance**  
The first hand shower with an XXL shower head, flat silhouette and short handle. The all-rounder becomes a trendsetter.

## New milestones in bathroom innovation



2018

**PowderRain**  
A unique shower experience thanks to the soft caress of micro droplets.



2019

**FinishPlus**  
High-quality finishes provide a variety of design options.



2021

**RainTunes\***  
We combine water with sound, light, imagery and fragrance into one holistic wellness experience.

\* RainTunes is not available worldwide

# Innovation – driving our business and yours

Whether in a new build or renovation, clever products and state-of-the-art technologies will keep you ahead of the competition. Hansgrohe registers hundreds of new designs, patents and brands every year, holding 15,000 patents to date. It's the reason we're considered pioneers in the industry. We combine top technical performance with a focus on the needs and enjoyment of the customer. With hansgrohe, you can have confidence that you have technological innovation on your side.



## Our own research and development laboratory

We believe every part of a product is important. From the look, functionality and material of a shower, to the sound it makes as water flows. In our in-house spray laboratory, acoustic experts tirelessly research the perfect water sound. This attention to detail is reflected in over 15,000 active patents. The result is that customers around the world can enjoy more comfort and relaxation in the bathroom.





## The right spray type for every shower

Different people have different requirements from their shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience. Whatever your customers are looking for, with hansgrohe you will find the right spray type. PowderRain is one such spray, enveloping the body in thousands of ultra-fine droplets and creating a delicate cocoon of water. Our experts have used all of their knowledge to ensure quiet operation, and the result is a sensual, whisper-quiet home spa experience.




## Technologies that inspire

The best products enrich people's lives, bringing more comfort and enjoyment. And sometimes, it's the smallest technologies that make the difference. hansgrohe's Select is just one button that brings a new ease of use to the bathroom. Or QuickClean, the clever anti-limescale solution. hansgrohe technologies make taps and showers enjoyable to use and easy to clean.

# Design – collaborating for excellence

Elegant functionality appeals to both the heart and mind, and it's something we specialise in. Our products are consistently award-winning, outlasting fads and instead providing long-lasting value, whether they are found in the home or in a world famous hotel. With over 30 years of collaboration with Phoenix Design, hansgrohe is a leader within the industry, with more than 600 awards collected for our design achievements.

More than  
600 awards





Serenia The Palm  
Dubai, United Arab Emirates  
Products: hansgrohe Metris  
Copyright: Serenia The Palm



Developers, investors, architects and planners around the world spearhead the most ambitious of projects, ensuring that intelligent and elegant water solutions are always in demand. Our shower and bathroom collections are well known as the very embodiment of design excellence. That's why you'll find them in world class hotels, exclusive sports clubs, royal castles and luxury yachts.

You can find more inspiring examples at [pro.hansgrohe.com/your-selling-points/references](https://pro.hansgrohe.com/your-selling-points/references)

At home all over  
the world



InterContinental - ANA Beppu Resort & Spa  
Oita, Japan  
Products: hansgrohe Logis  
Copyright: ANA Beppu Resort & Spa



# Quality – the highest standards for the longest product life

Install a hansgrohe product, and you know it will be enjoyed for years to come. Offering customers the highest quality at all times is a fundamental part of our philosophy. We have been manufacturing bathroom and kitchen products for over 120 years, and we are proud of our intensive quality control processes, practiced around the world.

Our reliability goes one step further: we offer our end users a five year\* manufacturer's guarantee on our products.

This manufacturer's guarantee goes far beyond statutory requirements. With this, we provide our sales partners with yet another advantage of using hansgrohe over other brands. We also ensure that we provide assistance to our specialist partners when applying this manufacturer's guarantee.

Your customer will also benefit from the fifteen year parts availability guarantee, which ensures the security of their investment even after a product is phased out.



hansgrohe  
guarantee and  
availability guarantee



hansgrohe produces incredibly advanced technology, but the measurement of quality is a very human endeavour. That's why every single product is carefully checked by human hands before it leaves our factory.

\* This guarantee applies to all hansgrohe products, with the exception of the products listed under II b on [hansgrohe.com/guarantee](https://www.hansgrohe.com/guarantee)

# Service – a partnership you can rely on

You deliver your best on each job and need a partner you can rely on. As a trade partner, hansgrohe is here to support you. Through hansgrohe, you can contact experienced plumbers to help you with even the most complex problems – anytime, anywhere. We also provide brochures, videos and online webinars to help you keep your skills up-to-date and provide the best service for your customers.

We keep you up-to-date – on hansgrohe product innovations, marketing and sales campaigns, seminars, events and company news. Whether you're from a trade, craftsman or project management background, register here to always stay in the know.

**[pro.hansgrohe.com/newsletter](https://pro.hansgrohe.com/newsletter)**



## Your success is our success

On our partners website you'll find many additional services, such as delivery information, online spare parts catalogue, dimensional drawings and 3D data, price lists and Building Information Modelling (BIM) data for most software applications and marketing tools. This means you can access it at any time, whether you're out and about or with a customer.

**[pro.hansgrohe.com](https://pro.hansgrohe.com)**

## Professional knowledge from our experts

hansgrohe eLearnings gives you the skills and knowledge to be able to advise customer effectively. Our digital training courses train you on the features and benefits of our products. This is all accessible online, on your computer, tablet or smartphone, for the ultimate in flexibility.

**[pro.hansgrohe.com/service/elearning](https://pro.hansgrohe.com/service/elearning)**

# Taking responsibility – acting sustainably

We focus on three areas of accountability: **responsible management, social action** and **ecological awareness**. We believe this is the only way to be successful, both now and in the future. This is something we put into practice worldwide, and have been doing so for many years. This includes ensuring we have an environmentally conscious production process, and mindfully employing people and other resources.

Klaus Grohe, the founder's son, was an ardent campaigner for sustainability from an early age. He ensured that environmentally-conscious thinking was a core principle at Hansgrohe. As early as 1987, Hansgrohe was one of the first to bring a water-saving shower to the market. From this point on, many projects were undertaken to ensure environmentally and resource-friendly production in our factories.


At Hansgrohe, we are in the process of taking giant steps forward to help minimise climate change. By 2030, our aim is to make the entire company, including our products, climate neutral. To implement this, we carefully choose our raw materials, packaging and logistics based on their climate impact.



## Simply calculate potential savings

With our water saving calculator, it's easy to see the amount of water that could potentially be saved with our environmentally-friendly EcoSmart technology. It's useful for both large and small customers, showing instantly the products that will help conserve our most valuable resource.

**[pro.hansgrohe.com/consultation/water-savings-calculator](https://pro.hansgrohe.com/consultation/water-savings-calculator)**



### Calculate individually

- Number of people in household
- Energy type
- Average shower length (in mins)
- Water costs ££/1000l
- Energy costs ££/kWh
- Product selection






# Sports sponsorship – teaming premium athletes with premium products

hansgrohe has been the official title sponsor of the world class cycling team BORA-hansgrohe since 2017. We share the same values and have a similarly global reach: with this international dream team of 29 athletes from ten nations, hansgrohe has helped them to compete in 140 countries around the world. As brand ambassadors, the athletes are on the road for almost 300 days a year.

In 2019, BORA-hansgrohe was the second ranked team in the UCI WorldTour. A highlight of 2021 was the top German team winning the points classification at the Giro d'Italia – largely thanks to superstar Peter Sagan, who won the famous “Maglia Ciclamino” jersey.

Find out where, when and who is in the starting position on the website and via social media from hansgrohe and the BORA-hansgrohe team.



More indulgence with a range spray types by hansgrohe

# Spray types – relax or energise with every shower

Different people require different things from the shower. Some look for a relaxing time-out from the world, while others want an energising, refreshing shower experience.

Whatever your customers are looking for, with hansgrohe you will find the right hand and overhead shower, with the right spray type. Products featuring our Select technology

provide particular convenience for your customers.



## **PowderRain**

Revolutionise your daily shower experience with PowderRain and transform your bathroom into an oasis of relaxation. Instead of only one jet outlet per nozzle, PowderRain has up to five openings that create thousands of fine and silky micro-droplets that envelope your body.



## **Intense PowderRain**

Intense jets of fine micro-droplets for sensational showering. Intense PowderRain is extraordinarily effective as the number of droplets has been substantially increased to produce an intense, yet velvety soft spray.

Simply scan the code and experience the spray patterns in the video.



## **Rain**

Despite the smaller nozzles on the hand shower and overhead shower, the performance of both are consistently excellent. The Rain spray invigorates and refreshes, making rinsing out shampoo quick and easy.



## **RainAir and RainAir XL**

Relaxing shower rain, which is enriched with air inside the shower head. This makes the water feel exceptionally soft and plump, covering your body with soft beads of water and enveloping you to create a sense of well-being. It's a spray most loved by pleasure seekers.



## **IntenseRain**

It's not just shampoo you can rinse away with ease thanks to IntenseRain water spray. It's perfect for setting yourself up for the day too: wash morning tiredness down the drain – for a refreshing start to the day.



**TurboRain**

The all-purpose tool for quick, straightforward results: TurboRain is the most powerful of our Rain spray modes and lives up to its name every time.



**SoftRain**

The gentle SoftRain spray is a treat for soul and skin, whether it's a quick daily shower or a pampering evening indulgence.



**Mix**

Simultaneously gentle and dynamic. The mix spray combines the rich, soft RainAir spray with the strong, revitalising CaresseAir spray. Soft drops envelop your body, while a warm jet massages the skin. It's a dream combination for daily showering pleasure.




**Whirl**

A swirling massage spray, which showers away the stresses of the day. This relieves tension, primarily in the neck area and shoulders. The rotating helix jet wanders over the skin, just like a masseur's fingers. The ideal choice for relieving stress or giving yourself a spa-like treatment after playing sport.




**CaresseAir**

Five strong single sprays combine in a pleasantly revitalising and powerful massage. It's just the thing for post-exercise or after a hard day at work – good as new in minutes.



**Massage**

A concentrated spray that relieves the stress of everyday life, easing areas of tension. The innovative ring-shaped spray creates an at-home wellness experience like no other.



**Mono**

A targeted, soothing spray from the centre of the showerhead. The Mono jet's lightness helps you to unwind, making it a perfect spray for relaxing.



**RainFlow**

An overhead shower with RainFlow creates a waterfall in the bathroom. The effect is a cascade of water on the neck and shoulders, easing tension and bringing total relaxation.



**RainStream**

The new single sparkling RainStream spray is a crowning achievement for the hansgrohe R&D team. These special overhead shower sprays remain revitalising and intense from head to toe, giving a consistent experience however tall you are.

Our experience means more efficiency in the bathroom

# Technology – providing the ultimate ease of use for your customers



## Select

Because sometimes pressing is easier than turning. With our innovative Select technology, a simple touch of a button on the shower or shower control is all it takes to change the spray mode or turn the water on/off for even more comfort while showering, no matter your age.

- Intuitive control at the touch of a button
- Suitable for all age groups
- Mechanical construction for permanent functional safety
- Temperature can be pre-set
- Can even be operated with your elbow or arm



The idea: a button instead of a lever at the sink. The mechanical Select button simplifies everyday routines, and is robust enough to stand the rigours of everyday life, as our long-term testing proves. These small changes can have a large impact on how convenient a product is to use, and make them ideal for a multi-generational household.





## EcoSmart

Thanks to EcoSmart technology, hansgrohe showers consume up to 60% less water than conventional products thanks to the addition of air to the spray. This also saves valuable energy.

- Up to 60% less water consumption (shower)
- Water consumption of only 5 l/min (tap)
- Lower consumption means lower energy requirements, and therefore fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency



Thanks to EcoSmart technology's aeration, our basin taps consume just 5 l/min of water. This saves warm water and energy. All of our basin taps have achieved level A in the home sector: the best possible result.

The savings calculator computes how much water and energy can be saved at:

**[pro.hansgrohe.com/consultation/water-savings-calculator](https://pro.hansgrohe.com/consultation/water-savings-calculator)**



## QuickClean

QuickClean means flexible silicone inserts on the aerators. Dirt and limescale deposits can be simply rubbed off with your finger with no need to use cleaning products, helping to extend your shower's lifespan.

- Quick and simple cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality





## AirPower

Comfort and efficiency don't have to be mutually exclusive and our AirPower showers prove it. An ample supply of air is sucked in via the spray disc of your shower, making the droplets fuller, lighter and softer, increasing water efficiency at the same time.

- Fuller, lighter and softer drops – pure shower pleasure
- Fewer splashes, so less cleaning
- Higher water efficiency thanks to a larger water volume



## XXL Performance

Large-format showers have to be experienced to be truly appreciated. The luxurious hansgrohe design envelops the individual in water, bringing XXL performance to the bathroom.

- Large-format showering sensation
- Higher water efficiency – evenly distributed spray nozzles, for an incomparable shower experience



## Tiltable

You can adjust this overhead shower at an angle to suit the shower area, so that the whole body is soothingly enveloped in water.

- Adjustable shower head to suit the individual
- Angle of adjustments provides flexibility
- Modern installation for contemporary enjoyment



## FastDrain minimises drips

This clever technology significantly reduces dripping from the overhead shower.

- Reduces annoying dripping
- Smarter waterflow inside the shower
- Easier cleaning



## Water regulation

The amount of water can be precisely regulated using the thermostat. Not only does this conserve water, it's great for children, who often find a gentler waterflow more pleasant.

- Precisely regulate the amount of water
- Actively regulate water consumption with the volume control
- Easy operation – suitable for all ages



## Height-adjustable PushSlider

With just one hand, the shower holder can be freely adjusted in height at the touch of a button. For a safe and comfortable shower experience.

- Easy to use with one hand
- More comfort for every generation
- Easily adjustable shower heights



## Rotatable bath spout

The water inlet of this bath thermostat can be turned 90° so that it disappears underneath, providing more space to move while bathing or showering and creating a neater overall appearance.

- More freedom of movement when bathing or showering
- Functional design
- Streamlining the overall look



## CoolContact

The CoolContact cooling technology stops the thermostatic mixer's housing getting too hot. So there is no more need to keep a safe distance from the taps, making showering even more care-free. It also means there is no more risk of children burning their delicate hands.

- Innovative cooling technology
- More safety in the bathroom, for children too
- Care-free showering



## Pull-out function

Thanks to the pull-out tap, the working area at the sink becomes much larger. It also offers fantastic ease of use, thanks to the magnetic recoil function.

- The pull-out tap extends your workspace
- Easy handling
- Minimalist design for maximum flexibility and freedom of movement




## ComfortZone


Whether you want more elbow room when washing your hands, a comfortable way to wash your hair or just fill containers, the higher the tap, the more flexible your options become. We call the space between the tap and the ceramics the ComfortZone because you can use it however you like.

- The optimal height for every requirement
- The perfect combination of tap and basin
- Reduce unnecessary water spraying through a reliable test: [pro.hansgrohe.com/consultation/comfortzone](https://pro.hansgrohe.com/consultation/comfortzone)


## The right fitting for every need




Mixer behind free standing exposed basin or behind wash bowl.




Wash bowl with exposed mixer.



Wash bowl with wall mixer.



Mixer for built-in basin.



Wall-hanging wash basin with exposed mixer.



The right tap for every sink

# The ComfortZone test – ensuring perfect synchronisation



The higher the tap, the more flexible the space. However, if a wash basin and tap do not match up properly it can result in splash-

back. To avoid this, we developed the ComfortZone test. Carried out under realistic conditions, the test reveals just how well

customers' taps work in combination with conventional wash basins from leading manufacturers.



## How the ComfortZone test works

### 1. Free space test

Is there enough of a gap in the combination of mixer and wash basin? A test sphere is positioned between the mixer and wash basin to check how easy and comfortable it is to wash the hands.

### 2. Splash test

Is there any splashing when the mixer is turned on? The mixer is opened and closed several times under different water pressures. Between tests, the splashes are analysed and the wash basin rubbed dry.

### 3. Practice test

Is there any splashing when washing the hands? A standardised hand model is passed under the water flow and the splashes outside of the basin analysed.

## Free PDF: the test results from over 12,000 combinations

Take advantage of the thousands of tests we have conducted: as a professional partner, we make the results exclusively avail-

able to you. With an overview of all sink and tap combinations, the results give you everything you need for a successful sales

conversation. The PDF test result files are available free of charge at [pro.hansgrohe.com/consultation/comfortzone](https://pro.hansgrohe.com/consultation/comfortzone)

### Advantages and benefits


- Reliable test procedure on the wash basins of leading manufacturers, fitted in accordance with the instructions
- Recommendations from over 12,000 tested mixer wash basin combinations available online for planning – constantly expanded and updated
- The certainty that wash basin and mixer harmonise – without annoying splashes



## Contactless taps

Like many motion detectors, the sensor on our non-contact products reacts to changes in infrared radiation. As soon as it detects the warmth of the hand, water flows, making it economical and hygienic.

- Contactless
- Savings in water and energy
- Maximum hand hygiene – ideal in public spaces



## CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO<sub>2</sub> emissions and costs.

- Basic setting enables only cold water to flow
- Large energy, and therefore money, saving potential – ideal in business premises
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



## LowFlow

In business projects, water and energy savings are important criteria for building certification, such as LEED or BREEAM. This is why hansgrohe has developed LowFlow cartridges, providing a waterflow of only 3.5 l/min.

- Savings in water and energy
- Certification advantages especially for projects
- Precise temperature setting despite low flow rate



## EasyClick installation

Modern accessories, easy to install: hansgrohe hooks, shelves and baskets can be attached to the wall bar with one click. With this modular organisation system, accessories can be moved or removed quickly and easily.

- Simply attach it to the wall bar with one click
- It can be removed or re-attached at any time
- Flexible storage system with almost infinite combinations



## Can be attached using glue or screw

Secure hold, residue-free fixing: hansgrohe wall bars can be glued or drilled to the bathroom wall using a rustproof steel plate. Both types of attachment securely hold the accessories.

- Easy DIY installation: use glue or screws to secure
- Remove at any time without leaving any residue
- Robust material: stainless steel plate



## Variable installation depth

These hansgrohe accessories provide plenty of storage space. With their variable installation depth, the ready-to-use sets suit every customer requirement – while also ensuring an individual look.

- Variable installation depth
- Storage solution embedded into the wall



## Protection against water damage

This basic installation set is embedded flush with the wall and is 100% waterproof. A pre-assembled seal prevents shower water from penetrating the surrounding floor or under the tiles.

- 100% waterproof
- Pre-assembled seal



## Freely install in any area

Adaptable installation: This shower drain can be positioned in different places on the floor. This type of installation requires a four-sided slope.

- hansgrohe shower channel installed freely in the area
- Four slopes required
- A highly functional design highlight



## Wall-mounted installation

Wall-mounted installation: Install this shower drain against a wall. This type of installation requires a slope on three sides.

- hansgrohe shower channel installed on a wall
- Three slopes required
- Effective use of space



## Wall-to-wall installation

Wall-to-wall installation: Install this shower drain between two walls. This type of installation requires a slope on both sides.

- hansgrohe shower channel installed between two walls
- Two slopes required
- Requires a shower drain the exact length



## Installation against three walls

Minimalist installation against three walls: Install this shower drain on the rear wall and between the side walls. This type of installation requires a one-sided slope the exact length of the shower drain.

- hansgrohe shower channel installed against the rear and two side walls
- One slope is required
- Requires a shower drain the exact length



### Adjustable frame height

The drain channel must close the surrounding area without creating a trip hazard. The level of the cover can still be adjusted using the height adjustment frame, even after the screed has been poured.

- High-quality hansgrohe shower channel
- Easy adjustment to the surrounding tiled area thanks to the height-adjustable frame
- Flexible installation



### Shower channel that can be shortened

This shower channel can be shortened, so you can adapt it to the structural requirements.

- Adaptable hansgrohe shower channel
- Can be shortened on-site
- Flexible installation



### High drainage capacity

A truly great shower experience from a powerful overhead shower places high demands on drainage. This drain is designed for high flow volumes of up to 60 l/min, preventing flooding.

- High flow rate of up to 60 l/min
- Avoids flooding
- Maximum enjoyment



### Easy to clean siphon

The aerodynamic geometry and high flow rate of the innovative hansgrohe Dryphon allows dirt and hair to pass through smoothly, reducing the need for cleaning.

- Easier cleaning

Personality-infused design, thanks to coloured fittings

# FinishPlus – new surfaces bring new individuality to the bathroom

Today's bathroom increasingly reflects our own personal style. FinishPlus has been developed to provide five new surface designs

in matte and metallic tones, expanding your style options far beyond classic chrome. The high-quality surfaces offer a wide range of

design options, giving you brand new ways of expressing yourself.




**670 Matt Black:** Getting back to basics with black and white contrasts.




**700 Matt White:** Cheeky, unconventional freshness.



**340 Brushed Black Chrome:** A dark, partially reflective surface creates an sophisticated aesthetic.



**140 Brushed Bronze:** Soft natural tones and subtle nuances.



**990 Polished Gold Optic:** Glamorous look for aesthetic extravagance.



**000 Chrome:** Timeless classic paired with dainty elegance.

## Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock



Make washing-up a breeze

# Spray types – for a streamlined workflow in every kitchen



**Laminar spray**  
Crystal clear waterspray without added air, which prevents splashing and is ideal for filling large containers, like vases, quickly.



**Normal spray**  
Fuller, lighter and softer droplets from an aerated spray, thanks to AirPower technology.



**Shower spray**  
A gently water-saving cleaning spray, suitable for rinsing the sink.



**SatinFlow spray**  
The soft, flat spray is splash-free, making it highly efficient at saving water.



Clever functions mean more efficiency


# Technologies to make life easier



## Select

Select technology makes using the kitchen tap easier than ever before, because the water can be turned on and off with just one click. You can do that with your elbow or even the back of your hand, keeping your taps clean when you're cooking or washing up.

- Convenient use and optimal water flow
- Stop and start the water flow at the touch of a button during operation
- Can also be operated with an arm or elbow



## QuickClean

QuickClean means flexible silicone discs. Dirt and limescale deposits can be simply rubbed off with your finger - low effort with no need to use cleaning products, extending your shower's lifespan.

- Fast and easy cleaning
- Ultra high quality and tear resistant silicone
- For a long lifetime and functionality



## EcoSmart

Thanks to EcoSmart technology with added air, certain hansgrohe kitchen taps consume only 6 l/min. This reduced water volume means less water needs to be heated up, which also saves valuable energy for your customer.

- Air enriched water for a full, sparkling spray
- Lower energy consumption means fewer CO<sub>2</sub> emissions
- Lower water and energy consumption for double efficiency



## AirPower

AirPower works by drawing in air via the jet outlet. This addition of air enriches the incoming water, making the jet fuller, lighter and softer. AirPower cleverly delivers a high jet volume with less water.

- Fuller, lighter and softer droplets, for an enhanced water jet
- Less risk of splashing
- High efficiency helps to reduce water consumption



## ComfortZone

Kitchen taps with an extra high spout offer additional space, making them ideal for filling large pots and tall vases. For those that swivel, the rotation can be set incrementally up to 360°.

- The optimum height for all needs
- A flexible swivel area prevents over-rotation
- Ultimate freedom to move



## Pull-out function

More flexibility, thanks to the pull-out function. This pull-out tap extends your working area at the sink, making it easier to fill containers or water plants.

- Standard extension max. 50 cm
- The sBox extends the working space to 76 cm



## Lower in front of a window


With kitchen windows that open inwards, conventional taps often get in the way. A hansgrohe tap with TiltFunction solves this. It can be easily lifted and lowered, so that the window can be open and shut easily.

- Ideal for installation in front of a window
- Easily lifted up and folded down
- For easy opening and closing of a window



## sBox kitchen

With extendible kitchen taps and sink combi units, the sBox ensures that the hose can be pulled out and stowed away safely and easily. The 52 cm-tall box fits into all standard base units from 74 cm upwards. Alternatively, products can also be purchased without the sBox.



- Smooth and safe retrieval of the hose, without getting in the way of the drawer or waste separation system
- Multiple installation options in the base unit thanks to flexible mounting elements
- For a more organised sink cabinet
- The hose weight in the sBox ensures smooth and quiet use
- Optional accessories: An additional spacer rail that allows for installation lower in the cabinet body

## Installation options



### Best placement – vertically below kitchen tap:

The lower brackets are firmly screwed to the base. The upper brackets can be either screwed to or suspended on the rear panel. The mounting elements can be moved and rotated 360°. This makes installation fast and easy.



### Vertically below kitchen tap, tilted backwards or forwards:

The tilted back assembly is recommended if the rear wall is offset to the front or if there are obstacles on the floor. The brackets are all aligned to the front. This way, the sBox can simply be tilted forward and clicked out of all brackets. This enables quick and easy cleaning. The sBox can be tilted backwards or forwards. Maximum recommended tilt angle:  $\pm 20^\circ$ .



### At the back of the rear wall, tilted sideways:

Laterally tilted installation is an option where there are obstacles on the ground such as waste pull-out or drainage systems, or when angle valves are difficult to access. The brackets can be screwed to the base, sides or rear panel. Maximum recommended tilt angle:  $\pm 20^\circ$ .



### Tilted and offset on the side wall:

The installation on the side panel is ideal for corner sinks, sinks with draining boards or sinks with tap holes that are positioned to the side. All the brackets are screwed to the side. You should avoid parallel displacement of the sBox. If displacement is required for the installation, there must not be more than 30 mm between the tap and outlet axis of the sBox.



## CoolStart

On standard taps the continuous flow heater or circulation pump starts up immediately when the handle is in the middle position, but with CoolStart taps the hot water is only added when the lever is moved to the left. This cuts down on energy needs, CO<sub>2</sub> emissions and costs.

- Basic setting enables only cold water to flow
- Potential for water, energy and financial savings
- Special user ergonomics (the lever only needs to be moved to the left for hot water)



## Low pressure

Kitchen fittings equipped with LowPressure technology can be used at sinks with a water pressure of just 0.2 bar. A low pressure fitting for cold water pipes with boiler/heat storage.

- hansgrohe low pressure fittings
- Suitable for cold water pipes with boiler/heat storage tanks
- Suitable for water pressure of 0.2 bar or more

High-quality designs for the sink

# FinishPlus – for kitchens with personality

Customers are increasingly looking for ways to stamp their individuality onto their kitchen. We can help that happen, offering

kitchen taps in various coloured finishes. In addition to chrome and stainless steel, taps in a matte black finish are more popular than ever

before. And with FinishPlus you can fulfil your customer's every dream, creating a kitchen bursting with personality.



**670 Matt Black:** Getting back to basics with black and white contrasts.



**800 stainless steel finish:** A harmonious look.



**000 Chrome:** Timeless classic paired with dainty elegance.

## Advantages and benefits

- A large selection for self-expression: new tap colours and complementary products
- Resilient and scratch-proof, with tactile appeal
- Immediate availability: easy ordering process as products are kept in stock

hansgrohe hand showers

# Product ranges at a glance

## Rainfinity



Hand shower  
130 3jet

Baton hand shower  
100 1jet

## Raindance Select E



Hand shower  
150 3jet

Hand shower  
120 3jet

## Raindance Select S



Hand shower  
150 3jet

Hand shower  
120 3jet

Surface	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990	-000, -400	-000, -140, -340, -400, -670, -700, -990
Standard	14 l/min	13,8 l/min	16,4 l/min	14,4 l/min	16,4 l/min	15 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■		■	■	■	■
QuickClean	■	■	■	■	■	■
XXL Performance	■		■	■	■	■
AirPower			■	■	■	■
PowderRain	■	■				

Page 38

Page 40

Page 40

## Croma Select S



Hand shower Multi

Hand shower Vario



Hand shower 1jet

Hand shower Multi

## Croma 100



Hand shower Vario

Hand shower 1jet

Surface	-400	-400	-400	-000	-000	-000
Standard	16 l/min	14,7 l/min	16 l/min	19 l/min	18 l/min	16 l/min
EcoSmart 8-9 l/min	■	■	■	■	■	■
Green 6-7 l/min						
Select	■	■				
QuickClean	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■
AirPower						
PowderRain						

Page 46

Page 49

### Pulsify S

### Croma Select E



Hand shower 120 3jet PowderRain	Hand shower 105 3jet Relaxation	Hand shower 105 3jet Activation	Hand shower 105 1jet	Hand shower Multi	Hand shower Vario	Hand shower 1jet
-000, -140, -340, -400, -670, -700, -990	-000, -670, -700	-000, -670, -700	-000, -670, -700	-400	-400	-400
11 l/min	11,4 l/min	11,5 l/min	13,5 l/min	16 l/min	14,7 l/min	16 l/min
■	■	■		■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■			

Page 40

Page 44


Page 46

### Crometta

### Vernis Blend

### Jocolino

### Dog Shower



Hand shower Vario	Hand shower 1jet	Hand shower Vario	Children hand shower crocodile 2jet	Dogs hand shower 150 3jet Select
-400	-400	-000, -670	-210, -570, -640	-540, -560, -670, -700
13,8 l/min	14 l/min	15,2 l/min	11 l/min	7,6 l/min
■	■	■		■
■	■	■		
■	■	■	■	
■	■	■		

Page 50

Page 52

Page 54

Page 56

Wonderfully soft, pampering experience

# Rainfinity



**PowderRain:** An unrivalled shower experience thanks to gently enveloping micro-droplets.



**Intense PowderRain:** for an effective way to rinse out shampoo.



**MonoRain:** A targeted jet, for the ultimate in relaxation.

## Advantages and benefits


- All-encompassing showering with innovative spray surface
- Round or geometric shape
- Switching between the three spray types is effortless with Select technology






**Rainfinity**

Hand shower 130 3jet  
 # 26864, -00 0, -140, -340, -670, -700, -990 14 l/min  
 # 26865, -000, -140, -340, -670, -700, -990 EcoSmart 8.5 l/min




**Rainfinity**

Baton hand shower 100 1jet  
 # 26866, -000, -140, -340, -670, -700, -990 13.8 l/min  
 # 26867, -000, -140, -340, -670, -700, -990 EcoSmart 9 l/min



**Rainfinity**

Shower set 130 3jet with shower bar 90 cm and shelf  
 # 27671, -000 14 l/min  
 # 27672, -000 EcoSmart 8 l/min  
 Shower set 130 3jet with shower bar 150 cm and shelves (not shown)  
 # 27673, -000 14 l/min  
 # 27674, -000 EcoSmart 8 l/min



**Rainfinity**

Shower holder set 130 3jet with shower hose 125 cm  
 # 26852, -000, -700 14 l/min  
 Shower holder set 130 3jet with shower hose 160 cm  
 # 26851, -000, -700 14 l/min




**Rainfinity**

Shower holder set 100 1jet with shower hose 125 cm  
 # 26857, -000, -700 13.8 l/min  
 Shower holder set 100 1jet with shower hose 160 cm  
 # 26856, -000, -700 13.8 l/min



The right spray for every time of day

# Raindance



Convenient range of functions with Select technology



**PowderRain:** An unrivalled shower experience thanks to gently enveloping micro-droplets.



**Rain:** A powerful, refreshing spray.



**Whirl:** A concentrated massaging jet to relieve tension.


## Advantages and benefits

- All you need in a shower, from invigorating to relaxing
- Switching between the three spray types is effortless with Select technology
- Effortless cleaning with QuickClean
- Round or geometric shape




**Raindance Select E**

Hand shower 150 3jet  
# 26550, -000, -400 16.4 l/min  
# 26551, -000, -400 EcoSmart 8.5 l/min




**Raindance Select E**

Hand shower 120 3jet  
# 26520, -000, -140, -340, -400, -670, -700, -990 14.4 l/min  
# 26521, -000, -400 EcoSmart 8.5 l/min




**Raindance Select S**

Hand shower 150 3jet  
# 28587, -000, -400 16.4 l/min  
# 28588, -000, -400 EcoSmart 8.8 l/min



**Raindance Select S**

Hand shower 120 3jet  
# 26530, -000, -140, -340, -400, -670, -700, -990 15 l/min  
# 26531, -000, -140, -340, -400, -670, -700, -990 EcoSmart 8.5 l/min



**Raindance Select S**

Hand shower 120 3jet PowderRain  
# 26014, -000, -140, -340, -670, -700, -990 11 l/min



**Raindance Classic**



Hand shower 100 3jet  
# 28548, -000, -090 17 l/min





**Raindance Select E**

Shower set 150 3jet with shower bar 65 cm and soap dish  
# 27856, -000 16.4 l/min  
Shower set 150 3jet with shower bar 90 cm and soap dish (not shown)  
# 27857, -000 16.4 l/min




**Raindance Select E**

Shower set 120 3jet with shower bar 65 cm and soap dish  
# 26620, -000, -400 14.4 l/min  
# 26622, -000, -400 EcoSmart 9 l/min  
Shower set 120 3jet with shower bar 90 cm and soap dish (not shown)  
# 26621, -000, -400 14.4 l/min  
# 26623, -000, -400 EcoSmart 9 l/min




**Raindance Select E**

Shower holder set 120 3jet with shower hose 125 cm  
# 26700, -000 14.4 l/min  
Shower holder set 120 3jet with shower hose 160 cm  
# 26720, -000, -400 14.4 l/min



**Raindance Select S**

Shower set 150 3jet with shower bar 65 cm and soap dish  
# 27802, -000 16.4 l/min  
Shower set 150 3jet with shower bar 90 cm and soap dish (not shown)  
# 27803, -000, -400 16 l/min



**Raindance Select S**

Shower set 120 3jet with shower bar 65 cm and soap dish  
# 26630, -000, -400 15 l/min  
# 26632, -000 EcoSmart 9 l/min  
Shower set 120 3jet with shower bar 90 cm and soap dish (not shown)  
# 26631, -000, -400 15 l/min  
# 26633, -000 EcoSmart 9 l/min



**Raindance Select S**

Shower set 120 3jet PowderRain with shower bar 65 cm  
# 27654, -000 11 l/min  
Shower set 120 3jet PowderRain with shower bar 90 cm (not shown)  
# 27667, -000 11 l/min






**Raindance Select S**

Shower set 120 3jet with shower bar 90 cm and soap dish  
# 27648, -000, -400 15 l/min  
# 27649, -000 EcoSmart 9 l/min


Shower set 120 3jet with shower bar 150 cm and soap dishes (not shown)  
# 27646, -000 15 l/min



**Raindance Select S**

Shower set 120 3jet with shower bar 110 cm left  
# 26324, -000 15 l/min


Shower set 120 3jet with shower bar 110 cm right (not shown)  
# 26326, -000 15 l/min



**Raindance Select S**

Shower set 120 3jet with shower bar 65 cm  
# 26320, -000 15 l/min

Shower set 120 3jet with shower bar 90 cm (not shown)  
# 26322, -000, -400 15 l/min  
# 26323, -000 EcoSmart 9 l/min



**Raindance Select S**


Shower set 150 3jet with shower bar 90 cm  
# 26626, -000, -400 16.4 l/min



**Raindance Select S**

Shower holder set 120 3jet with shower hose 125 cm  
# 26701, -000 15 l/min

Shower holder set 120 3jet with shower hose 160 cm  
# 26721, -000, -400 15 l/min



**Raindance Select S**

Shower holder set 120 3jet PowderRain with shower hose 125 cm  
# 27669, -000 11 l/min

Shower holder set 120 3jet PowderRain with shower hose 160 cm  
# 27668, -000 11 l/min



Welcome back me

# Pulsify S NEW



Three jet types for ultimate relaxation:  
PowderRain, IntenseRain and Massage



QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles



Convenient range of functions with Select technology



**PowderRain:** An unrivalled shower experience thanks to gently enveloping micro-droplets.




**IntenseRain:** An intensely invigorating water flow.




**Massage:** A powerful and invigorating massage spray.

## Advantages and benefits


- Available in chrome, matt black and matt white
- Also available as a water-saving EcoSmart variant with 9 l/min
- With the innovative Select control you can easily switch between the spray types
- Effortless cleaning with QuickClean




**Pulsify Select S**  
Hand shower 105 3jet Relaxation  
# 24110, -000, -670, -700  
Hand shower 105 3jet Relaxation EcoSmart  
# 24111, -000, -670, -700 EcoSmart



**Pulsify Select S**  
Hand shower 105 3jet Activation  
# 24100, -000, -670, -700  
Hand shower 105 3jet Activation EcoSmart  
# 24101, -000, -670, -700 EcoSmart




**Pulsify S**  
Hand shower 105 1jet  
# 24120, -000, -670, -700  
Hand shower 105 1jet Green  
# 24121, -000, -670, -700 Green




**Pulsify Select S**  
Shower set 105 3jet Relaxation  
with shower bar 65 cm  
# 24160, -000, -670, -700 11.4 l/min  
# 24161, -000, -670, -700 EcoSmart 8.2 l/min

Shower set 105 3jet Relaxation  
with shower bar 90 cm (not shown)  
# 24170, -000, -670, -700 11.4 l/min  
# 24171, -000, -670, -700 EcoSmart 8.2 l/min




**Pulsify Select S**  
Shower holder set 105 3jet Relaxation  
with shower hose 125 cm  
# 24302, -000, -670, -700 11.4 l/min

Shower holder set 105 3jet Relaxation  
with shower hose 160 cm  
# 24303, -000, -670, -700 11.4 l/min





**Pulsify S**  
Shower holder set 105 1jet  
with shower hose 125 cm  
# 24301, -000, -670, -700 13.5 l/min



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

More comfort for everyone

# Croma



- (1) **SoftRain:** soft, beneficial water spray.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **Massage:** concentrated, revitalising spray.

- (1) **Rain:** perfect for rinsing shampoo out of your hair.
- (2) **IntenseRain:** intensive water spray that activates and refreshes.
- (3) **TurboRain:** the most powerful of all Rain sprays – for a refreshingly powerful showering experience.

## Advantages and benefits

- Easy spray change at the touch of a button thanks to Select technology – now also in the Croma range
- 110 mm spray face with new spray types for any shower requirement: whether just rinsing out shampoo, winding down in the evening or being full of energy in the morning
- Easy to clean: thanks to QuickClean
- Also available in the water-saving EcoSmart version at just 7 l/min






**Croma Select E**  
Hand shower Multi  
# 26810, -400 16 l/min  
# 26811, -400 EcoSmart 9 l/min



**Croma Select E**  
Hand shower Vario  
# 26812, -400 14.7 l/min  
# 26813, -400 EcoSmart 9 l/min




**Croma E**  
Hand shower 1jet  
# 26814, -140, -340, -400, -670, -700, -990 16 l/min  
# 26815, -140, -340, -400, -670, -700, -990 EcoSmart 9 l/min  
# 26816, -400 EcoSmart 7 l/min




**Croma Select S**  
Hand shower Multi  
# 26800, -400 16 l/min  
# 26801, -400 EcoSmart 9 l/min



**Croma Select S**  
Hand shower Vario  
# 26802, -400 14.7 l/min  
# 26803, -400 EcoSmart 9 l/min



**Croma S**  
Hand shower 1jet  
# 26804, -400 16 l/min  
# 26805, -400 EcoSmart 9 l/min  
# 26806, -400 EcoSmart 7 l/min



**Croma Select E**  
Shower set Multi  
with shower bar 65 cm  
# 26580, -400 16 l/min  
# 26581, -400 EcoSmart 9 l/min

Shower set Multi  
with shower bar 90 cm (not shown)  
# 26590, -400 16 l/min  
# 26591, -400 EcoSmart 9 l/min



**Croma Select E**  
Shower set Vario  
with shower bar 65 cm  
# 26582, -400 14.7 l/min  
# 26583, -400 EcoSmart 9 l/min


Shower set Vario  
with shower bar 65 cm  
and soap dish (not shown)  
# 26586, -400 14.7 l/min

Shower set Vario  
with shower bar 90 cm (not shown)  
# 26592, -400 14.7 l/min  
# 26593, -400 EcoSmart 9 l/min



**Croma Select E**  
Shower set 1jet  
with shower bar 65 cm  
# 26584, -400 16 l/min  
# 26585, -400 EcoSmart 9 l/min

Shower set 1jet  
with shower bar 90 cm (not shown)  
# 26594, -400 16 l/min  
# 26595, -400 EcoSmart 9 l/min





**Croma Select S**

Shower set Multi with shower bar 65 cm

# 26560, -400 16 l/min

# 26561, -400 EcoSmart 9 l/min

Shower set Multi with shower bar 90 cm (not shown)

# 26570, -400 16 l/min

# 26571, -400 EcoSmart 9 l/min



**Croma Select S**

Shower set Vario with shower bar 65 cm

# 26562, -400 15 l/min

# 26563, -400 EcoSmart 9 l/min

Shower set Vario with shower bar 65 cm and soap dish (not shown)

# 26566, -400 14.7 l/min

Shower set Vario with shower bar 90 cm (not shown)

# 26572, -400 14.7 l/min

# 26573, -400 EcoSmart 9 l/min



**Croma Select S**

Shower set 1jet with shower bar 65 cm


# 26564, -400 16 l/min

# 26565, -400 EcoSmart 9 l/min

Shower set 1jet with shower bar 90 cm (not shown)

# 26574, -400 16 l/min

# 26575, -400 EcoSmart 9 l/min



**Croma Select E**

Shower holder set Vario with shower hose 125 cm

# 26425, -400 15 l/min

Shower holder set Vario with shower hose 160 cm

# 26413, -400 14.7 l/min




**Croma Select E**

Shower holder set 1jet with shower hose 125 cm

# 26424, -400 16 l/min

Shower holder set 1jet with shower hose 160 cm

# 26412, -400 16 l/min



**Croma Select S**

Shower holder set Vario with shower hose 125 cm

# 26421, -400 15 l/min

Shower holder set Vario with shower hose 160 cm

# 26411, -400 15 l/min




**Croma Select S**

Shower holder set 1jet with shower hose 125 cm

# 26420, -400 16 l/min

Shower holder set 1jet with shower hose 160 cm

# 26410, -400 16 l/min



**Croma 100 Classic**

Hand shower Multi

# 28539, -000 19 l/min






**Croma 100**  
Hand shower Multi  
# 28536, -000 19 l/min  
# 28538, -000 EcoSmart 9 l/min



**Croma 100**  
Hand shower Vario  
# 28535, -000 18 l/min  
# 28537, -000 EcoSmart 9 l/min



**Croma 100**  
Hand shower 1jet  
# 28580, -000 16 l/min  
# 28583, -000 EcoSmart 9 l/min



**Croma 100**  
Shower set Multi  
with shower bar 90 cm and soap dish  
# 27774, -000 19 l/min



**Croma 100**  
Shower set Vario with shower bar 65 cm  
and soap dish  
# 27772, -000 18 l/min  
# 27776, -000 EcoSmart 9 l/min  
Shower set Vario with shower bar 90 cm  
and soap dish (not shown)  
# 27771, -000 18 l/min  
# 27653, -000 EcoSmart 9 l/min




**Croma 100**  
Shower set Mono with shower bar 65 cm  
and soap dish  
# 27717, -000 16 l/min  
Shower set Mono with shower bar 90 cm  
and soap dish (not shown)  
# 27724, -000 16 l/min




**Croma 100**  
Shower holder set Multi with shower hose 125 cm  
# 27593, -000 19 l/min  
Shower holder set Multi with shower hose 160 cm  
# 27595, -000 19 l/min



**Croma 100**  
Shower holder set Vario with shower hose 125 cm  
# 27592, -000 18 l/min  
Shower holder set Vario with shower hose 160 cm  
# 27594, -000 18 l/min



**Croma 100**  
Shower holder set Mono with shower hose 125 cm  
# 27574, -000 16 l/min  
Shower holder set Mono with shower hose 160 cm  
# 27575, -000 16 l/min




Easy savings in water, energy, CO<sub>2</sub> and hence costs

# Crometta



- (1) **Rain:** perfect for rinsing shampoo out of your hair.  
 (2) **IntenseRain:** intensive water spray that activates and refreshes.



**Saving water:** enjoy a comprehensive showering experience with the EcoSmart and Green lines – despite the low consumption.

## Advantages and benefits

- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Also available as the water-saving EcoSmart variant with a flow of 9 l/min or LEED-compliant 6 l/min
- 2 spray types: large Rain spray and revitalising IntenseRain spray
- Attractive white design





**Crometta**

Hand shower Vario  
 # 26330, -400 13.8 l/min  
 # 26332, -400 EcoSmart 9 l/min  
 # 26336, -400 Green 5.7 l/min



**Crometta**

Hand shower 1jet  
 # 26331, -400 14 l/min  
 # 26333, -400 EcoSmart 9 l/min  
 # 26334, -400 Green 5.7 l/min



**Crometta**

Shower set Vario with shower bar 65 cm  
 # 26532, -400 13.8 l/min  
 # 26534, -400 EcoSmart 9 l/min  
 # 26555, -400 Green 6 l/min

Shower set Vario with shower bar 65 cm and soap dish (not shown)  
 # 26553, -400 13.8 l/min



Shower set Vario with shower bar 90 cm (not shown)  
 # 26536, -400 13.8 l/min  
 # 26538, -400 EcoSmart 9 l/min



**Crometta**

Shower set 1jet with shower bar 65 cm  
 # 26533, -400 14 l/min  
 # 26535, -400 EcoSmart 9 l/min  
 # 26554, -400 Green 6 l/min


Shower set 1jet with shower bar 90 cm (not shown)  
 # 26537, -400 14 l/min  
 # 26539, -400 EcoSmart 9 l/min



**Crometta**

Shower holder set Vario with shower hose 125 cm  
 # 26691, -400 13.8 l/min  
 # 26693, -400 EcoSmart 9 l/min


Shower holder set Vario with shower hose 160 cm  
 # 26692, -400 13.8 l/min  
 # 26694, -400 EcoSmart 9 l/min



**Crometta**


Shower holder set 1jet with shower hose 125 cm  
 # 26690, -400 14 l/min  
 # 26568, -400 EcoSmart 9 l/min

Shower holder set 1jet with shower hose 160 cm  
 # 26567, -400 14 l/min  
 # 26569, -400 EcoSmart 9 l/min



The right solution for every bathroom

# Vernis Blend **NEW**



**Rain:** Full rain shower, ideal for washing hair.



**IntenseRain:** An intensely invigorating water flow



**QuickClean:** Wipe limescale deposits away easily by rubbing your finger over the flexible silicone nubs.

## Advantages and benefits

- Safe grip and single-handed changeover by simply turning the spray face
- Spray face of 100 mm diameter
- Easy to clean: thanks to QuickClean
- Also available as a water-saving EcoSmart and Green variant



**Vernis Blend**

Hand shower Vario

# 26270, -000, -670 15.2 l/min

# 26340, -000, -670 EcoSmart 9.7 l/min

# 26090, -000 Green 5.2 l/min



**Vernis Blend**

Shower set Vario with shower bar Crometta 65 cm

# 26275, -000 15.2 l/min

# 26279, -000 EcoSmart 9.7 l/min



**Vernis Blend**

Shower holder set Vario with shower hose 160 cm


# 26273, -000 15.2 l/min

# 26278, -000 EcoSmart 9.7 l/min



Go wild for bath time

# Jocolino **NEW**



**Rain:** Full rain shower, ideal for washing hair.



**MonoRain:** Targeted spray, for a soothing shower experience.



**Quick coupling:** You can easily switch between two hand showers.


## Advantages and benefits

- Three different animal designs: lion, crocodile and zebra
- Moving eyes, for even more bath time fun
- Ergonomic handle, suitable for small hands
- Two spray types: Rain and MonoRain
- With the optional quick coupling, you can easily switch between two hand showers







**Jocolino**  
Children hand shower crocodile 2jet  
# 28788570 11 l/min



**Jocolino**  
Children hand shower zebra 2jet  
# 28787640 11 l/min



**Jocolino**  
Children hand shower lion 2jet  
# 28760210 11 l/min



Quick-coupling set  
# 28346000

A treat for both dog and owner

# DogShower NEW



**Leg Spray:** For legs and other sensitive areas.



**Paw Spray:** A soft spray, ideal for gently cleaning paws.



**Fur Spray:** A full shower spray, for effectively rinsing off dirt and shampoo.

## Advantages and benefits

- Specifically designed to streamline the washing process for dogs and their owners
- The hansgrohe DogShower can help reduce a dog's stress in the shower and prevent skin irritation
- With the optional quick coupling, you can easily switch between two hand showers



**DogShower**

Dogs hand shower 150 3jet Select  
 # 26640, -540, -560, -670, -700 7.6 l/min



Quick-coupling set  
 # 28346000

Uniquely elegant

# Unica

**Extending:** Additional Casetta soap dishes can be added

**Practical:** integrated glass shelf for shower utensils, height can be set individually when fitting

**Unique:** Glass shower rails available in two surfaces: white/chrome and chrome

**Flexible:** Shower holder is height-adjustable, rotatable and tiltable, with a self-locking slide which can be set with one hand

**Easy to clean:** easy to clean thanks to the level surface

**Versatile:** available in lengths 0.90 m and 1.50 m



**Attractive:** harmonises with other glass elements such as shower partitions, overhead showers or thermostats.



**Surface:** White/chrome



**Surface:** Mirrored chrome

## Advantages and benefits

- Integrated glass shelf for more space, additional shelves may be purchased
- Easy to clean: thanks to the level surface
- The shower holder is height adjustable, tilts and turns
- 1.50 m version ideal for families with children or for easy foot care
- Suitable for small and large shower areas and may be fitted to existing wall connections, making it ideal for refurbishments



**Unica**  
 Shower bar E 90 cm  
 with Isiflex shower hose 160 cm  
 # 27640, -000, -400  
 Shower bar E 150 cm  
 with Isiflex shower hose 160 cm and shelves (not shown)  
 # 27645, -000



**Unica**  
 Shower bar Raindance 90 cm  
 with Isiflex shower hose 160 cm  
 # 27636, -000



**Unica**  
 Shower bar S Puro 65 cm  
 with Isiflex shower hose 160 cm  
 # 28632, -000, -140, -340, -670, -700, -990  
 Shower bar S Puro 90 cm  
 with Isiflex shower hose 160 cm (not shown)  
 # 28631, -000, -140, -340, -670, -700, -820, -990



**Unica**  
 Shower bar C 65 cm  
 with Isiflex shower hose 160 cm  
 # 27611, -000  
 Shower bar C 90 cm  
 with Isiflex shower hose 160 cm (not shown)  
 # 27610, -000



**Unica**  
 Shower bar Pulsify 65 cm  
 with push slider and Isiflex shower hose 160 cm  
 # 24400, -000  
 Shower bar Pulsify 90 cm  
 with push slider and Isiflex shower hose 160 cm  
 (not shown)  
 # 24401, -000





**Unica**  
Shower bar Classic 65 cm  
with Sensoflex shower hose 160 cm  
# 27617, -000, -820



**Unica**  
Shower bar Cromo 65 cm  
with Isiflex shower hose 160 cm  
# 26503, -000  
Shower bar Cromo 90 cm  
with Isiflex shower hose 160 cm (not shown)  
# 26504, -000



**Unica**  
Shower bar Crometta 65 cm  
with Metaflex shower hose 160 cm  
# 27615, -000  
Shower bar Crometta 90 cm  
with Metaflex shower hose 160 cm (not shown)  
# 27614, -000



**Unica**  
Shower bar Comfort 110 cm left  
# 26403, -400



**Unica**  
Shower bar Comfort 110 cm right  
# 26404, -400



**Unica**  
Shower bar Comfort 65 cm  
# 26401, -000  
Shower bar Comfort 90 cm (not shown)  
# 26402, -000




**Unica**  
 Shower bar Cromo 65 cm  
 # 26505, -000  
 Shower bar Cromo 90 cm (not shown)  
 # 26506, -000



**Unica**  
 Shower bar Crometta 90 cm  
 # 27609, -000



**Unica**  
 Shower bar S Puro Reno 72 cm  
 # 28662, -000  
 Shower bar S Puro Reno 105 cm (not shown)  
 # 28663, -000



**Unica**  
 Shower bar Reno 72 cm  
 # 27704, -000



**Unica**  
 Shower bar Varia 72 cm  
 # 27355, -000  
 Shower bar Varia 105 cm (not shown)  
 # 27356, -000

- Adjustable shower heights and angles
- Hands-free showering

- Shower can be swivelled out
- Can be flexibly installed in showers and baths

- The wall attachments of the Reno shower rails can be attached to the walls as desired

Leaves nothing to be desired with regard to strength and comfort

# Unica Comfort



The Unica Comfort range is a sturdy solution for well-used bathrooms. The solid materials make it ideal for business or hospitality premises, like hotels. The robust shower rails have a tensile strength of 200 kg, which means they can also be used as a grab

bar. The 25mm chrome-plated brass rod and solid metal wall support ensures a secure hold, preventing it from being torn from the wall. The handle with shelf, footrest and Raindance Select S 120 hand shower adds another level of convenience for the user.

Metal supports provide a firm attachment to the wall

250 mm wide shelf of solid plastic for the easy positioning of shower utensils – simply remove to clean


**Flexible:** An additional shower holder gives a variety of hand shower positioning options – ideal for those showering while seated

**Practical:** shower bar, shelf and grab handle in one

**Robust:** Holder with a strong, self-locking metal slider, tilts by 90° for easy single-handed use

**Safe:** ergonomic handle for safe support up to 200 kg, 25 mm diameter

Shower hose swivels to the side, to prevent annoying twisting



## Advantages and benefits

- Single-handed use thanks to self-locking slider
- Easy to change the spray type using the Select button
- Smooth tilt of the shower holder by up to 90°
- High tensile strength of up to 200 kg
- Combination of shelf, grab handle and holder as a compact solution for the bathroom
- A removable shelf made of solid white plastic provides plenty of space for shower accessories
- The shower bar and grab handle are also ideal for the bath





**Unica**  
Shower bar Comfort 110 cm left  
# 26403, -400



**Unica**  
Shower bar Comfort 110 cm right  
# 26404, -400




**Unica**  
Shower bar Comfort 65 cm  
# 26401, -000  
Shower bar Comfort 90 cm (not shown)  
# 26402, -000



**Raindance Select S**  
Shower set 120 3jet  
with shower bar 110 cm left  
# 26324, -000 15 l/min



**Raindance Select S**  
Shower set 120 3jet  
with shower bar 110 cm right  
# 26326, -000 15 l/min



**Raindance Select S**  
Shower set 120 3jet  
with shower bar 65 cm  
# 26320, -000 15 l/min  
Shower set 120 3jet  
with shower bar 90 cm (not shown)  
# 26322, -000, -400 15 l/min  
# 26323, -000 EcoSmart 9 l/min



**Unica**  
Grab handle Comfort  
with shelf and shower holder  
# 26328, -400



**Unica**  
Foot support Comfort  
# 26329, -000

- Holder can be fitted to the left or right, or may be removed


Clever shower hoses with the perfect touch

# Shower hoses

hansgrohe has consistently been developing the design and functionality of shower hoses for over 40 years – as, for example, with the swivel on ball bearings. Lots

of new ideas and products by hansgrohe more than comply with the required standards. This is confirmed by the hansgrohe quality tests on pressure resistance and tensile strength, as well

as twist safety and the quality of seals. Whether metal or plastic, the shower hoses never fail to appeal for their high-quality, sophisticated technology.



## Advantages and benefits

- Various materials, lengths and looks
- Anti-kink and easy care
- Chrome effect matching the mixers
- Drinking water approval – DVGW certification
- Scratch free thanks to plastic coating
- No irritating twisting from the swivel
- Particularly strong – confirmed by tension tests



**Sensoflex**

Metal shower hose 125 cm  
# 28132, -000  
Metal shower hose 160 cm  
# 28136, -000  
Metal shower hose 200 cm  
# 28134, -000



**Isiflex**

Shower hose 125 cm  
# 28272, -000, -140, -340, -450, -670, -700, -990  
Shower hose 160 cm  
# 28276, -000, -140, -340, -450, -670, -700, -990  
Shower hose 200 cm  
# 28274, -000



**Comfortflex**

Shower hose 125 cm  
# 28167, -000  
Shower hose 160 cm  
# 28168, -000  
Shower hose 200 cm  
# 28169, -000



**Metaflex**

Shower hose 125 cm  
# 28262, -000  
Shower hose 160 cm  
# 28266, -000  
Shower hose 200 cm  
# 28264, -000



**Isiflex**

Shower hose 125 cm with volume control  
# 28249, -000  
Shower hose 160 cm with volume control  
# 28248, -000


- Control the amount of water used with the hand shower with products featuring Select technology
- May be reduced to 5 l/min




Shower holder Porter E  
# 28387, -000, -140, -340, -670, -700, -990



Shower holder Porter S  
# 28331, -000, -140, -340, -670, -700, -800, -990




Shower holder Porter C  
# 27521, -000



Shower holder porter classic  
# 28324, -000



**FixFit**  
Wall outlet S with shower holder  
# 26487, -000



**FixFit**  
Wall outlet E with shower holder  
# 26485, -000




**FixFit**  
Wall outlet square with shower holder  
# 26486, -000

- Three different designs to suit any finish set and shower
- Permanently safe function thanks to the high-quality metal housing and internal plastic water channels
- Few drill holes, so installation is fast and easy
- Suits any DN15 flexible hose




**FixFit**  
 Wall outlet S with non-return valve  
 and synthetic connection angle  
 # 26453, -000, -140, -340, -670, -700, -990  
 Wall outlet S without non-return valve (not shown)  
 # 27453, -000  
 Wall outlet S with non-return valve (not shown)  
 # 27456, -000  
 Wall outlet S with non-return valve and pivot joint  
 (not shown)  
 # 27506, -000



**FixFit**  
 Wall outlet Square with non-return valve  
 # 26455, -000, -140, -340, -670, -700, -990



Wall outlet with non-return valve  
 # 16884, -000, -820




**FixFit**  
 Wall outlet E without non-return valve  
 # 27454, -000, -140, -340, -670, -700, -990  
 Wall outlet E with non-return valve (not shown)  
 # 27458, -000  
 Wall outlet E with non-return valve and pivot joint  
 (not shown)  
 # 27505, -000



**FixFit**  
 Wall outlet with non-return valve  
 # 26457, -000, -140, -340, -670, -700, -990  
 Wall outlet with non-return valve and pivot joint  
 (not shown)  
 # 27414, -000



**FixFit**  
 Wall outlet E stop with non-return valve  
 and shut-off valve  
 # 27452, -000



**Rainfinity**

Wall outlet Porter 500 with shower holder  
and shower shelf left  
# 26843, -000, -700


Wall outlet Porter 500 with shower holder  
and shower shelf right (not shown)  
# 26858, -000, -700



**FixFit**

Wall outlet Porter 300 with shower holder  
and shower shelf  
# 26456, -000, -400

- Shelf, wall connection and shower holder combined in one product
- Fewer drill holes
- The shower area looks much tidier
- Also suitable for the bath
- Space for all conventional shower accessories
- More storage area than in other storage baskets
- Glass surface for easy cleaning



**Rainfinity**  
Shelf 500  
# 26844, -000, -700



**Unica**  
Grab handle Comfort  
with shelf and shower holder  
# 26328, -400

- Holder can be fitted to the left or right, or may be removed



**Casetta**  
Soap dish E  
# 26519, -000



**Casetta**  
Soap dish C  
# 28678, -000



**Casetta**  
Soap dish S Puro  
# 28679, -000










**Casetta**  
Soap dish/shelf E  
# 26511, -000, -400, -600

hansgrohe overhead showers

# Product ranges at a glance

## Rainmaker Select

## Rainfinity

							
	Overhead shower 460 3jet	Overhead shower 460 2jet	Overhead shower 460 1jet	Overhead shower 580 3jet	Overhead shower 360 3jet	Overhead shower 360 1jet	Overhead shower 250 3jet
Surface	-400, -600	-400, -600	-400, -600	-400, -600	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Wall installation	■	■	■	■	■	■	■
Ceiling installation	■	■	■		■	■	■
Standard	18 l/min	18 l/min	19 l/min	20 l/min	28,1 l/min	21 l/min	20 l/min
EcoSmart 8-9 l/min	■	■	■	■			■
Green							
LowPressure							
Select							
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							
PowderRain					■	■	■

Page 72

Page 74








## Raindance S

## Pulsify S

## Croma Select E

## Croma Select S

## Croma E

							
	Overhead shower 240 1jet PowderRain	Overhead shower 260 2jet	Overhead shower 260 1jet	Overhead shower 105 1jet	Overhead shower 180 2jet	Overhead shower 180 2jet	Overhead shower 280 1jet
Surface	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -670, -700	-000, -400	-000, -400	-000
Wall installation	■	■	■	■	■	■	■
Ceiling installation	■				■	■	■
Standard	18 l/min	11,3 l/min	12,3 l/min	11,7 l/min	17 l/min	17 l/min	18,3 l/min
EcoSmart 8-9 l/min		■	■		■	■	■
Green				■			
LowPressure							
Select					■	■	
QuickClean	■	■	■	■	■	■	■
XXL Performance	■	■	■	■	■	■	■
AirPower							■
PowderRain	■	■	■	■			

Page 82











Page 84















Page 86

Page 86

Page 88




Raindance Rainmaker		Raindance Rainfall		Raindance Select S		Raindance E		Raindance S	
									
Overhead shower 250 1jet	Overhead shower 600 3jet	Overhead shower 180 2jet	Overhead shower 300 2jet	Overhead shower 240 2jet	Overhead shower 300 1jet	Overhead shower 360 1jet	Overhead shower 300 1jet	Overhead shower 250 1jet	Overhead shower 600 3jet
-000, -140, -340 -670, -700, -990	-000	-000, -400	-000, -400	-000, -400	-000, -140, -340 -670, -700, -990	-000	-000	-000, -140, -340 -670, -700, -990	-000
■		■	■	■	■	■	■	■	■
■	■		■	■	■	■	■	■	■
19 l/min	25 l/min	24 l/min	17 l/min	17 l/min	17 l/min	16,5 l/min	17 l/min	16,5 l/min	18 l/min
■				■	■	■		■	■
			■	■				■	■
■	■	■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■	■	■
■									
Page 74	Page 76	Page 77	Page 78		Page 80		Page 82		

Croma		Croma 100		Crometta E		Crometta S		Crometta 85		Vernis Blend		Vernis Shape	
													
Overhead shower 280 1jet	Overhead shower 220 1jet	Overhead shower Multi	Overhead shower 240 1jet	Overhead shower 240 1jet	Overhead shower Multi	Overhead shower 200 1jet	Overhead shower 230 1jet	Overhead shower 280 1jet	Overhead shower 220 1jet	Overhead shower Multi	Overhead shower 240 1jet	Overhead shower 240 1jet	Overhead shower Multi
-000, -140, -340 -670, -700, -990	-000	-000	-000	-000	-000	-000, -670	-000, -670	-000, -140, -340 -670, -700, -990	-000	-000	-000	-000	-000, -670
■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■		■	■		■	■	■	■		■	■	■
15,6 l/min	19 l/min	20 l/min	18 l/min	18 l/min	15 l/min	12,4 l/min	12,4 l/min	15,6 l/min	19 l/min	20 l/min	18 l/min	18 l/min	15 l/min
■	■		■	■		■	■	■	■		■	■	■
			■	■		■	■				■	■	■
■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■	■	■	■	■	■	■	■	■	■	■	■	■
Page 89		Page 89	Page 90	Page 90	Page 90	Page 90	Page 90	Page 91		Page 91		Page 91	

The new star in the shower


# Rainmaker Select



**Flexible:** Also available for ceiling mounting, where it can be positioned freely anywhere in the room.



**Easy to clean:** Thanks to the QuickConnect holder, the overhead shower can easily be fitted or removed for cleaning by one person – no tools required.



**Individual:** Surfaces available in white/chrome and black/chrome.

## Advantages and benefits

- Striking and over-sized spray discs
- Spray widths of up to 580 mm perfectly fill the large shower area
- Height-variable wall mounting based on the iBox universal for optimum spray intensity of RainFlow or RainStream
- Choice of versions with 1–3 spray types
- Generous white surfaces integrate harmoniously in the ceiling, and look light and elegant
- Easy to clean: durable and hygienic, thanks to the flat surface
- Surface/concealed installation of the single spray overhead shower with ShowerTablet Select 700 is possible, integrating storage space directly



**Rainmaker Select**

Overhead shower 460 3jet with shower arm

- # 24007, -400, -600 18 l/min
- # 24017, -400 EcoSmart 9 l/min

Basic set iBox universal (not shown) # 01800180

Overhead shower 460 3jet with ceiling connector (not shown) # 24006, -400, -600 23 l/min # 24016, -400 EcoSmart

Basic set for overhead shower with ceiling connector (not shown) # 24010180



**Rainmaker Select**

Overhead shower 460 2jet with shower arm

- # 24005, -400, -600 18 l/min
- # 24015, -400 EcoSmart 9 l/min

Basic set iBox universal (not shown) # 01800180

Overhead shower 460 2jet with ceiling connector (not shown) # 24004, -400, -600 21 l/min # 24014, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector (not shown) # 24010180




**Rainmaker Select**

Overhead shower 460 1jet with shower arm

- # 24003, -400, -600 19 l/min
- # 24013, -400 EcoSmart 9 l/min

Overhead shower 460 1jet with ceiling connector (not shown) # 24002, -400, -600 21 l/min # 24012, -400 EcoSmart 9 l/min

Basic set for overhead shower with ceiling connector (not shown) # 24010180



**Rainmaker Select**

Overhead shower 580 3jet


- # 24001, -400, -600 20 l/min
- # 24011, -400 EcoSmart 9.5 l/min

Basic set iBox universal (not shown) # 01800180




Micro-fine showering experience

# Rainfinity




QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles


Three spray types to suit the individual: PowderRain, Intense PowderRain and RainStream



**PowderRain:**  
Sensational showering with softly enveloping micro-droplets




**Intense PowderRain:**  
for an effective way to rinse out shampoo



**RainStream:**  
Refreshingly powerful spray made of pearl-like droplets with a revitalising effect

1jet or 3jet version available

More freedom to move with adjustable tilt



**Sensational showering:** Do something to truly benefit your body and soul with PowderRain. Simply wash away the tiredness and stresses of daily life with an increased number of droplets in the Intense PowderRain setting.



**Practical shoulder shower:** with a high-quality metal body and sturdy safety-glass shelf in graphite with a 50 cm width. Wide spray surface for softly enveloping PowderRain.



**Personal comfort:** Adjust the angle from 10-30° for even more flexibility and a whole new dimension to showering.

## Advantages and benefits

- All-encompassing showering with innovative spray surface
- Adjustable tilt guarantees a comfortable showering position




**Rainfinity**  
Overhead shower 360 3jet  
with wall connector  
# 26234, -000, -140, -340, -670,  
-700, -990 28.1 l/min

Basic set iBox universal (not shown)  
# 01800180



**Rainfinity**  
Overhead shower 360 1jet  
with wall connector  
# 26230, -000, -140, -340, -670,  
-700, -990 21 l/min




**Rainfinity**  
Overhead shower 360 1jet  
# 26231, -000, -140, -340, -670,  
-700, -990 20.3 l/min

Ceiling connector S 10 cm (not shown)  
# 27393, -000, -140, -340, -670, -700, -990


Ceiling connector S 30 cm (not shown)  
# 27389, -000, -140, -340, -670, -700, -990

Shower arm square 39 cm (not shown)  
# 27694, -000, -140, -340, -670, -700, -990





**Rainfinity**  
Overhead shower 250 3jet  
with wall connector  
# 26232, -000, -700 20 l/min  
# 26233, -000, -700 EcoSmart 9 l/min

Basic set iBox universal (not shown)  
# 01800180



**Rainfinity**  
Overhead shower 250 1jet  
with wall connector  
# 26226, -000, -700 19 l/min  
# 26227, -000, -700 EcoSmart 9.4 l/min





**Rainfinity**  
Overhead shower 250 1jet  
# 26228, -000, -140, -340, -670, -700, -990 16 l/min  
# 26229, -000, -140, -340, -670, -700, -990  
EcoSmart 9 l/min

Ceiling connector S 10 cm (not shown)  
# 27393, -000, -140, -340, -670, -700, -990

Ceiling connector S 30 cm (not shown)  
# 27389, -000, -140, -340, -670, -700, -990

Shower arm square 39 cm (not shown)  
# 27694, -000, -140, -340, -670, -700, -990



**Rainfinity**  
Shoulder shower 500 1jet with shower shelf  
# 26243, -000, -700



Providing total comfort for your customers

# Raindance Rainmaker

The Raindance Rainmaker and Raindance Rainfall creates a totally new shower experience. The Raindance Rainmaker is mounted flush to the ceiling, which means

water no longer just falls, but instead creates a room full of warm rainfall. You can choose between the RainAir, RainAir XL, Whirl and Mix spray. The Raindance Rainfall also

features a horizontal rain panel, pampering you with two types of spray: relaxing RainAir and invigorating RainFlow.

## Raindance Rainmaker: Bringing a new dimension to showering



- (1) **RainAir:** Central overhead shower with AirPower technology.  
 (2) **RainAir XL:** Full, soft rainfall with AirPower technology.



- Whirl:** Three rotating massage jets with AirPower technology.

### Advantages and benefits

- Installed flush in the ceiling
- Full shower rain
- Also with integrated lighting



**Raindance Rainmaker**

Overhead shower 600 3jet  
with lighting  
# 26117, -000 25 l/min

Overhead shower 600 3jet  
without lighting (not shown)  
# 26115, -000 25 l/min

Basic set for overhead shower 600 3jet (not shown)  
# 28412180



**Raindance Rainmaker**

Overhead shower 680/460 3jet  
with lighting  
# 28418, -000 28.1 l/min

Overhead shower 680/460 3jet  
without lighting (not shown)  
# 28417, -000 28.1 l/min



Basic set for overhead shower 680/460 3jet  
(not shown)  
# 28414180



**Raindance**

Overhead shower 260/260 1jet  
# 26472, -000 15 l/min  
# 26481, -000 EcoSmart 9 l/min

Basic set for overhead shower 260/260 1jet  
(not shown)  
# 26471180



**Raindance Rainfall**

Overhead shower 180 2jet  
# 28433, -000, -400 24 l/min

Basic set iBox universal (not shown)  
# 01800180



**Raindance Rainfall**

Overhead shower 150 1jet  
# 26442, -000 18 l/min



**Raindance Rainfall**

Overhead shower 150 1jet stream  
# 26443, -000 18 l/min



One button, endless enjoyment

# Raindance Select S



Remove limescale deposits simply by rubbing the flexible silicone nozzles.



Easily accessible, the Select button need only be touched to change between RainAir and Rain



**RainAir:** Large, soft droplets form a gentle and relaxing spray.



**Rain:** A spray that is strong and revitalising and perfect for washing the hair.



**QuickClean:** Remove limescale deposits simply by rubbing the flexible silicone nozzles.

## Advantages and benefits

- Two spray types in one overhead shower: gentle RainAir and powerful Rain
- Simply switch between RainAir and Rain at the touch of a button
- Select button is easily accessible
- Easy cleaning: the metal spray face is dishwasher safe






**Raindance Select S**

Overhead shower 300 2jet  
with shower arm  
# 27378, -000, -400 17 l/min


Overhead shower 300 2jet  
with ceiling connector (not shown)  
# 27337, -000, -400 17 l/min



**Raindance Select S**




Overhead shower 240 2jet  
with shower arm  
# 26466, -000, -400 17 l/min  
# 26470, -000, -400 EcoSmart 9 l/min

Overhead shower 240 2jet  
with ceiling connector (not shown)  
# 26467, -000, -400 17 l/min  
# 26469, -000 EcoSmart 9 l/min



Square, elegant, stylish

# Raindance E



**Designed with great attention to detail:** Overhead shower fits very neatly to the shower arm.




**RainAir:** The improved Air technology creates large, soft drops, saves water while showering, and reduced shower dripping to a minimum.



**In one unit:** with the flush ceiling version with a spray face of 400 mm x 400 mm, the overhead shower merges beautifully with the ceiling.

## Advantages and benefits



- Single sprays adapt perfectly to the silhouette of the body for an optimised spray performance. Highest concentration in the middle for rinsing the hair, decreasing to the outside to keep the body warm
- Several versions available for fitting to the wall and ceiling, and flush-ceiling installation
- To suit any ShowerSelect finish sets and the new Metropol mixers
- Easy to clean: metal spray face is easy to remove
- Also available as EcoSmart with 9 l/min flow rate at 3 bar



**Raindance E**


Overhead shower 300 1jet  
with shower arm  
# 26238, -000, -140, -340, -670, -700, -990 17 l/min  
# 26239, -000 EcoSmart 9 l/min

Overhead shower 300 1jet  
with ceiling connector (not shown)  
# 26250, -000, -140, -340, -670, -700, -990 17 l/min  
# 26251, -000 EcoSmart 9 l/min




**Raindance E**

Overhead shower 400/400 1jet  
# 26252, -000 20 l/min  
# 26253, -000 EcoSmart 9 l/min  
Basic set for overhead shower 400/400 1jet  
(not shown)  
# 26254180




**Raindance E**

Overhead shower 360 1jet  
with shower arm 39 cm  
# 27376, -000 16.5 l/min  
Overhead shower 360 1jet  
with shower arm 24 cm (not shown)  
# 27371, -000 16.5 l/min  
Overhead shower 360 1jet  
with ceiling connector (not shown)  
# 27381, -000 16.5 l/min




**Raindance E**

Overhead shower 240 1jet  
with shower arm  
# 27370, -000 17.6 l/min  
# 27375, -000 EcoSmart 9 l/min  
Overhead shower 240 1jet  
with ceiling connector (not shown)  
# 27380, -000 19.5 l/min



Like soft summer rain

# Raindance



**QuickClean:** Remove limescale deposits simply by rubbing the flexible silicone nozzles.



**Reduced splash with PowderRain:** Water belongs on the body, and only on the body. So our developers have made sure that the soft micro-droplets in the PowderRain spray reduce the splash effect when showering by testing and improving it over and over again in our dedicated spray laboratory.

## Advantages and benefits

- Enjoy a peaceful experience in a much quieter shower
- Extraordinarily effective at rinsing out shampoo, with significantly more droplets
- Effortless cleaning with QuickClean



**Raindance S**

Overhead shower 300 1jet  
with shower arm 39 cm  
# 27493, -000 18 l/min

Overhead shower 300 1jet  
with shower arm 46 cm (not shown)  
# 27492, -000 18 l/min



Overhead shower 300 1jet  
with ceiling connector (not shown)  
# 27494, -000 20 l/min



**Raindance S**

Overhead shower 240 1jet PowderRain  
with shower arm  
# 27607, -000 18.1 l/min

Overhead shower 240 1jet PowderRain  
with ceiling connector (not shown)  
# 27620, -000 18 l/min




**Raindance S**

Overhead shower 240 1jet PowderRain  
# 27623, -000, -670, -700 18 l/min

Shower arm 38.9 cm (not shown)  
# 27413, -000, -140, -340, -670, -700, -990

Ceiling connector 10 cm (not shown)  
# 27479, -000, -140, -340, -670, -700, -820, -990




**Raindance S**

Overhead shower 240 1jet  
with shower arm  
# 27474, -000 18 l/min

# 27461, -000 EcoSmart 8 l/min


Overhead shower 240 1jet  
with ceiling connector (not shown)  
# 27477, -000 18 l/min

# 27463, -000 EcoSmart 9 l/min



**Raindance S**


Overhead shower 180 1jet  
with ceiling connector  
# 27478, -000 18 l/min



**Raindance Classic**

Overhead shower 240 1jet  
with shower arm  
# 27424, -000, -090 19 l/min

Overhead shower 240 1jet  
with ceiling connector (not shown)  
# 27405, -000, -090 19 l/min



Welcome back me

# Pulsify S NEW



**PowderRain:** An unrivalled shower experience thanks to gently enveloping micro-droplets.




**Fast drain:** Fast drainage of shower to reduce the dripping time.



**Adjustable shower head:** With the adjustable shower head, the water jet can be adjusted individually.

## Advantages and benefits

- Available in chrome, matt black and matt white
- Also available as a water-saving EcoSmart variant
- Effortless cleaning with QuickClean
- Adjustable tilt guarantees a comfortable showering position



**Pulsify S**

Overhead shower 260 2jet  
with wall connector  
# 24150, -000, -670, -700 11.3 l/min  
# 24151, -000, -670, -700 EcoSmart 7.4 l/min  
Basic set iBox universal (not shown)  
# 01800180



Available from 01/2023



**Pulsify S**

Overhead shower 260 1jet  
# 24140, -000, -670, -700 12.3 l/min  
# 24141, -000, -670, -700 EcoSmart 7.5 l/min  
Wall connector for overhead shower 260 (not shown)  
# 24149, -000, -670, -700




Available from 01/2023




**Pulsify S**

Overhead shower 105 1jet  
# 24130, -000, -670, -700 11.7 l/min  
# 24132, -000, -670, -700 Green 6 l/min  
Wall connector for overhead shower 105 (not shown)  
# 24139, -000, -670, -700



**Pulsify**

Wall connector for overhead shower 260  
# 24149, -000, -670, -700




**Pulsify**

Wall connector for overhead shower 105  
# 24139, -000, -670, -700

Comfort in top form

# Croma Select



**Rain:** flat rain from large, feel-good water drops.



**IntenseRain:** An intense jet of water that activates and wakes you up.



**User-friendly:** A simple touch of the Select button (from below) is all it takes to change the spray type.

## Advantages and benefits


- New design language with a large spray face of 180 mm diameter
- Available in two finishes: chrome and white/chrome
- Easy to change the spray types at the touch of a button
- Two different rain sprays: flat Rain spray, and refreshing, intensive IntenseRain
- Also available in the EcoSmart version with only 9 l/min





**Cromo Select E**


Overhead shower 180 2jet  
 # 26524, -000, -400 17 l/min  
 # 26528, -000, -400 EcoSmart 9 l/min



Shower arm E 38.9 cm  
 # 27446, -000





Ceiling connector E 10 cm  
 # 27467, -000  
 Ceiling connector E 30 cm (not shown)  
 # 27388, -000




**Cromo Select S**

Overhead shower 180 2jet  
 # 26522, -000, -400 17 l/min  
 # 26523, -000 EcoSmart 9 l/min





Shower arm 38.9 cm  
 # 27413, -000, -140, -340, -670, -700, -990



Ceiling connector S 10 cm  
 # 27393, -000, -140, -340, -670, -700, -990  
 Ceiling connector S 30 cm (not shown)  
 # 27389, -000, -140, -340, -670, -700, -990

Royally relaxed

# Croma



**SoftCube Design:** all components in one rounded look.



**AirPower:** Fuller, lighter and softer drops, for a more luxurious shower.


## Advantages and benefits

- Comfortable and safe showering
- 280 mm width for all-encompassing showering
- Effortless cleaning with QuickClean
- High-end product in modern and attractive design
- Excellent value for money



**Croma E**


Overhead shower 280 1jet  
 # 26257, -000 18.3 l/min  
 # 26258, -000 EcoSmart 8 l/min



Shower arm E 38.9 cm  
 # 27446, -000




Ceiling connector E 10 cm  
 # 27467, -000  
 Ceiling connector E 30 cm (not shown)  
 # 27388, -000




**Croma**

Overhead shower 280 1jet  
 # 26220, -000, -140, -340, -670, -700, -990 15.6 l/min  
 # 26221, -000, -140, -340, -670, -700, -990 EcoSmart 8.5 l/min  
 Shower arm 38.9 cm (not shown)  
 # 27413, -000, -140, -340, -670, -700, -990  
 Ceiling connector 10 cm (not shown)  
 # 27479, -000, -140, -340, -670, -700, -820, -990



**Croma**

Overhead shower 220 1jet  
 # 26464, -000 19 l/min  
 # 26465, -000 EcoSmart 9 l/min  
 Shower arm 38.9 cm (not shown)  
 # 27413, -000, -140, -340, -670, -700, -990  
 Ceiling connector 10 cm (not shown)  
 # 27479, -000, -140, -340, -670, -700, -820, -990



**Croma 100**

Overhead shower Multi  
 # 27443, -000 20 l/min  
 Shower arm 12.8 cm (not shown)  
 # 27411, -000



**Croma 100**


Overhead shower Vario  
 # 27441, -000 22 l/min  
 # 28462, -000 EcoSmart 9 l/min  
 Shower arm 12.8 cm (not shown)  
 # 27411, -000






**Crometta E**

Overhead shower 240 1jet  
 # 26726, -000 18 l/min  
 # 26727, -000 EcoSmart 9 l/min  
 Overhead shower 240 1jet LowPressure  
 # 26722, -000 21 l/min  
 Shower arm E 38.9 cm (not shown)  
 # 27446, -000  
 Ceiling connector E 10 cm (not shown)  
 # 27467, -000  
 Ceiling connector E 30 cm (not shown)  
 # 27388, -000




**Crometta S**

Overhead shower 240 1jet  
 # 26723, -000 18 l/min  
 # 26724, -000 EcoSmart 9 l/min  
 Overhead shower 240 1jet LowPressure  
 # 26725, -000 21 l/min  
 Shower arm 38.9 cm (not shown)  
 # 27413, -000, -140, -340, -670, -700, -990  
 Ceiling connector S 10 cm (not shown)  
 # 27393, -000, -140, -340, -670, -700, -990  
 Ceiling connector S 30 cm (not shown)  
 # 27389, -000, -140, -340, -670, -700, -990



**Crometta 85**

Overhead shower Multi  
 # 28425, -000 15 l/min  
 Shower arm 12.8 cm (not shown)  
 # 27411, -000





**Crometta 85**

Overhead shower Vario  
 # 28424, -000 18 l/min  
 Shower arm 12.8 cm (not shown)  
 # 27411, -000



**Crometta 85**

Overhead shower 1jet Green 6 l/min  
 # 28423, -000 Green 5.7 l/min  
 Shower arm 12.8 cm (not shown)  
 # 27411, -000



**Bodyvette**

Body shower 1jet  
 # 28466, -000 5 l/min  
 Body shower 1jet stop  
 # 28467, -000







**Vernis Blend**


Overhead shower 200 1jet  
 # 26271, -000, -670 12.4 l/min  
 # 26277, -000, -670 EcoSmart 8.7 l/min  
 # 26093, -000 Green 5.4 l/min

Overhead shower 200 1jet LowPressure  
 # 26095, -000 14.7 l/min



**Vernis Blend**

Shower arm 24 cm  
 # 27809, -000, -670



**Vernis Blend**


Ceiling connector 10 cm  
 # 27804, -000, -670  
 Ceiling connector 30 cm (not shown)  
 # 27805, -000, -670



**Vernis Shape**

Overhead shower 230 1jet  
 # 26281, -000, -670 12.4 l/min  
 # 26283, -000, -670 EcoSmart 8.7 l/min  
 # 26094, -000 Green 5.4 l/min

Overhead shower 200 1jet LowPressure  
 # 26096, -000 14.7 l/min



**Vernis Shape**

Shower arm 24 cm  
 # 26405, -000, -670



**Vernis Shape**

Ceiling connector 10 cm  
 # 26406, -000, -670  
 Ceiling connector 30 cm (not shown)  
 # 26407, -000, -670

hansgrohe Showerpipes

# Product ranges at a glance

## Rainmaker Select




Showerpipe 460 3jet

## Rainfinity



Showerpipe 360 1jet

## Raindance Select E



Showerpipe 300 3jet



Showerpipe 300 1jet





Showerpipe 300 1jet

Surface	-400	-000, -700	-000, -400	-000, -400	-000
Standard	27 l/min	19,6 l/min	19 l/min	16,9 l/min	16 l/min
EcoSmart 9 l/min	■				■
Green 6 l/min					
Bath					
Mixer					
Reno					
Swiveling shower arm					
Riser pipe can be shortened					
Select	■	■	■	■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■		■	■	■
Water flow control					
Fast drain					
AirPower			■	■	■
PowderRain		■			
	Page 96	Page 98	Page 100	Page 100	Page 102

**Raindance E**

**Raindance Select S**

**Raindance S**



Showerpipe 300 1jet

Showerpipe 360 1jet

Showerpipe 240 1jet  
PowderRain

Showerpipe 300 2jet

Showerpipe 300 1jet

Showerpipe 240 1jet

-000

-000, -400

-000, -140, -340  
-670, -700, -990

-000, -400

-000

-000

16 l/min

15 l/min

16 l/min

15 l/min

16 l/min

16 l/min




hansgrohe Showerpipes

# Product ranges at a glance


## Pulsify S




Showerpipe 260 2jet



Showerpipe 260 1jet



Showerpipe 280 1jet



Showerpipe 280 1jet



Showerpipe 180 2jet

## Croma Select S

## Croma Select E

	Showerpipe 260 2jet	Showerpipe 260 1jet	Showerpipe 280 1jet	Showerpipe 280 1jet	Showerpipe 180 2jet
Surface	-000, -670, -700	-000	-000	-140, -340 -670, -700, -990	-400
Standard	12,9 l/min	10,9 l/min	16 l/min	14,5 l/min	16 l/min
EcoSmart 9 l/min	■	■	■	■	■
Green 6 l/min					
Bath		■	■		■
Mixer			■		■
Reno			■		
Swiveling shower arm		■	■	■	■
Riser pipe can be shortened	■	■	■	■	■
Select	■	■		■	■
QuickClean	■	■	■	■	■
XXL Performance	■	■	■	■	■
CoolContact	■	■			
Water flow control	■	■			
Fast drain	■	■			
AirPower			■	■	
PowderRain	■	■			

Page 108

Page 110

Page 113



**Croma E**

**Croma**

**Crometta S**

**Crometta E**

**Vernis Blend**

**Vernis Shape**



Showerpipe 280 1jet

Showerpipe 220 1jet

Showerpipe 240 1jet

Showerpipe 240 1jet

Showerpipe 200 1jet

Showerpipe 230 1jet

-000

-000

-000

-000

-000, -670

-000, -670

15 l/min

15 l/min

16 l/min

15 l/min

15,9 l/min

15,9 l/min




For deluxe showering pleasure


# Rainmaker Select



**Easy to clean:** The high quality, completely flat surface is easy to clean



**MonoRain:** A targeted spray for showering pleasure that also refreshes.



**Rain:** Rain spray over the entire area of the spray face for large-scale showering pleasure.



**RainStream:** Eleven jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height so you enjoy the same refreshing shower however tall you are.



**Select**  
Select the spray types



**Select**  
Easy operation of the hand shower and spray types at the touch of a button

Setting the temperature

## Advantages and benefits

- Different versions with different overhead showers for complete showering pleasure in large showers
- Intuitive control concept, pleasure at the touch of a button
- Practical 700 mm wide storage shelf
- Easy to clean thanks to the large, even surfaces
- Easy installation with the thermostat, overhead and hand showers in a single system
- Ideal for modernisation projects, as it can be installed on existing wall connections



**Rainmaker Select**

Showerpipe 460 3jet with thermostat  
Shower arm length 450 mm

- Rainmaker Select overhead shower 460 3jet
  - Raindance Select S hand shower 120 3jet
  - ShowerTablet Select thermostat 700 Universal
- # 27106, -400 27 l/min  
# 27029, -400 EcoSmart 9 l/min



**Rainmaker Select**

Showerpipe 460 2jet with thermostat  
Shower arm length 450 mm

- Rainmaker Select overhead shower 460 2jet
  - Raindance Select S hand shower 120 3jet
  - ShowerTablet Select thermostat 700 Universal
- # 27109, -400 27 l/min  
# 27028, -400 EcoSmart 9 l/min



Complete indulgence

# Rainfinity



Adjust the angle from 10-30° for even more flexibility and a whole new dimension to showering.



Surface Matt White




Surface chrome



High-quality safety-glass shelf in graphite to place toiletries



1jet overhead shower with PowderRain spray




**PowderRain:**  
Sensational showering with softly enveloping micro-droplets

3jet hand shower with adjustable, flexible hand shower holder



**PowderRain:**  
Sensational showering with softly enveloping micro-droplets



**Intense PowderRain:**  
for an effective way to rinse out shampoo



**MonoRain:**  
Focused, relaxing spray – perfectly calming

Easy installation with the right basic set

## Advantages and benefits

- Completely new archetype of design
- Practical shelves with an attractive design
- Separate concealed control to give your shower a high-end look



**Rainfinity**

Showerpipe 360 1jet for concealed installation

- Rainfinity overhead shower 360 1jet

- Rainfinity hand shower 130 3jet


# 26842, -000, -700 19.6 l/min

Basic set for Showerpipe 360 1jet

for concealed installation


(not shown)

# 26840180



A comprehensive system for all your shower needs

# Raindance Select E



**Select**  
Select the spray types

**RainStream:** Twelve jets of sparkling water that run parallel right down to the floor. For the same fascinating shower effects at every installation height and for every body size.

**Select**  
Select the spray types

Setting the temperature

**Select**  
Select the hand shower

**Select**  
Select the overhead shower

**Select**  
Switch RainStream on and off on the overhead shower


## Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Intuitive control concept, pleasure at the touch of a button
- Ideal for simple bathroom renovations, as it can be mounted on existing connections
- Six spray modes: three from the overhead shower, three from the hand shower
- Overhead shower including RainStream with twelve parallel jets




**Raindance Select E**

Showerpipe 300 3jet with ShowerTablet Select 300  
 Shower arm length 380 mm  
 ▪ Raindance Select E overhead shower 300 3jet  
 ▪ Raindance Select E hand shower 120 3jet  
 ▪ ShowerTablet Select thermostat 300  
 # 27127, -000, -400 19 l/min




**Raindance Select E**

Showerpipe 300 2jet with ShowerTablet Select 300  
 Shower arm length 380 mm  
 ▪ Raindance Select E overhead shower 300 2jet  
 ▪ Raindance Select E hand shower 120 3jet  
 ▪ ShowerTablet Select thermostat 300  
 # 27126, -000, -400 16 l/min  
 # 27283, -000, -400 EcoSmart




**Raindance E**

Showerpipe 360 1jet with thermostat  
 Shower arm length 380 mm  
 ▪ Raindance E overhead shower 360 1jet  
 ▪ Raindance Select E hand shower 120 3jet  
 ▪ Ecostat Select thermostat  
 # 27112, -000, -400 15 l/min



Showering comfort with clear advantages

# Raindance E



**RainAir:** a gentle, relaxing jet with large, soft droplets

**Unique:** the glass riser pipe looks extremely impressive and yet is easy to clean

**User-friendly:** Comfortable:  
Height adjustable and tiltable  
Convenient: Adjusting then locking the height can be done with one hand

**Select**  
Select the spray types

**Practical:** storage surface up to 600 mm long

**Highlight:** the front of the thermostat in scratchproof glass

Function selection  
Setting the temperature

## Advantages and benefits


- Complete system with overhead shower, hand shower and thermostat
- Unique Showerpipe with riser pipe and thermostat made of glass
- Practical storage surface up to 600 mm long
- Easy to clean thanks to the large, even surfaces
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Also available in the EcoSmart version with only 9 l/min






**Raindance E**

Showerpipe 300 1jet with ShowerTablet 600  
 Shower arm length 405 mm  
 ▪ Raindance E overhead shower 300 1jet  
 ▪ Raindance Select S hand shower 120 3jet  
 ▪ ShowerTablet thermostat 600 Universal  
 # 27363, -000 16 l/min  
 # 27364, -000 EcoSmart 9 l/min




**Raindance E**

Showerpipe 300 1jet with ShowerTablet 350  
 Shower arm length 405 mm  
 ▪ Raindance E overhead shower 300 1jet  
 ▪ Raindance Select S hand shower 120 3jet  
 ▪ ShowerTablet thermostat 350  
 # 27361, -000 16 l/min  
 # 27362, -000 EcoSmart 9 l/min



**Raindance E**

Showerpipe 360 1jet with thermostat  
 Shower arm length 380 mm  
 ▪ Raindance E overhead shower 360 1jet  
 ▪ Raindance Select E hand shower 120 3jet  
 ▪ Ecostat Select thermostat  
 # 27112, -000, -400 15 l/min  
 Showerpipe 360 1jet with bath thermostat  
 # 27113, -000, -400 20 l/min



Detail view bath thermostat



Feeling good

# Raindance Select S



XXL Performance for an extra level of showering indulgence

Riser pipe can be shortened to suit personal needs

Ergonomic wing handles, which are easy to turn even with soapy hands

1jet overhead shower with PowderRain spray

**PowderRain:** Sensational showering with softly enveloping micro-droplets

QuickClean: Remove limescale deposits simply by rubbing the flexible silicone nozzles

Convenient range of functions with Select technology

**PowderRain:** Sensational showering with softly enveloping micro-droplets

**Rain:** Powerful, refreshing spray

**Whirl:** Concentrated massaging water vortex to ease tensions

## Advantages and benefits

- Safe showering with Ecostat Comfort thermostatic mixer
- XXL Performance for an extra level of showering indulgence
- Riser pipe can be shortened to suit personal needs
- Hand shower has three spray modes: Rain, PowderRain and Whirl
- Convenient operation of the hand shower through Select technology



**Raindance Select S**

Showerpipe 240 1jet PowderRain with thermostat

Shower arm length 460 mm

Swivel shower arm

- Raindance S overhead shower 240 1jet PowderRain
- Raindance Select S hand shower 120 3jet PowderRain
- Ecostat thermostat Comfort

# 27633, -000, -140, -340, -670, -700, -990 16 l/min



**Raindance Select S**

Showerpipe 300 2jet with thermostat


Shower arm length 460 mm

Swivel shower arm

Height of the Showerpipe can be reduced

- Raindance Select S overhead shower 300 2jet
- Raindance Select S hand shower 120 3jet
- Ecostat thermostat Comfort

# 27133, -000, -400 15 l/min



**Raindance Select S**


Showerpipe 240 2jet with thermostat

Swivel shower arm

Height of the Showerpipe can be reduced

- Raindance Select S overhead shower 240 2jet
- Raindance Select S hand shower 120 3jet
- Ecostat thermostat Comfort

# 27129, -000, -400 15 l/min





**Raindance S**

Showerpipe 300 1jet with thermostat  
 Shower arm length 460 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced  
 ▪ Raindance S overhead shower 300 1jet  
 ▪ Raindance Select S hand shower 120 3jet  
 ▪ Ecostat thermostat Comfort  
 # 27114, -000 16 l/min




**Raindance S**

Showerpipe 240 1jet with thermostat  
 Shower arm length 460 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced  
 ▪ Raindance S overhead shower 240 1jet  
 ▪ Raindance Select S hand shower 120 3jet  
 ▪ Ecostat thermostat Comfort  
 # 27115, -000 16 l/min  
 # 27116, -000 EcoSmart



Showerpipe 240 1jet with bath thermostat  
 # 27117, -000


Detail view bath thermostat





Welcome back me

# Pulsify S NEW



XXL Performance for an extra level of showering indulgence

Overhead shower with two spray types: PowderRain and Intense PowderRain

Low profile for greater freedom of movement

CoolContact technology ensures that the thermostatic mixer's housing is always cool and always safe

Hand shower with three spray types: PowderRain, Intense PowderRain and MassageSpray

Integrated storage space of over 40 cm offers plenty of space


Integrated holder for practical hand shower storage

Temperature and water volume controls are intuitively combined in one handle

Select technology for easy spray type selection

## Advantages and benefits

- Available in chrome, matt black and matt white
- Select technology to change the spray type at the touch of a button
- Actively regulate water consumption with the volume control
- Also available as a water-saving EcoSmart variant
- Integrated storage space offers plenty of space
- Can be fitted to existing connections, so ideal for bathroom refurbishments



**Pulsify S**

Showerpipe 260 2jet with ShowerTablet Select 400

Height of the Showerpipe can be reduced

- Pulsify S overhead shower 260 2jet
- Pulsify S hand shower 105 3jet Relaxation
- ShowerTablet Select 400 thermostat

# 24240, -000, -670, -700 12.9 l/min

# 24241, -000, -670, -700 EcoSmart



**Available from 01/2023**



**Pulsify S**

Showerpipe 260 1jet with ShowerTablet Select 400

Height of the Showerpipe can be reduced

Shower arm length 398 mm


Swivel shower arm

- Pulsify S overhead shower 260 1jet
- Pulsify S hand shower 105 3jet Relaxation
- ShowerTablet Select 400 thermostat

# 24220, -000 10.9 l/min

# 24221, -000 EcoSmart

Showerpipe 260 1jet  
with bath thermostat ShowerTablet 400  
# 24230, -000



**Available from 01/2023**

Detail view bath thermostat



Set to all-round comfort

# Croma Select




EcoStat Comfort with ergonomic, durable metal pin handle for straightforward temperature setting

## Advantages and benefits

- Complete system with overhead shower, hand shower and thermostat
- Select technology to change the spray type at the touch of a button
- Can be fitted to existing connections, so ideal for bathroom refurbishments
- Overhead shower swivels, so can be positioned as desired independently of the connections
- 4 spray types: 1 from the overhead shower, 3 from the hand shower
- Also available in the EcoSmart version with only 9 l/min





**Croma Select S**

Showerpipe 280 1jet with thermostat  
Shower arm length 400 mm  
Swivel shower arm

Height of the Showerpipe can be reduced

- Croma overhead shower 280 1jet
- Croma Select S hand shower Multi
- Ecostat thermostat Comfort

# 26790, -000 16 l/min

# 26794, -000 EcoSmart 9 l/min

Showerpipe 280 1jet with bath thermostat

# 26792, -000



**Croma Select S**


Showerpipe 280 1jet with thermostat  
and hand shower Raindance Select S 120 3jet  
Shower arm length 400 mm  
Swivel shower arm

Height of the Showerpipe can be reduced


- Croma overhead shower 280 1jet
- Raindance Select S hand shower 120 3jet
- Ecostat thermostat Comfort

# 26890, -140, -340, -670, -700, -990 15 l/min

# 26891, -140, -340, -670, -700, -990 EcoSmart 9 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



**Croma Select S**


Showerpipe 280 1jet with single lever mixer  
Shower arm length 400 mm

Swivel shower arm

Height of the Showerpipe can be reduced

- Croma overhead shower 280 1jet
- Croma Select S hand shower Multi

# 26791, -000 15 l/min



**Croma Select S**

Showerpipe 280 1jet Reno  
Shower arm length 400 mm

Swivel shower arm

Height of the Showerpipe can be reduced

- Croma overhead shower 280 1jet
- Croma Select S hand shower Multi

# 26793, -000



**Croma Select S**

SemiPipe Multi with thermostat

- Croma Select S hand shower Multi
- Ecostat thermostat Comfort

# 27247, -400 16 l/min



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels



**Croma Select E**

SemiPipe Multi with thermostat  
 ▪ Croma Select E hand shower Multi  
 ▪ Ecostat thermostat Comfort  
 # 27248, -400 16 l/min



**Croma Select E**

Showerpipe 180 2jet with thermostat  
 Shower arm length 400 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced  
 ▪ Croma Select E 180 2jet  
 ▪ Croma Select E hand shower Multi  
 ▪ Ecostat thermostat Comfort  
 # 27256, -400  
 # 27257, -400 EcoSmart

Showerpipe 180 2jet with bath thermostat  
 # 27352, -400 18 l/min




**Croma Select E**

Showerpipe 180 2jet with single lever mixer  
 Shower arm length 400 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced  
 ▪ Croma Select E overhead shower 180 2jet  
 ▪ Croma Select E hand shower Multi  
 # 27258, -400



Detail view bath thermostat



- The bar doubles as a handle for safe showering
- Solid attachment, ideal for hotels

All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

Plenty of room for an indulgent shower

# Croma



More freedom to move: can be swivelled easily to adjust the angle

SoftCube design: all elements in a coherent design




**SoftSqueeze Slider:** Adjust the height easily with just one hand by simply pressing in the button

**Showerpipe for bathtub:** easy to switch between the hand and overhead shower on the riser pipe




CoolContact technology ensures that the thermostatic mixer's housing is always cool and always safe



**AirPower:** fuller, lighter and softer droplets for sumptuous showering



**SoftRain:** perfect for rinsing shampoo out of your hair



**IntenseRain:** intensive water spray that activates and refreshes



**Massage:** the most powerful of all Rain sprays – for a refreshingly powerful showering experience



**Showerpipe Shower:** easily switch between the hand and overhead shower on the thermostatic mixer

## Advantages and benefits

- Convenient showering with a stable temperature thanks to the SafetyStop and CoolContact features
- Easy to clean with QuickClean feature and removable spray disc
- High-end product in modern and attractive design
- Instantly switch between the overhead shower and hand shower on the bath tub's Showerpipe
- Excellent value for money



**Croma E**

Showerpipes 280 ljet with thermostat

Showers arm length 340 mm

Swivel shower arm

Height of the Showerpipes can be reduced

- Cromo E overhead shower 280 ljet

- Cromo Select E hand shower Multi

- EcoStat E thermostat

# 27630, -000 15 l/min

# 27660, -000 EcoSmart 8.5 l/min

Showerpipes 280 ljet with bath thermostat

# 27687, -000 20.3 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



**Croma**  
 Showerpipe 220 1jet with thermostat  
 Shower arm length 400 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario
- EcoStat thermostat Comfort

# 27185, -000 15 l/min  
 # 27188, -000 EcoSmart  
 Showerpipe 220 1jet with bath thermostat  
 # 27223, -000



**Croma**  
 Showerpipe 220 1jet with single lever mixer  
 Shower arm length 400 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario


# 27222, -000



**Croma**  
 Showerpipe 220 1jet Reno  
 Shower arm length 400 mm  
 Swivel shower arm  
 Height of the Showerpipe can be reduced

- Croma overhead shower 220 1jet
- Croma 100 hand shower Vario

# 27224, -000



Detail view bath thermostat







**Crometta S**

Showerpipe 240 1jet with thermostat  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta S overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 ▪ Ecostat thermostat 1001 CL  
 # 27267, -000 16 l/min  
 # 27268, -000 EcoSmart 9 l/min

Showerpipe 240 1jet with bath thermostat  
 # 27320, -000




**Crometta S**

Showerpipe 240 1jet with single lever mixer  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta S overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 # 27269, -000




**Crometta S**

Showerpipe 240 1jet EcoSmart 9 l/min Reno  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta S overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 # 27270, -000 EcoSmart 9 l/min



Detail view bath thermostat







**Crometta E**

Showerpipe 240 1jet with thermostat  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta E overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 ▪ Ecostat thermostat 1001 CL  
 # 27271, -000  
 # 27281, -000 EcoSmart 7.6 l/min  
 Showerpipe 240 1jet with bath thermostat  
 # 27298, -000




**Crometta E**

Showerpipe 240 1jet with single lever mixer  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta E overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 # 27284, -000 15 l/min




**Crometta E**

Showerpipe 240 1jet EcoSmart 9 l/min Reno  
 Shower arm length 350 mm  
 Height of the Showerpipe can be reduced  
 ▪ Crometta E overhead shower 240 1jet  
 ▪ Crometta hand shower Vario  
 # 27289, -000 EcoSmart 9 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).



**Vernis Blend**

- Showerpipe 200 1jet with thermostat  
 Shower arm length 400 mm
- Vernis Blend overhead shower 200 1jet
  - Vernis Blend hand shower Vario
  - Vernis thermostat
- # 26276, -000, -670 15.9 l/min  
 # 26089, -000, -670 EcoSmart 8.7 l/min  
 # 26318, -000 Green 5.7 l/min

- Showerpipe 200 1jet with bath thermostat  
 # 26274, -000 20 l/min  
 # 26079, -000 EcoSmart 20 l/min




**Vernis Blend**

- Showerpipe 200 1jet Reno  
 Shower arm length 400 mm
- Vernis Blend overhead shower 200 1jet
  - Vernis Blend hand shower Vario
- # 26272, -000, -670 14.6 l/min  
 # 26099, -000, -670 EcoSmart 8.7 l/min



Detail view bath thermostat





**Vernis Shape**


- Showerpipe 230 1jet with thermostat  
 Shower arm length 426 mm
- Vernis Shape overhead shower 230 1jet
  - Vernis Blend hand shower Vario
  - Vernis thermostat
- # 26286, -000, -670 15.9 l/min  
 # 26097, -000, -670 EcoSmart 8.7 l/min  
 # 26319, -000 Green 5.7 l/min

- Showerpipe 230 1jet with bath thermostat  
 # 26284, -000 20 l/min  
 # 26098, -000 EcoSmart 20 l/min




**Vernis Shape**

- Showerpipe 230 1jet Reno  
 Shower arm length 400 mm
- Vernis Shape overhead shower 230 1jet
  - Vernis Blend hand shower Vario
- # 26282, -000, -670 14.6 l/min  
 # 26289, -000, -670 EcoSmart 8.7 l/min



Detail view bath thermostat



All specified flow rates are based on an operating pressure of 0.3 MPa (3 bar).

hansgrohe Thermostat

# Product ranges at a glance

## ShowerTablet Select



## Ecostat Select



## Ecostat E

Surface	-000, -400	-000, -670, -700	-000, -400	-000
Standard	■	■	■	■
with bath filler	■	■	■	■
With shower holder		■		
Shelf	■	■	■	
Safety lock at 40°	■	■	■	■
Adjustable temperature limit	■	■	■	■
EcoStop button				■
Select	■	■		
Waterflow control		■		
CoolContact	■	■	■	■

Page 124

Page 124

Page 124

Page 126

## RainSelect



## Shower Select Glas



## Shower Select



## Shower Select S



Surface	-000, -140, -340, -400 -600, -670, -700, -990	-400	-000, -140, -340 -670, -700, -990	-000, -140, -340 -670, -700, -990
Standard	■	■	■	■
Tap variant			■	■
With shower holder	■		■	
Basic iBox universal		■	■	■
Safety lock at 40°	■	■	■	■
Adjustable temperature limit	■	■	■	■
Number of outlets	2-5	1-4	1-4	1-4
Select	■	■	■	■

Page 130

Page 141

Page 142

Page 143

**Ecostat**

**Ecostat**



-000, -140, -340  
-670, -700, -990

-000

-000



Page 126

Page 126

Page 126

**Ecostat  
Square**

**Ecostat E**

**Ecostat S**



-000, -140, -340  
-670, -700, -990

-000

-000, -140, -340  
-670, -700, -990



1-4

1-2

1-2

Page 144

Page 145

Page 145

Welcome back me

# ShowerTablet Select **NEW**



**Practical:** Integrated storage space of over 40 cm offers plenty of space.



**Water flow control:** The water amount can be set using the rotary control.



**Rotatable bath spout:** The bath spout can be neatly stored underneath the thermostat when not in use. A truly aesthetical solution for safety and mobility.

## Advantages and benefits

- Available in chrome, matt black and matt white
- Select technology for simple selection at the push of a button
- Actively regulate water consumption with the volume control
- Integrated storage space offers plenty of space
- Can be fitted to existing connections, so ideal for bathroom refurbishments



**ShowerTablet Select**  
Bath thermostat 700 for exposed installation  
# 13183, -000



**ShowerTablet Select**  
Thermostat 700 universal for exposed installation  
for 2 functions  
# 13184, -000, -400



**ShowerTablet Select**  
Bath thermostat 300 for exposed installation  
# 13151, -000, -400



**ShowerTablet Select**  
Shower thermostat 300 for exposed installation  
# 13171, -000, -400




**ShowerTablet Select**  
Bath thermostat 400 for exposed installation  
# 24340, -000, -670, -700



Available from 04/2022



**ShowerTablet Select**  
Shower thermostat 400 for exposed installation  
# 24360, -000, -670, -700



Available from 04/2022



**Ecostat Select**  
Bath thermostat for exposed installation  
# 13141, -000, -400




**Ecostat Select**  
Shower thermostat for exposed installation  
# 13161, -000, -400



Safe showering for all ages

# Ecostat



**CoolContact:** cools the thermostatic mixer's housing for comfortable and safe showering.



**SafetyStop:** prevents accidental temperature settings exceeding 40°C.

## Advantages and benefits

- Comfortable and safe showering with CoolContact
- High-end product in modern and attractive design







**Ecostat E**  
Bath thermostat for exposed installation  
# 15774, -000



**Ecostat E**  
Shower thermostat for exposed installation  
# 15773, -000



**Ecostat**  
Bath thermostat Comfort for exposed installation  
# 13114, -000, -140, -340, -670, -700, -990



**Ecostat**  
Shower thermostat Comfort for exposed installation  
# 13116, -000, -140, -340, -670, -700, -990



**Ecostat**  
Bath thermostat universal for exposed installation  
# 13123, -000



**Ecostat**  
Shower thermostat universal for exposed installation  
# 13122, -000



**Ecostat**  
Bath thermostat 1001 CL for exposed installation  
# 13201, -000




**Ecostat**  
Shower thermostat 1001 CL for exposed installation  
# 13211, -000



**Raindance Select E**

Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 65 cm # 27038, -000, -400


Shower system for exposed installation 120 with Ecostat Select thermostat and shower bar 90 cm (not shown) # 27039, -000, -400



**Raindance Select S**

Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 65 cm # 27036, -000, -400


Shower system for exposed installation 150 with Ecostat Select thermostat and shower bar 90 cm (not shown) # 27037, -000, -400



**Pulsify Select S**

Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 65 cm, slider and shower hose # 24260, -000

Shower system 105 3jet Relaxation with hand shower, thermostat, shower bar 90 cm, slider and shower hose (not shown) # 24270, -000



**Available from 04/2022**



**Croma Select E**

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27081, -400


Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27082, -400



**Croma Select S**

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27013, -400

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27014, -400



**Croma 100**

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 65 cm # 27034, -000

# 27032, -000 EcoSmart

Shower system for exposed installation Vario with Ecostat Comfort thermostat and shower bar 90 cm (not shown) # 27035, -000 # 27033, -000 EcoSmart



**Advantages and benefits**

- Two products combined in one
- Matched in looks and function
- Less expensive than purchasing separately
- Easy order process
- Easy to store



**Crometta**

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm # 27812, -400

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 90 cm (not shown) # 27813, -400



**Ecostat**

Under-basin thermostat for exposed installation # 15346, -000

- Easy to connect to existing valves, e. g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Ideal for use in nurseries, hospitals or hotels
- Safe for thermal disinfection

Change over to elegance


# RainSelect



The shape of the RainSelect creates an unknown elegance in the bathroom. The new installation method facilitates thin attachments to the wall, and delights with its filigree, relief-

like appeal. This opens up a whole variety of new design options. However, the RainSelect also has much to offer in the way of functionality: It allows up to 5 functions to use

the innovative and intuitive Select technology. Furthermore, a holder is integrated for the hand shower.



## Advantages and benefits


- Variety of uses: shower version available for up to five outlets and bath version for two outlets
- Convenient: Select technology with large, soft-click buttons make it easy for anyone to operate
- Design: Sleek, linear, rectangular design is ideal for large showers, utilising the space well
- Durable: Icons on the select buttons are wear-resistant thanks to clever finishing



Model -000 with metal buttons



Model -140, -340, -400, -600, -670, -700, -990 with glass buttons



- Individual: water volume control offers personal settings, above all for close-body showering with the hand shower
- Cleaning: easy thanks to the separate shut-off function
- Tidy looks: on the wall for a timeless bathroom ambience in the shower area
- Reliable planning: only a single object needs to be planned
- Universal application: suits any Rainmaker Select or other existing multi-spray overhead shower

# Control for greater showering pleasure



**Touch of button:** thanks to Select, choosing a function is as easy as using a light switch.



**Button size:** Large button (70 mm x 70 mm) with easy-to-read lettering.



**Temperature setting:** Clear symbols and simple hot/cold display for ease of use.



**SafetyStop function:** prevents accidental temperature settings exceeding 40°C.



**Volume control:** precise control of the flow amount, which helps to save water.




**Cleaning:** switches off quickly to make cleaning easier for the users.




**FixFit holder:** free choice of hand shower and hose.




**Thickness:** Narrow band of 90 mm with metal frame and low installation height of 16.5 mm.




**RainSelect**  
Thermostat for concealed installation  
for 2 functions  
# 15380, -000, -140, -340, -670, -700, -990  
Basic set for 2 functions (not shown)  
# 15310180



**RainSelect**  
Thermostat for concealed installation  
for 3 functions  
# 15381, -000, -700  
Basic set for 3 functions (not shown)  
# 15311180



**RainSelect**  
Thermostat for concealed installation  
for 4 functions  
# 15382, -000, -140, -340, -670, -700, -990  
Basic set for 4 functions (not shown)  
# 15312180



**RainSelect**  
Thermostat for concealed installation  
for 5 functions  
# 15384, -000, -700  
Basic set for 5 functions (not shown)  
# 15313180



**RainSelect**  
Thermostat for concealed installation  
for 2 functions with integrated shower holder  
# 15355, -000, -400, -600  
Basic set for 2 functions (not shown)  
# 15310180



**RainSelect**  
Thermostat for concealed installation  
for 3 functions with integrated shower holder  
# 15356, -000, -400, -600  
Basic set for 3 functions (not shown)  
# 15311180



**RainSelect**  
Thermostat for concealed installation  
for 4 functions with integrated shower holder  
# 15357, -000, -400, -600  
Basic set for 4 functions (not shown)  
# 15312180



**RainSelect**  
Thermostat for concealed installation  
for 5 functions with integrated shower holder  
# 15358, -000, -400, -600  
Basic set for 5 functions (not shown)  
# 15313180



hansgrohe concealed finish sets based on the iBox universal

# Concealed installation overview of functions



**1 function**



ShowerSelect Thermostat



**ShowerSelect**  
Thermostat for concealed installation for 1 function  
# 15762, -000  
Glass surface (not shown)  
# 15737, -400

ShowerSelect Thermostat



**ShowerSelect S**  
Thermostat for concealed installation for 1 function  
# 15744, -000

ShowerSelect Mixer



**ShowerSelect**  
Mixer for concealed installation for 1 function  
# 15767, -000

ShowerSelect Mixer



**ShowerSelect S**  
Mixer for concealed installation for 1 function  
# 15747, -000

Ecostat Thermostat



**Ecostat Square**  
Thermostat for concealed installation for 1 function  
# 15712, -000



**Ecostat E**  
Thermostat for concealed installation for 1 function  
# 15707, -000

Ecostat Thermostat



**Ecostat S**  
Thermostat for concealed installation for 1 function  
# 15757, -000



You will be able to satisfy any of your customers' requirements – and help them keep to their budgets – with hansgrohe's complete concealed range for between one and four functions. The choice starts with the operation:

are the showers and spray types to be controlled conventionally by turning, or with complete ease at the touch of a button? Your customers also have complete freedom of design: the ShowerSelect is now also available

in a round design and as a mixer. Ecostat thermostats are available as a circle, and now also as a square with rounded corners. Plenty of options for attractive installations that blend beautifully with the bathroom.



## 2 functions



### ShowerSelect Thermostat



**ShowerSelect**  
Thermostat for concealed installation for 2 functions  
# 15763, -XXX  
Glass surface (not shown)  
# 15738, -400



**ShowerSelect**  
Thermostat for concealed installation for 2 functions with hose connection and shower holder  
# 15765, -000

### ShowerSelect Thermostat



**ShowerSelect S**  
Thermostat for concealed installation for 2 functions  
# 15743, -XXX

### ShowerSelect Mixer



**ShowerSelect**  
Mixer for concealed installation for 2 functions  
# 15768, -000

### ShowerSelect Mixer



**ShowerSelect S**  
Mixer for concealed installation for 2 functions  
# 15748, -000

### Ecostat Thermostat



**Ecostat Square**  
Thermostat for concealed installation for 2 functions  
# 15714, -XXX



**Ecostat E**  
Thermostat for concealed installation for 2 functions  
# 15708, -000

### Ecostat Thermostat



**Ecostat S**  
Thermostat for concealed installation for 2 functions  
# 15758, -XXX



### 3 functions



#### ShowerSelect Thermostat



**ShowerSelect**  
Valve for concealed installation  
for 3 functions  
# 15764, -XXX  
Glass surface  
(not shown)  
# 15736, -400



**ShowerSelect**  
Thermostat HighFlow  
for concealed installation  
# 15760, -XXX  
Glass surface  
(not shown)  
# 15734, -400

#### ShowerSelect Thermostat



**ShowerSelect S**  
Valve for concealed installation  
for 3 functions  
# 15745, -000



**ShowerSelect S**  
Thermostat HighFlow  
for concealed installation  
# 15741, -000

#### Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro  
for concealed installation  
# 15932, -000



**Ecostat E**  
Thermostat HighFlow  
for concealed installation  
# 15706, -000



Shut-off valve E  
for concealed installation  
# 31677, -000

#### Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro  
for concealed installation  
# 15932, -000



**Ecostat S**  
Thermostat  
for concealed installation  
# 15755, -000  
Thermostat HighFlow  
for concealed installation  
(not shown)  
# 15756, -000



Shut-off valve S  
for concealed installation  
# 15972, -000



**4 functions**



ShowerSelect Thermostat



**ShowerSelect**  
Valve for concealed installation  
for 3 functions  
# 15764, -XXX  
Glass surface  
(not shown)  
# 15736, -400



**ShowerSelect**  
Thermostat HighFlow  
for concealed installation  
for 1 function and additional outlet  
# 15761, -000  
Glass surface  
(not shown)  
# 15735, -400

ShowerSelect Thermostat



**ShowerSelect S**  
Valve for concealed installation  
for 3 functions  
# 15745, -000



**ShowerSelect S**  
Thermostat HighFlow  
for concealed installation  
for 1 function and additional outlet  
# 15742, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro  
for concealed installation  
# 15932, -000



Shut-off valve E  
for concealed installation  
# 31677, -000



**Ecostat E**  
Thermostat HighFlow  
for concealed installation  
# 15706, -000



Shut-off valve E  
for concealed installation  
# 31677, -000

Ecostat Thermostat



Shut-off/diverter valve S Trio/Quattro  
for concealed installation  
# 15932, -000



Shut-off valve S  
for concealed installation  
# 15972, -000




**Ecostat S**  
Thermostat  
for concealed installation  
# 15755, -000  
Thermostat HighFlow  
for concealed installation  
(not shown)  
# 15756, -000



Shut-off valve S  
for concealed installation  
# 15972, -000

Operation in all its tremendous variety

# ShowerSelect



- Constant water temperature even with fluctuating water pressure
- Temperature limited at 40°C, a higher temperature can be set by touching the button on the underside of the handle
- Safe for thermal disinfection
- Plastic escutcheon and metal handle
- For pipes with stable water pressure
- Unique product: Mixer technology with a new handle design, so it can be used with any mixer and shower line
- Easy temperature adjustment
- The depth of the metal handle does not depend on the installation depth of the iBox universal
- Fluctuating water pressures are no problem for the high quality hansgrohe cartridges

## Advantages and benefits

- Individual choice: 2 different technologies - thermostat or mixer
- Convenient: easy operation thanks to various button combinations for any showering situation
- Button durability: permanently abrasion-proof printing
- Savings: thanks to the recommended operating pressure of the Select valves of 0.1 to 0.5 MPa max. 1 MPa
- Design: available squared or circular, for every style and shower type



Thermostats

### **Advantages and benefits**

- Tidy looks on the wall for a timeless bathroom ambience in the shower area
- High planning reliability: installation based on the iBox universal
- Minimum effort: no need to drill a separate FixFit and holder

# Lots of advantages – lots of benefits



**Intuitive:** Easy-to-use Select buttons for intuitive, comfortable control – even for those with restricted mobility.



**Clear:** Easy to understand, abrasion-resistant symbols make control easier.



**Easy to use:** Can be controlled using an elbow or fist thanks to the button extension that is included in the box. Installing the optional button extension makes use possible with some restricted freedom of movement.



**User-friendly:** The desired temperature can be set precisely with the user-friendly handle.



**Easy to clean:** The flush-fit buttons leave a flat surface that is easy to clean.



**Attractive:** The rectangular shape blends perfectly with a tiled bathroom and will also go in many modern bathroom designs.



**Economical:** The easy-to-push button encourages the user to switch the water off frequently, which helps to save water.



**User-friendly:** The functions can all be used at the same time – for even greater shower pleasure.

## Advantages and benefits

- Showering pleasure: high level of comfort by simultaneously setting several functions
- Design options: available in chrome or white glass
- Water saving: with the addition of the Isiflex with volume control, the flow rate can be regulated between 6 l/min and 16 l/min
- Easy to use: fast, inexpensive renovations possible by simply replacing the existing finish sets



**ShowerSelect Glas**  
 Thermostat for concealed installation  
 for 1 function  
 # 15737, -400



**ShowerSelect Glas**  
 Thermostat for concealed installation  
 for 2 functions  
 # 15738, -400



**ShowerSelect Glas**  
 Thermostat HighFlow for concealed installation  
 # 15734, -400




**ShowerSelect Glas**  
 Thermostat HighFlow for concealed installation  
 for 1 function and additional outlet  
 # 15735, -400



**ShowerSelect Glas**  
 Valve for concealed installation  
 for 3 functions  
 # 15736, -400



Basic set iBox universal  
 # 01800180



Assembly aid for iBox universal  
 # 93500000



**ShowerSelect**  
Thermostat for concealed installation  
for 1 function  
# 15762, -000




**ShowerSelect**  
Thermostat for concealed installation  
for 2 functions  
# 15763, -000, -140, -340, -670, -700, -990



**ShowerSelect**  
Thermostat for concealed installation  
for 2 functions with hose connection and shower holder  
# 15765, -000



**ShowerSelect**  
Valve for concealed installation  
for 3 functions  
# 15764, -000, -140, -340, -670, -700, -990



**ShowerSelect**  
Thermostat HighFlow for concealed installation  
# 15760, -000, -140, -340, -670, -700, -990



**ShowerSelect**  
Thermostat HighFlow for concealed installation  
for 1 function and additional outlet  
# 15761, -000



**ShowerSelect**  
Mixer for concealed installation  
for 1 function  
# 15767, -000



**ShowerSelect**  
Mixer for concealed installation  
for 2 functions  
# 15768, -000



Basic set iBox universal  
# 01800180




Assembly aid for iBox universal  
# 93500000





**ShowerSelect S**  
Thermostat for concealed installation  
for 1 function  
# 15744, -000



**ShowerSelect S**  
Thermostat for concealed installation  
for 2 functions  
# 15743, -000, -140, -340, -670, -700, -990



**ShowerSelect S**  
Valve for concealed installation  
for 3 functions  
# 15745, -000



**ShowerSelect S**  
Thermostat HighFlow for concealed installation  
# 15741, -000



**ShowerSelect S**  
Thermostat HighFlow for concealed installation  
for 1 function and additional outlet  
# 15742, -000



**ShowerSelect S**  
Mixer for concealed installation  
for 1 function  
# 15747, -000



**ShowerSelect S**  
Mixer for concealed installation  
for 2 functions  
# 15748, -000




Basic set iBox universal  
# 01800180



Assembly aid for iBox universal  
# 93500000

Established technology in a new design

# Ecostat



Unique identification of the functions makes handling easier

Switch the hand or overhead shower on and off, and adjust the water quantity


Larger print for even easier legibility - and intuitive use

Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands

Easy selection of the desired temperature



**Easy to use:** Unique identification of the functions makes handling easier.



**Clear:** Larger print for even easier legibility - and intuitive use.



**Safe:** Ergonomic handles fit perfectly in the hand, and are also easy to use with soapy hands.

## Advantages and benefits

- Convenient: easy to operate by turning the handle to choose between hand and overhead shower and to control the amount of water
- User friendly: thanks to the precise control of the water temperature
- Safe and easy control thanks to size-optimised handles
- Pleasant: constant water temperature thanks to thermostat technology
- Design options: Three variations, suitable for every bathroom and shower shape



**EcoStat Square**  
Thermostat for concealed installation  
for 1 function  
# 15712, -000



**EcoStat Square**  
Thermostat for concealed installation  
for 2 functions  
# 15714, -000, -140, -340, -670, -700, -990



**EcoStat E**  
Thermostat for concealed installation  
for 1 function  
# 15707, -000




**EcoStat E**  
Thermostat for concealed installation  
for 2 functions  
# 15708, -000



**EcoStat E**  
Thermostat HighFlow for concealed installation  
# 15706, -000



**EcoStat S**  
Thermostat for concealed installation  
for 1 function  
# 15757, -000



**EcoStat S**  
Thermostat for concealed installation  
for 2 functions  
# 15758, -000, -140, -340, -670, -700, -990



**EcoStat S**  
Thermostat for concealed installation  
# 15755, -000  
Thermostat HighFlow for concealed installation  
(not shown)  
# 15756, -000



Basic set iBox universal  
# 01800180



Assembly aid for iBox universal  
# 93500000



Shut-off/diverter valve S Trio/Quattro  
for concealed installation  
# 15932, -000

Basic set for Trio shut-off/diverter valve  
for concealed installation  
(not shown)  
# 15981180

Basic set for Quattro four-way diverter valve  
for concealed installation (not shown)  
# 15930180



Shut-off valve S  
for concealed installation  
# 15972, -000

Basic set 52 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15973180

Basic set 40 l/min for shut-off valve  
for concealed installation ceramic (not shown)  
# 15974180

Basic set 130 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15970180




**Metris**  
Shut-off valve E for concealed installation  
# 31677, -000

Basic set 52 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15973180

Basic set 40 l/min for shut-off valve  
for concealed installation ceramic (not shown)  
# 15974180

Basic set 130 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15970180



**Logis**  
Shut-off valve for concealed installation  
# 71970, -000

Basic set 52 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15973180

Basic set 40 l/min for shut-off valve  
for concealed installation ceramic (not shown)  
# 15974180

Basic set 130 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15970180



hansgrohe fittings

# Product ranges at a glance

## Metropol



## Metris

## Metris S

Surface	-000, -140, -340 -670, -700, -990	-000	-000	-000	-000
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■			■	
LowFlow				■	■
CoolStart	■			■	
For open water heaters				■	
Swivel spout					■
Pull-out tap					
Bidet	■	■		■	■
Select			■		
QuickClean	■	■	■	■	■

Page 150

Page 150

Page 150


Page 158

Page 162

## Talis S

## Focus

## Vernis Shape



Surface	-000	-000	-000	-000	-000, -670
Standard	■	■	■	■	■
EcoSmart	■	■	■	■	■
Pillar tap	■		■	■	■
LowFlow	■			■	
CoolStart	■			■	■
For open water heaters			■	■	
Swivel spout	■		■	■	■
Pull-out tap					
Bidet	■	■	■	■	■
Select		■			
QuickClean	■	■	■	■	

Page 176

Page 176

Page 180

Page 182

Page 186

**Finoris**



-000, -670, -700

**Vivenis**



-000, -670, -700

**Talis E**



-000, -140, -340  
-670, -700, -990



-000

■	■	■	■
■	■	■	■
■	■	■	
■		■	
■	■	■	
■		■	
■	■	■	
■	■	■	■
■	■	■	■

Page 164

Page 168

Page 172

Page 172

**Vernis Blend**



-000, -670

**Logis**



-000



-000

■	■	■
■	■	■
■		■
■	■	■
■		■
■	■	■
■	■	■


Page 190

Page 194

Page 196

The new form of fascination

# Metropol



**Appealing:** Geometric design language takes up the design of the bathroom to create a pleasant atmosphere.



**Impressive:** Metropol mixers also create an exclusive effect when used as free-standing items.



**Elegant:** The open handle design adds lightness and exclusivity into the shower.

## Advantages and benefits

- Perfect geometric design language for a timeless bathroom design
- Minimalistic yet intuitive Select button for easy operation
- Design freedom thanks to the wide range of options: various spout lengths and 3 handles for washbasins. Also various installation options for washbasins and baths.
- ComfortZone – hand washing made easy thanks to the various height options





**Metropol**  
Single lever basin mixer 260 with lever handle  
for washbowls with push-open waste set  
# 32512, -000, -140, -340, -670, -700, -990



**Metropol**  
Single lever basin mixer 260 with loop handle  
for washbowls with push-open waste set  
# 74512, -000



**Metropol**  
Basin mixer 260 Select  
with push-open waste set  
# 32572, -000



**Metropol**  
Single lever basin mixer 110 with lever handle  
and push-open waste set  
# 32507, -000, -140, -340, -670, -700, -990

Single lever basin mixer 110 with lever handle  
and pop-up waste set  
# 32506, -000

Single lever basin mixer 110 CoolStart with lever handle  
and push-open waste set (not shown)  
# 32508, -000



**Metropol**  
Single lever basin mixer 110 with loop handle  
and pop-up waste set  
# 74506, -000

Single lever basin mixer 110 with loop handle  
and push-open waste set  
# 74507, -000



**Metropol**  
Basin mixer 110 Select  
with push-open waste set  
# 32571, -000



**Metropol**  
Single lever basin mixer 100 with lever handle  
and push-open waste set  
# 32502, -000

Single lever basin mixer 100 CoolStart with lever handle  
and push-open waste set (not shown)  
# 32503, -000



**Metropol**  
Single lever basin mixer 100 with loop handle  
and push-open waste set  
# 74502, -000



**Metropol**  
Basin mixer 100 Select  
with push-open waste set  
# 32570, -000





**Metropol**

Single lever basin mixer 100 with lever handle for hand washbasins with push-open waste set  
# 32500, -000, -140, -340, -670, -700, -990

Single lever basin mixer 100 with lever handle for hand washbasins for cold water (not shown)  
# 32501, -000



**Metropol**

Single lever basin mixer 100 with loop handle for hand washbasins with push-open waste set  
# 74500, -000



**Metropol**

Single lever basin mixer 230 with lever handle and push-open waste set  
# 32511, -000, -140, -340, -670, -700, -990



**Metropol**

Single lever basin mixer 230 with loop handle and push-open waste set  
# 74511, -000



**Metropol**

3-hole basin mixer 160 with lever handles and push-open waste set  
# 32515, -000, -140, -340, -670, -700, -990

3-hole basin mixer 110 with lever handles and push-open waste set (not shown)  
# 32514, -000



**Metropol**

3-hole basin mixer 160 with loop handles and push-open waste set  
# 74515, -000

3-hole basin mixer 110 with loop handles and push-open waste set (not shown)  
# 74514, -000





**Metropol**  
Single lever basin mixer floor-standing  
with lever handle without waste set  
# 32530, -000

Basic set for mixers floor-standing (not shown)  
# 10452180



**Metropol**  
Single lever basin mixer floor-standing  
with loop handle without waste set  
# 74530, -000

Basic set for mixers floor-standing (not shown)  
# 10452180



**Metropol**  
Single lever basin mixer for concealed installation  
wall-mounted with lever handle and spout 22.5 cm  
# 32526, -000, -140, -340, -670, -700, -990

Single lever basin mixer for concealed installation  
wall-mounted with lever handle and spout 16.5 cm  
(not shown)  
# 32525, -000

Basic set for single lever basin mixer for concealed  
installation wall-mounted (not shown)  
# 13622180



**Metropol**  
Single lever basin mixer for concealed installation  
wall-mounted with loop handle and spout 22.5 cm  
# 74526, -000

Single lever basin mixer for concealed installation  
wall-mounted with loop handle and spout 16.5 cm  
(not shown)  
# 74525, -000

Basic set for single lever basin mixer for concealed  
installation wall-mounted (not shown)  
# 13622180



**Metropol**  
Single lever bidet mixer with lever handle  
and push-open waste set  
# 32520, -000, -140, -340, -670, -700, -990



**Metropol**  
Single lever bidet mixer with loop handle  
and push-open waste set  
# 74520, -000





**Metropol**

Single lever bath mixer for exposed installation with lever handle  
# 32540, -000, -140, -340, -670, -700, -990



**Metropol**

Single lever bath mixer for exposed installation with loop handle  
# 74540, -000



**Metropol**

3-hole rim mounted single lever bath mixer with lever handle for Secuflex  
# 32550, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)  
# 13437180

3-hole rim mounted single lever bath mixer with lever handle  
# 32551, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)  
# 13439180




**Metropol**

3-hole rim mounted single lever bath mixer with loop handle for Secuflex  
# 74550, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)  
# 13437180

3-hole rim mounted single lever bath mixer with loop handle  
# 74551, -000

Basic set for 3-hole rim mounted single lever bath mixer (not shown)  
# 13439180




**Metropol**

4-hole rim mounted bath mixer with lever handles for Secuflex  
# 32552, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180

4-hole rim mounted bath mixer with lever handles  
# 32553, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180



**Metropol**

4-hole rim mounted bath mixer with loop handles for Secuflex  
# 74552, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180

4-hole rim mounted bath mixer with loop handles  
# 74553, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180





**Metropol**  
2-hole rim mounted single lever bath mixer  
with lever handle  
# 32548, -000

Basic set for 2-hole rim mounted bath mixer (not shown)  
# 13159180



**Metropol**  
2-hole rim mounted single lever bath mixer  
with loop handle  
# 74548, -000



Basic set for 2-hole rim mounted bath mixer (not shown)  
# 13159180



**Metropol**  
Bath spout  
# 32542, -000



**Metropol**  
Bath spout  
# 32543, -000, -140, -340, -670,  
-700, -990



**Metropol**  
Single lever bath mixer for concealed installation  
with lever handle for iBox universal  
# 32545, -000, -140, -340, -670,  
-700, -990

Single lever bath mixer for concealed installation  
with lever handle and integrated security combination  
according to EN1717 for iBox universal  
# 32546, -000, -140, -340, -670,  
-700, -990

Basic set iBox universal (not shown)  
# 01800180



**Metropol**  
Single lever bath mixer for concealed installation  
with loop handle for iBox universal  
# 74545, -000

Single lever bath mixer for concealed installation  
with loop handle and integrated security combination  
according to EN1717 for iBox universal  
# 74546, -000

Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set square  
# 28010, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Metropol**

Single lever bath mixer floor-standing  
with lever handle  
# 32532, -000, -140, -340, -670, -700, -990  
Basic set for mixers floor-standing (not shown)  
# 10452180



**Metropol**

Single lever bath mixer floor-standing  
with loop handle  
# 74532, -000  
Basic set for mixers floor-standing (not shown)  
# 10452180



**Metropol**

Bath spout floor-standing  
# 32531, -000  
Basic set for mixers floor-standing (not shown)  
# 10452180






**Metropol**  
 Single lever shower mixer for exposed installation  
 with lever handle  
 # 32560, -000, -140, -340, -670, -700, -990



**Metropol**  
 Single lever shower mixer for exposed installation  
 with loop handle  
 # 74560, -000



**Metropol**  
 Single lever shower mixer for concealed installation  
 with lever handle for iBox universal  
 # 32565, -000, -140, -340, -670, -700, -990  
 Basic set iBox universal (not shown)  
 # 01800180



**Metropol**  
 Single lever shower mixer for concealed installation  
 with loop handle for iBox universal  
 # 74565, -000  
 Basic set iBox universal (not shown)  
 # 01800180

Designed to meet demands of every height


# Metris



**User-friendly:** Five basin mixer heights are available offering the right solution for any installation situation.



**Elegant:** Generous handle and spout surfaces lend the bathroom a luxurious ambience.



**Modern:** Metris mixers are designed for discretion, providing space for the personal ComfortZone.

## Advantages and benefits

- Generous surfaces for elegant, quality bathroom design
- The open curve on the flat handle is easy to use
- Elegant tapered base and defined edges
- Available in five different heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology





**Metris**  
Single lever basin mixer 260 for washbowls  
with pop-up waste set  
# 31082, -000  
Single lever basin mixer 260 for washbowls  
without waste set  
# 31184, -000



**Metris**  
Single lever basin mixer 200  
with pop-up waste set  
# 31183, -000  
Single lever basin mixer 200  
without waste set  
# 31185, -000




**Metris**  
Single lever basin mixer 110  
with pop-up waste set  
# 31080, -000  
Single lever basin mixer 110  
without waste set  
# 31084, -000  
Single lever basin mixer 110  
for vented hot water cylinders with pop-up waste set  
# 31074, -000  
Single lever basin mixer 110 LowFlow  
with pop-up waste set  
# 31203, -000  
Single lever basin mixer 110 LowFlow  
without waste set  
# 31204, -000  
Single lever basin mixer 110 CoolStart  
with pop-up waste set (not shown)  
# 31121, -000



**Metris**  
Single lever basin mixer 100 for hand washbasins  
with pop-up waste set  
# 31088, -000  
Single lever basin mixer 100 for hand washbasins  
without waste set  
# 31186, -000



**Metris**  
Single lever basin mixer 230  
with pop-up waste set  
# 31087, -000  
Single lever basin mixer 230  
with push-open waste set  
# 31187, -000  
Single lever basin mixer 230  
without waste set  
# 31081, -000



**Metris**  
Pillar tap 100  
without waste set  
# 31166, -000





**Metris**

Single lever basin mixer for concealed installation wall-mounted with spout 16.5 cm  
# 31085, -000

Single lever basin mixer for concealed installation wall-mounted with spout 22.5 cm (not shown)  
# 31086, -000

Basic set for single lever basin mixer for concealed installation wall-mounted (not shown)  
# 13622180



**Metris**

Single lever bidet mixer with pop-up waste set  
# 31280, -000



**Metris**

Single lever bath mixer for exposed installation  
# 31480, -000



**Metris**

Bath spout  
# 31494, -000



**Metris**

Single lever bath mixer for concealed installation for iBox universal  
# 31493, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal  
# 31487, -000

Basic set iBox universal (not shown)  
# 01800180



**Metris**

Single lever bath mixer for concealed installation for iBox universal  
# 31454, -000

Single lever bath mixer for concealed installation with integrated security combination according to EN1717 for iBox universal  
# 31451, -000

Basic set iBox universal (not shown)  
# 01800180



**sBox**

Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)  
# 13560180


Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate for tile mounted installation (not shown)  
# 28021, -000




**Metris**  
3-hole rim mounted single lever bath mixer  
# 31190, -000

Basic set for 3-hole rim mounted single lever bath mixer  
(not shown)  
# 13437180




**Metris**  
4-hole rim mounted bath mixer  
# 31442, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180



**Metris**  
Single lever bath mixer floor-standing  
# 31471, -000


Basic set for mixers floor-standing (not shown)  
# 10452180



**Metris**  
Single lever shower mixer for exposed installation  
# 31680, -000



**Metris**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 31685, -000  
Basic set iBox universal (not shown)  
# 01800180



**Metris**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 31456, -000  
Basic set iBox universal (not shown)  
# 01800180



**Metris S**

Single lever basin mixer 260 for washbowls  
with pop-up waste set  
# 31022, -000

Single lever basin mixer 260 for washbowls  
without waste set  
# 31023, -000



**Metris S**

Single lever basin mixer 100  
with pop-up waste set  
# 31060, -000

Single lever basin mixer 100  
without waste set  
# 31068, -000

Single lever basin mixer 100 LowFlow 3.5 l/min  
with pop-up waste set  
# 31063, -000

Single lever basin mixer 100 LowFlow  
without waste set  
# 31015, -000

Single lever basin mixer 100 LowFlow 2 l/min  
with pop-up waste set  
# 31016, -000



**Metris S**

Single lever basin mixer with swivel spout  
and pop-up waste set  
# 31159, -000

Single lever basin mixer 230 with swivel spout  
and push-open waste set  
# 31161, -000



**Metris S**

Single lever basin mixer for concealed installation  
wall-mounted with spout 16.5 cm  
# 31162, -000

Single lever basin mixer for concealed installation  
wall-mounted with spout 22.5 cm (not shown)  
# 31163, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180



**Metris S**

Single lever bidet mixer  
with pop-up waste set  
# 31261, -000



**Metris S**  
Single lever bath mixer for exposed installation  
# 31460, -000



**Metris S**  
4-hole rim mounted bath mixer with spout 17.1 cm  
# 31446, -000

4-hole rim mounted bath mixer with spout 22 cm  
(not shown)  
# 31447, -000

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180



**Metris S**  
Bath spout  
# 14420, -000



**Metris S**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 31465, -000

Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 31466, -000

Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Metris S**  
Single lever shower mixer for exposed installation  
# 31660, -000



**Metris S**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 31665, -000

Basic set iBox universal (not shown)  
# 01800180

Your routine reimagined

# Finoris NEW



**Flexible:** Convenient pull-out tap with a 500 mm working radius and magnetic hose retraction.



**User-friendly:** Different sink heights provide the right solution for every installation scenario.



**Design:** Available in chrome, matte black and matte white surfaces.

## Advantages and benefits

- A long pull-out spray is fully integrated into the basin tap for ultimate flexibility. It smoothly glides back into its original position once you're done
- ComfortZone technology provides plenty of space, maximum ease of use and fewer water splashes at the sink
- Choose between laminar spray or PowderRain at the touch of a button
- Available in three finishes: chrome, matt black and matt white



**Finoris**  
Single lever basin mixer 260 for washbowls  
with push-open waste set  
# 76070, -000, -670, -700



**Finoris**  
Single lever basin mixer 230 with pull-out spray, 2jet  
and push-open waste set  
# 76063, -000, -670, -700



**Finoris**  
Single lever basin mixer 230 with swivel spout  
and push-open waste set  
# 76060, -000, -670, -700



**Finoris**  
Single lever basin mixer 110  
with pop-up waste set  
# 76020, -000, -670, -700

Single lever basin mixer 110  
with push-open waste set  
# 76023, -000, -670, -700



**Finoris**  
Single lever basin mixer 110 CoolStart  
with push-open waste set  
# 76024, -000, -670, -700



**Finoris**  
Single lever basin mixer 100  
with push-open waste set  
# 76010, -000, -670, -700




**Finoris**  
Pillar tap 100 for cold water  
without waste set  
# 76013, -000, -670, -700



**Finoris**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 16.8 cm  
# 76051, -000, -670, -700

Single lever basin mixer for concealed installation  
wall-mounted with spout 22.8 cm (not shown)  
# 76050, -000, -670, -700

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180




**Finoris**  
3-hole basin mixer 110  
with push-open waste set  
# 76033, -000, -670, -700

3-hole basin mixer 160  
with push-open waste set (not shown)  
# 76034, -000, -670, -700





**Finoris**  
Single lever bidet mixer  
with push-open waste set  
# 76200, -000, -670, -700




**Finoris**  
Single lever bath mixer for exposed installation  
# 76420, -000, -670, -700



**Finoris**  
4-hole rim mounted bath mixer with sBox  
# 76444, -000, -670, -700  
Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180



**Finoris**  
Single lever bath mixer floor-standing  
# 76445, -000, -670, -700  
Basic set for mixers floor-standing (not shown)  
# 10452180



**Finoris**  
Bath spout  
# 76410, -000, -670, -700



**Finoris**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 76415, -000, -670, -700  
Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 76416, -000, -670, -700  
Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180  
Installation plate for tile mounted installation (not shown)  
# 28016, -000  
Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000





**Finoris**  
Single lever shower mixer for exposed installation  
# 76620, -000, -670, -700



**Finoris**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 76615, -000, -670, -700  
Basic set iBox universal (not shown)  
# 01800180

The wonder's in the water

# Vivenis **NEW**



**Waterfall spray type:** New aerator for a soft and wide spray, gentle on the hand.



**Convenient:** Different tap heights provide the right solution for every installation scenario.



**Wide range:** The range includes taps for surface and concealed installation, a bath inlet, a four-hole rim-mounted bath mixer and a floor-standing version.


## Advantages and benefits

- The AirPower technology and the wide waterfall flow creates a brand new wellness experience
- The water is enriched with air, to create a particularly soft and light spray
- The elegant shape of the tap complements the flow of water
- Ergonomic operation
- Available in three finishes to match any bathroom: chrome, matt black and matt white




**Vivenis**  
Single lever basin mixer 250 for washbowls  
with pop-up waste set  
# 75040, -000, -670, -700

Single lever basin mixer 250 for washbowls  
without waste set  
# 75042, -000, -670, -700




**Vivenis**  
Single lever basin mixer 110  
with pop-up waste set  
# 75020, -000, -670, -700

Single lever basin mixer 110  
without waste set  
# 75022, -000, -670, -700



**Vivenis**  
Single lever basin mixer 80  
with pop-up waste set  
# 75010, -000, -670, -700

Single lever basin mixer 80  
without waste set  
# 75012, -000, -670, -700




**Vivenis**  
Pillar tap 80 for cold water  
without waste set  
# 75013, -000, -670, -700



**Vivenis**  
Single lever basin mixer 210  
with swivel spout and pop-up waste set  
# 75030, -000, -670, -700

Single lever basin mixer 210  
with swivel spout without waste set  
# 75032, -000, -670, -700



**Vivenis**  
3-hole basin mixer 90  
with pop-up waste set  
# 75033, -000, -670, -700



**Vivenis**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 19.2 cm  
# 75050, -000, -670, -700

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180






**Vivenis**  
Single lever bidet mixer  
with pop-up waste set  
# 75200, -000, -670, -700




**Vivenis**  
Single lever bath mixer for exposed installation  
# 75420, -000, -670, -700



**Vivenis**  
4-hole rim mounted bath mixer with sBox  
# 75444, -000, -670, -700  
Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13440180



**Vivenis**  
Single lever bath mixer floor-standing  
# 75445, -000, -670, -700  
Basic set for mixers floor-standing (not shown)  
# 10452180



**Vivenis**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 75415, -000, -670, -700  
Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 75416, -000, -670, -700  
Basic set iBox universal (not shown)  
# 01800180



**Vivenis**  
Bath spout  
# 75410, -000, -670, -700



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180  
Installation plate  
for tile mounted installation (not shown)  
# 28016, -000  
Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000




**Vivenis**  
Single lever shower mixer for exposed installation  
# 75620, -000, -670, -700



**Vivenis**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 75615, -000, -670, -700  
Basic set iBox universal (not shown)  
# 01800180

Comfort in its most natural form

# Talis E



**User-friendly:** Whether with a finger, arm or elbow – the Select button makes operation easier than ever.



**Fine form:** Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



**Elegant:** With their precise edges, the mixers contribute to the overall look of harmony in the modern bathroom.


## Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Easy to clean: thanks to the generous areas
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Automatic flow limit to 5 l/min thanks to EcoSmart technology




**Talis Select E**  
Basin mixer 240  
with pop-up waste set  
# 71752, -000

Basin mixer 240  
without waste set  
# 71753, -000




**Talis Select E**  
Basin mixer 110  
with pop-up waste set  
# 71750, -000

Basin mixer 110  
without waste set  
# 71751, -000



**Talis E**  
Single lever basin mixer 150  
with pop-up waste set  
# 71754, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 150  
without waste set  
# 71755, -000



**Talis E**  
Single lever basin mixer 240  
with pop-up waste set  
# 71716, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 240  
without waste set  
# 71717, -000, -140, -340, -670,  
-700, -990



**Talis E**  
Single lever basin mixer 110  
with pop-up waste set  
# 71710, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 110  
with push-open waste set  
# 71711, -000

Single lever basin mixer 110  
without waste set  
# 71712, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 110  
CoolStart with pop-up waste set (not shown)  
# 71713, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 110  
CoolStart without waste set (not shown)  
# 71714, -000, -140, -340, -670,  
-700, -990

Single lever basin mixer 110  
LowFlow with pop-up waste set  
# 71715, -000



**Talis E**  
Single lever basin mixer 80  
with pop-up waste set  
# 71700, -000

Single lever basin mixer 80  
with push-open waste set  
# 71701, -000

Single lever basin mixer 80  
without waste set  
# 71702, -000

Single lever basin mixer 80  
CoolStart with pop-up waste set (not shown)  
# 71703, -000

Single lever basin mixer 80  
CoolStart without waste set (not shown)  
# 71704, -000

Single lever basin mixer 80  
LowFlow with pop-up waste set  
# 71705, -000

Single lever basin mixer 80  
for vented hot water cylinders with pop-up waste set  
# 71707, -000

Pillar tap 80  
for cold water (not shown)  
# 71706, -000





**Talis E**  
3-hole basin mixer  
with pop-up waste set  
# 71733, -000, -140, -340, -670, -700, -990



**Talis E**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 22.5 cm  
# 71734, -000, -140, -340, -670, -700, -990


Single lever basin mixer for concealed installation  
wall-mounted with spout 16.5 cm (not shown)  
# 71732, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180



**Talis E**  
Self-closing basin mixer with temperature control  
# 71718, -000

Self-closing pillar tap for cold water  
or pre-adjusted water (not shown)  
# 71719, -000



**Talis E**  
Single lever bidet mixer  
with pop-up waste set  
# 71720, -000, -140, -340, -670,  
-700, -990

Single lever bidet mixer  
with push-open waste set  
# 71721, -000




**Talis E**  
3-hole rim mounted bath mixer  
# 71747, -000

Basic set for 3-hole rim mounted bath mixer (not shown)  
# 13233180



**Talis E**  
3-hole rim mounted single lever bath mixer for Secuflex  
# 71730, -000

Basic set for 3-hole rim mounted single lever bath mixer  
(not shown)  
# 13437180



**Talis E**  
4-hole rim mounted bath mixer  
# 71748, -000, -140, -340, -670,  
-700, -990

Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13244180








**Talis E**  
Single lever bath mixer for exposed installation  
# 71740, -000, -140, -340, -670, -700, -990



Bath spout  
# 71410, -000



**Talis E**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 71745, -000, -140, -340, -670,  
-700, -990

Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 71474, -000, -140, -340, -670,  
-700, -990


Basic set iBox universal (not shown)  
# 01800180




**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate  
for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Talis E**  
Single lever shower mixer for exposed installation  
# 71760, -000, -140, -340, -670,  
-700, -990




**Talis E**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 71765, -000, -140, -340, -670,  
-700, -990

Basic set iBox universal (not shown)  
# 01800180

This is where form and function blend

# Talis S



**User-friendly:** Whether with a finger, arm or elbow – the Select button makes operation easier than ever. The temperature can remain pre-set.



**Fine form:** Because the Select button has no lever, the mixer always looks symmetrical. There is no need to turn back the lever, and the water temperature is instantly correct.



**Natural:** harmonious integration of the mixers in the bathroom thanks to the naturally blending pipe bodies.

## Advantages and benefits

- Select technology makes daily routines easier at the touch of a button
- Easy to clean: thanks to the clear conical shapes
- Helps to save water, since the easy operation encourages the user to keep switching it off
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



**Talis Select S**  
Basin mixer 190  
with pop-up waste set  
# 72044, -000  
Basin mixer 190  
without waste set  
# 72045, -000



**Talis Select S**  
Basin mixer 100  
with pop-up waste set  
# 72042, -000  
Basin mixer 100  
without waste set  
# 72043, -000




**Talis Select S**  
Basin mixer 80  
with pop-up waste set  
# 72040, -000  
Basin mixer 80  
without waste set  
# 72041, -000



**Talis S**  
Single lever basin mixer 190  
with pop-up waste set  
# 72031, -000  
Single lever basin mixer 190  
without waste set  
# 72032, -000



**Talis S**  
Single lever basin mixer 100  
with pop-up waste set  
# 72020, -000  
Single lever basin mixer 100  
without waste set  
# 72021, -000  
Single lever basin mixer 100  
CoolStart with pop-up waste set (not shown)  
# 72022, -000  
Single lever basin mixer 100 C  
oolStart without waste set (not shown)  
# 72023, -000  
Single lever basin mixer 100  
LowFlow with pop-up waste set  
# 72024, -000  
Single lever basin mixer 100  
LowFlow without waste set  
# 72025, -000



**Talis S**  
Single lever basin mixer 80  
with pop-up waste set  
# 72010, -000  
Single lever basin mixer 80  
with push-open waste set  
# 72011, -000  
Single lever basin mixer 80  
without waste set  
# 72012, -000  
Single lever basin mixer 80  
CoolStart with pop-up waste set (not shown)  
# 72013, -000  
Single lever basin mixer 80  
CoolStart without waste set (not shown)  
# 72014, -000  
Single lever basin mixer 80  
LowFlow with pop-up waste set  
# 72015, -000  
Single lever basin mixer 80 L  
owFlow without waste set  
# 72018, -000  
Single lever basin mixer 80  
for vented hot water cylinders  
with pop-up waste set  
# 72016, -000  
Pillar tap 80 for cold water (not shown)  
# 72017, -000





**Talis S**  
Single lever basin mixer 250  
with pop-up waste set  
# 72115, -000

Single lever basin mixer 250  
without waste set  
# 72116, -000



**Talis S**  
Single lever basin mixer 140  
with pop-up waste set  
# 72113, -000



**Talis S**  
Single lever basin mixer 210  
with swivel spout and pop-up waste set  
# 72105, -000




**Talis S**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 22.5 cm  
# 72111, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180




**Talis S**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 16.5 cm  
# 72110, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180



**Talis Select S**  
Bidet mixer  
with pop-up waste set  
# 72202, -000



**Talis S**  
Single lever bidet mixer  
with pop-up waste set  
# 72200, -000



**Talis S**  
Single lever bath mixer floor-standing  
# 72412, -000

Basic set for mixers floor-standing (not shown)  
# 10452180







**Talis S**  
Single lever bath mixer  
for exposed installation  
# 72400, -000



**Talis S**  
3-hole rim mounted single lever bath mixer  
for Secuflex  
# 72416, -000  
Basic set for 3-hole rim mounted single lever bath mixer  
(not shown)  
# 13437180



**Talis S**  
4-hole rim mounted bath mixer for Secuflex  
# 72418, -000  
Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13444180




**Talis S**  
Bath spout  
# 72410, -000



**Talis S**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 72405, -000  
Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 72406, -000  
Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180  
Installation plate for tile mounted installation (not shown)  
# 28016, -000  
Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Talis S**  
Single lever shower mixer for exposed installation  
# 72600, -000



**Talis S**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 72605, -000  
Basic set iBox universal (not shown)  
# 01800180



**Talis S**  
Single lever basin mixer  
with pop-up waste set  
# 32020, -000

Single lever basin mixer  
without waste set  
# 32031, -000

Single lever basin mixer for vented hot water cylinder  
with pop-up waste set  
# 32032, -000




**Talis S**  
Pillar tap 40  
without waste set  
# 13132, -000



**Talis S**  
Single lever basin mixer 200  
with swivel spout and pop-up waste set  
# 32070, -000



**Talis S**  
Single lever bath mixer for exposed installation  
# 32420, -000



Bath spout  
# 13414, -000



**Talis S**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 32475, -000

Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 32477, -000

Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Talis S**  
Single lever shower mixer for exposed installation  
# 32620, -000



**Talis S**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 32675, -000  
Basic set iBox universal (not shown)  
# 01800180

With top quality, comfort and great value

## Focus



**User-friendly:** Gentle, caressing roundness and the ergonomic handle invite you to try out the ease of use.



**Living:** The cylindrical, contemporary body of Focus mixers brings elegance and value to the bathroom.

### Advantages and benefits

- Design complete in itself and expressed in a clear, generous language
- Dynamic silhouette and gentle round shapes emphasise the quality
- Ergonomic handle for ease of use
- Excellent value with a high level of comfort
- Automatic flow limit to 5 l/min thanks to EcoSmart technology





**Focus**  
Single lever basin mixer 230  
with pop-up waste set  
# 31531, -000  
Single lever basin mixer 230  
without waste set  
# 31532, -000



**Focus**  
Single lever basin mixer 190  
with pop-up waste set  
# 31608, -000  
Single lever basin mixer 190  
without waste set  
# 31518, -000



**Focus**  
Single lever basin mixer 100  
with pop-up waste set  
# 31607, -000  
Single lever basin mixer 100  
without waste set  
# 31517, -000  
Single lever basin mixer 100  
LowFlow with pop-up waste set  
# 31603, -000  
Single lever basin mixer 100  
LowFlow without waste set  
# 31513, -000  
Single lever basin mixer 100  
CoolStart with pop-up waste set (not shown)  
# 31621, -000



**Focus**  
Single lever basin mixer 70  
with pop-up waste set  
# 31730, -000  
Single lever basin mixer 70  
without waste set  
# 31733, -000  
Single lever basin mixer 70  
LowFlow without waste set  
# 31952, -000  
Single lever basin mixer 70  
for vented hot water cylinders with pop-up waste set  
# 31132, -000  
Single lever basin mixer 70  
with push-open waste set  
# 31604, -000  
Pillar tap 70 without waste set (not shown)  
# 31130, -000  
Single lever basin mixer 70  
CoolStart with pop-up waste set (not shown)  
# 31539, -000



**Focus**  
Single lever basin mixer 240  
with swivel spout and pop-up waste set  
# 31609, -000  
Single lever basin mixer 240  
with swivel spout without waste set  
# 31519, -000



**Focus**  
Single lever basin mixer for exposed installation  
wall-mounted  
# 31923, -000






**Focus**


Single lever bidet mixer  
with pop-up waste set  
# 31920, -000

Single lever bidet mixer  
with push-open waste set  
# 31922, -000



**Focus**

Single lever bath mixer for exposed installation  
# 31940, -000



Bath spout  
# 13414, -000



**Focus**

Single lever bath mixer for concealed installation  
for iBox universal  
# 31945, -000

Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 31946, -000

Basic set iBox universal (not shown)  
# 01800180




**sBox**

Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990

Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Focus**  
Single lever shower mixer for exposed installation  
# 31960, -000



**Focus**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 31965, -000  
Basic set iBox universal (not shown)  
# 01800180

Geometric shapes meet precise edges

# Vernis Shape **NEW**



**Geometric form:** Combined with precise edges for a refined aesthetic.



**Flexible:** The range offers the right solution for every installation scenario.



**Design:** Available in chrome and matte black surfaces.

## Advantages and benefits

- Extensive range with various basin mixer heights
- High quality and dynamic design at an attractive price
- Water- and energy-saving with EcoSmart technology



**Vernis Shape**  
Single lever basin mixer 190  
with pop-up waste set  
# 71562, -000, -670

Single lever basin mixer 190  
with metal pop-up waste set  
# 71590, -000

Single lever basin mixer 190  
without waste set  
# 71591, -000, -670



**Vernis Shape**  
Single lever basin mixer 100  
with pop-up waste set  
# 71561, -000, -670

Single lever basin mixer 100  
with metal pop-up waste set  
# 71568, -000

Single lever basin mixer 100  
without waste set  
# 71569, -000, -670

Single lever basin mixer 100  
CoolStart with pop-up waste set (not shown)  
# 71594, -000, -670



**Vernis Shape**  
Single lever basin mixer 70  
with pop-up waste set  
# 71560, -000, -670

Single lever basin mixer 70  
with metal pop-up waste set  
# 71566, -000

Single lever basin mixer 70  
without waste set  
# 71567, -000, -670

Single lever basin mixer 70  
CoolStart with pop-up waste set (not shown)  
# 71593, -000, -670

Pillar tap 70 for cold water  
without waste set (not shown)  
# 71592, -000, -670



**Vernis Shape**  
Single lever basin mixer with swivel spout  
and pop-up waste set  
# 71564, -000



**Vernis Shape**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 20.7 cm  
# 71578, -000, -670

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180



**Vernis Shape**  
3-hole basin mixer  
with pop-up waste set  
# 71563, -000, -670






**Vernis Shape**  
Single lever bidet mixer  
with pop-up waste set  
# 71211, -000, -670



**Vernis Shape**  
Single lever bath mixer for exposed installation  
# 71450, -000, -670



**Vernis Shape**  
4-hole rim mounted bath mixer  
# 71459, -000, -670  
Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13244180



**Vernis Shape**  
Bath spout  
# 71460, -000, -670



**Vernis Shape**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 71468, -000, -670  
Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 71469, -000, -670  
Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set square  
# 28010, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180  
Installation plate for tile mounted installation (not shown)  
# 28016, -000  
Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Vernis Shape**  
Single lever shower mixer for exposed installation  
# 71650, -000, -670



**Vernis Shape**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 71668, -000, -670  
Basic set iBox universal (not shown)  
# 01800180

Simple elegance


# Vernis Blend **NEW**



**Harmonious:** With its elegant fittings, it works well with warm materials such as wood.



**ComfortZone:** Also available in the right ComfortZone height for use with a countertop sink.



**Design:** Available in chrome and matte black surfaces.


## Advantages and benefits

- Extensive range with various basin mixer heights
- High quality and dynamic design at an attractive price
- Water- and energy-saving with EcoSmart technology






**Vernis Blend**  
 Single lever basin mixer 190  
 with pop-up waste set  
 # 71552, -000, -670  
 Single lever basin mixer 190  
 with metal pop-up waste set  
 # 71581, -000  
 Single lever basin mixer 190  
 with isolated water conduction  
 and pop-up waste set (not shown)  
 # 71572, -000  
 Single lever basin mixer 190  
 without waste set  
 # 71582, -000, -670




**Vernis Blend**  
 Single lever basin mixer 100  
 with pop-up waste set  
 # 71551, -000, -670  
 Single lever basin mixer 100  
 with metal pop-up waste set  
 # 71559, -000  
 Single lever basin mixer 100  
 with isolated water conduction  
 and pop-up waste set (not shown)  
 # 71571, -000  
 Single lever basin mixer 100  
 without waste set  
 # 71580, -000, -670  
 Single lever basin mixer 100  
 CoolStart with pop-up waste set (not shown)  
 # 71585, -000, -670



**Vernis Blend**  
 Single lever basin mixer 70  
 with pop-up waste set  
 # 71550, -000, -670  
 Single lever basin mixer 70  
 with metal pop-up waste set (not shown)  
 # 71557, -000  
 Single lever basin mixer 70  
 with isolated water conduction  
 and pop-up waste set (not shown)  
 # 71570, -000  
 Single lever basin mixer 70  
 without waste set (not shown)  
 # 71558, -000, -670  
 Single lever basin mixer 70  
 CoolStart with pop-up waste set (not shown)  
 # 71584, -000, -670  
 Pillar tap 70  
 for cold water without waste set (not shown)  
 # 71583, -000, -670



**Vernis Blend**  
 Single lever basin mixer with swivel spout  
 and pop-up waste set  
 # 71554, -000



**Vernis Blend**  
 Single lever basin mixer for concealed installation  
 wall-mounted with spout 20.7 cm  
 # 71576, -000, -670  
 Basic set for single lever basin mixer  
 for concealed installation wall-mounted (not shown)  
 # 13622180




**Vernis Blend**  
 3-hole basin mixer  
 with pop-up waste set  
 # 71553, -000, -670







**Vernis Blend**  
Single lever bidet mixer  
with pop-up waste set  
# 71210, -000, -670



**Vernis Blend**  
Single lever bath mixer for exposed installation  
# 71440, -000, -670



**Vernis Blend**  
4-hole rim mounted bath mixer  
# 71456, -000, -670  
Basic set for 4-hole rim mounted bath mixer (not shown)  
# 13244180




**Vernis Blend**  
Bath spout  
# 71420, -000, -670



**Vernis Blend**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 71466, -000, -670  
Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 71467, -000, -670  
Basic set iBox universal (not shown)  
# 01800180



**sBox**  
Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990  
Rim and tile mounted bath basic set (not shown)  
# 13560180  
Installation plate for tile mounted installation (not shown)  
# 28016, -000  
Mounting angle set for installation plate for tile mounted  
installation (not shown)  
# 28021, -000



**Vernis Blend**  
Single lever shower mixer  
for exposed installation  
# 71640, -000, -670



**Vernis Blend**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 71667, -000, -670  
Basic set iBox universal (not shown)  
# 01800180

Precise edges radiate clarity

# Logis **NEW**



**Pleasing:** The precise shoulder lines and rounded edges delight both the eye and the hand.



**Flexible:** The range offers the right solution for every installation scenario.



**New aerator:** Can be removed with a coin, for easy replacement and cleaning without tools.

## Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High value in the lower price category
- Extensive range with various basin mixer heights
- New aerator: Can be removed with a coin, for easy replacement and cleaning without tools



**Logis**  
Single lever basin mixer 240 Fine  
with pop-up waste set  
# 71257, -000

Single lever basin mixer 240 Fine  
without waste set  
# 71258, -000



**Logis**  
Single lever basin mixer 110 Fine  
with pop-up waste set  
# 71251, -000

Single lever basin mixer 110 Fine  
with push-open waste set  
# 71252, -000

Single lever basin mixer 110 Fine  
without waste set  
# 71253, -000




**Logis**  
Single lever basin mixer 110 Fine CoolStart  
with pop-up waste set  
# 71254, -000

Single lever basin mixer 110 Fine CoolStart  
without waste set  
# 71255, -000



**Logis**  
Single lever basin mixer for concealed installation Fine  
wall-mounted with spout 20.5 cm  
# 71256, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180



**Logis**  
Single lever bidet mixer 110 Fine  
with pop-up waste set  
# 71201, -000



Harmonious design with precision feeling

# Logis



**Pleasing:** The precise shoulder lines and rounded edges delight both the eye and the hand.



**Flexible:** The extensive range has the best and most irresistible solution for any installation situation.



**Homely:** Thanks to the gentle silhouettes, the Logis mixers create a harmonious atmosphere.

## Advantages and benefits

- Clear, generous surfaces for easy operation and cleaning
- The rounded shapes of the handle and base make them the perfectly matching complements to the soft edges of the basin
- High-quality and noise-free ceramic cartridge - ideal for apartment buildings, hotels and offices
- High value in the lower price category
- Extensive range with various basin mixer heights
- Automatic flow limit to 5 l/min thanks to EcoSmart technology



**Logis**  
Single lever basin mixer 190  
with pop-up waste set  
# 71090, -000

Single lever basin mixer 190  
without waste set  
# 71091, -000



**Logis**  
Single lever basin mixer 100  
with pop-up waste set  
# 71100, -000

Single lever basin mixer 100  
with push-open waste set  
# 71107, -000

Single lever basin mixer 100  
CoolStart with pop-up waste set (not shown)  
# 71102, -000

Single lever basin mixer 100  
CoolStart without waste set (not shown)  
# 71103, -000

Single lever basin mixer 100  
without waste set  
# 71101, -000



**Logis**  
Single lever basin mixer 70  
with pop-up waste set  
# 71070, -000

Single lever basin mixer 70  
with push-open waste set  
# 71077, -000

Single lever basin mixer 70  
CoolStart with pop-up waste set (not shown)  
# 71072, -000

Single lever basin mixer 70  
CoolStart without waste set (not shown)  
# 71073, -000

Single lever basin mixer 70  
without waste set  
# 71071, -000

Single lever basin mixer 70  
for vented hot water cylinders  
with push-open waste set (not shown)  
# 71074, -000

Single lever basin mixer 70  
LowFlow with pop-up waste set  
# 71078, -000



**Logis**  
Single lever basin mixer 210  
with swivel spout and pop-up waste set  
# 71130, -000

Single lever basin mixer 210  
with swivel spout without waste set  
# 71131, -000



**Logis**  
Pillar tap 70  
for cold water without waste set  
# 71120, -000



**Logis**  
Single lever basin mixer for concealed installation  
wall-mounted with spout 19,5 cm  
# 71220, -000

Basic set for single lever basin mixer  
for concealed installation wall-mounted (not shown)  
# 13622180





**Logis**  
Single lever basin mixer for exposed installation  
wall-mounted  
# 71225, -000




**Logis**  
3-hole basin mixer 150  
with pop-up waste set  
# 71133, -000




**Logis**  
2-handle basin mixer 150  
with pop-up waste set  
# 71222, -000


2-handle basin mixer 150  
without waste set  
# 71221, -000




**Logis**  
Single lever bidet mixer 100  
with pop-up waste set  
# 71200, -000



**Logis**  
Single lever bidet mixer 70  
with pop-up waste set  
# 71204, -000



**Logis**  
Single lever bath mixer for exposed installation  
# 71400, -000



**Logis**  
2-handle bath mixer for exposed installation  
# 71243, -000



**Logis**  
3-hole rim mounted single lever bath mixer for Secuflex  
# 71310, -000


Basic set for 3-hole rim mounted single lever bath mixer  
(not shown)  
# 13437180







**Bath spout**  
# 71410, -000



**Logis**  
Single lever bath mixer for concealed installation  
for iBox universal  
# 71405, -000

Single lever bath mixer for concealed installation  
with integrated security combination according to  
EN1717 for iBox universal  
# 71407, -000

Basic set iBox universal (not shown)  
# 01800180




**sBox**

Finish set oval  
# 28020, -000, -140, -340, -670, -700, -990


Rim and tile mounted bath basic set (not shown)  
# 13560180

Installation plate for tile mounted installation (not shown)  
# 28016, -000

Mounting angle set for installation plate  
for tile mounted installation (not shown)  
# 28021, -000



**Logis**  
Single lever shower mixer for exposed installation  
# 71600, -000



**Logis**  
2-handle shower mixer for exposed installation  
# 71263, -000



**Logis**  
Single lever shower mixer for concealed installation  
for iBox universal  
# 71605, -000

Single lever shower mixer HighFlow  
for concealed installation for iBox universal  
# 71607, -000

Basic set iBox universal (not shown)  
# 01800180



**Logis**  
Shut-off valve for concealed installation  
# 71970, -000

Basic set 52 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15973180

Basic set 40 l/min for shut-off valve  
for concealed installation ceramic (not shown)  
# 15974180

Basic set 130 l/min for shut-off valve  
for concealed installation spindle (not shown)  
# 15970180

Sensor technology – for more hygienic, water saving operation

## Electronic basin mixer

Here, water flows only when it is needed. Contactless taps with infrared proximity sensors help to save water and energy, particularly useful in public facilities. The contact-free technology also lowers the

risk of infection that can be an issue in frequently used public and commercial sanitary facilities. Sensor-controlled taps are also particularly recommended by hygiene experts in healthcare settings.



### Advantages and benefits

- Water savings thanks to automatic stop
- Available for battery and mains connection
- Contactless, so particularly hygienic
- Ideal for public and business sectors



**Metris S**

Electronic basin mixer  
with temperature control battery operation  
# 31100, -000


Electronic basin mixer  
with temperature control mains connection 230 V  
# 31102, -000



**Metris S**

Electronic basin mixer  
with temperature pre-adjustment battery operation  
# 31101, -000


Electronic basin mixer  
with temperature pre-adjustment mains connection 230 V  
# 31103, -000



**Focus**

Electronic basin mixer 130  
with temperature control battery operation  
# 31171, -000

Electronic basin mixer 130  
with temperature control mains connection 230 V  
# 31173, -000



**Focus**

Electronic basin mixer  
with temperature pre-adjustment battery operation  
# 31172, -000

Electronic basin mixer  
with temperature pre-adjustment mains connection 230 V  
# 31174, -000



**Vernis Blend**

Electronic basin mixer  
with temperature pre-adjustment mains connection 230 V  
# 71501, -000

Electronic basin mixer  
with temperature pre-adjustment battery operation  
# 71502, -000



**Vernis Blend**

Electronic basin mixer  
for cold water or pre-adjusted water battery operation  
# 71503, -000

Electronic basin mixer  
for cold water or pre-adjusted water  
mains connection 230 V  
# 71504, -000



**Talis E**

Self-closing basin mixer  
with temperature control  
# 71718, -000

Self-closing pillar tap  
for cold water or pre-adjusted water (not shown)  
# 71719, -000



Designed for comfort and safety

## Care mixers

Longer handles, consistent temperatures, larger lettering: these fittings and thermostats ensure extra safety and comfort in the bathroom. The safe use of water makes everyday life easier, particularly for

families with small children. The carefully designed solutions are also suitable anywhere where age or illness needs to be considered, or where hygiene is paramount, such as in retirement homes, hospitals, spa facilities or

hospices. The ease of use also makes them ideal for places such as nurseries, hotels or multigenerational households.



### Advantages and benefits

- Extra-long, flat operating lever: ergonomically shaped to be moved with the whole hand or arm
- Comfortable use under a light touch
- Robust brass body and metal handle for a particularly long lifetime
- The temperature can be preset, ideal for people who have trouble sensing warmth



**Focus**  
Single lever basin mixer 100  
with extra long handle 12,1 cm  
and pop-up waste set  
# 31911, -000

Single lever basin mixer 100  
with extra long handle  
without waste set  
# 31915, -000

Single lever basin mixer 100  
CoolStart with extra long handle 12,1 cm  
without waste set (not shown)  
# 31917, -000




**Focus**  
Single lever basin mixer 70  
with extra long handle  
without waste set  
# 31914, -000


Single lever basin mixer 70  
with extra long handle 12,1 cm  
and pop-up waste set  
# 31910, -000



**Focus**  
Single lever basin mixer for exposed installation  
with extra long handle 12,1 cm  
# 31913, -000



**Focus**  
Single lever shower mixer for exposed installation  
with extra long handle 12,1 cm  
# 31916, -000



**Ecostat**  
Bath thermostat Comfort Care for exposed installation  
with extra long handles  
# 13115, -000



**Ecostat**  
Shower thermostat Comfort Care for exposed installation  
with extra long handles  
# 13117, -000



**Ecostat**  
Under-basin thermostat for exposed installation  
# 15346, -000



Quick-coupling set  
# 28346000

- Easy to connect to existing valves, e. g. under the basin
- Provides a constant temperature and consistent flow even with fluctuating cold water pressure
- Ideal for use in nurseries, hospitals or hotels
- Safe for thermal disinfection

- For quick, easy emptying of hoses

Dream storage for a dream bathroom

# XtraStoris **NEW**



**Individual:** A quality solution available in numerous designs and dimensions.




**Integrated:** Wall recess creates extra space.




**Minimalist:** Flush with the tile or protruding up to 55 mm to create a design feature.

## Advantages and benefits

- Storage solution integrated in the wall
- Waterproof to ensure safety and ease of use
- Integrated solution to create a bathroom tailored to the smallest detail
- Available in various dimensions and surfaces







**XtraStoris Individual**  
 Wall niche Brushed Stainless Steel  
 with design frame 300/150/100  
 # 56094, -140, -340, -670, -700, -800, -990




**XtraStoris Individual**  
 Wall niche Brushed Stainless Steel  
 with design frame 300/300/100  
 # 56097, -140, -340, -670, -700, -800, -990



**XtraStoris Individual**  
 Wall niche Matt Black with design frame 300/150/100  
 # 56095, -140, -340, -670, -700, -800, -990



**XtraStoris Individual**  
 Wall niche Matt Black with design frame 300/300/100  
 # 56098, -140, -340, -670, -700, -800, -990




**XtraStoris Individual**  
 Wall niche Matt White with design frame 300/150/100  
 # 56096, -140, -340, -670, -700, -800, -990



**XtraStoris Individual**  
 Wall niche Matt White with design frame 300/300/100  
 # 56099, -140, -340, -670, -700, -800, -990








**XtraStoris Original**  
Wall niche with frame 300/150/100  
# 56057, -670, -700, -800



**XtraStoris Original**  
Wall niche with frame 300/300/100  
# 56061, -670, -700, -800



**XtraStoris Original**  
Wall niche with frame 300/600/100  
# 56064, -670, -700, -800





**XtraStoris Original**  
Wall niche with frame 300/900/100  
# 56067, -670, -700, -800



**XtraStoris Minimalistic**  
Wall niche frameless 300/300/100  
# 56073, -670, -700, -800  
Wall niche frameless 300/300/140 (not shown)  
# 56079, -670, -700, -800



**XtraStoris Minimalistic**  
Wall niche frameless 300/150/100  
# 56070, -670, -700, -800  
Wall niche frameless 300/150/140 (not shown)  
# 56076, -670, -700, -800



**XtraStoris Rock**  
Wall niche with tileable door 300/300/100  
# 56085, -670, -700, -800  
Wall niche with tileable door 300/300/140 (not shown)  
# 56091, -670, -700, -800



**XtraStoris Rock**  
Wall niche with tileable door 300/150/100  
# 56082, -670, -700, -800  
Wall niche with tileable door 300/150/140 (not shown)  
# 56088, -670, -700, -800



**XtraStoris Safe**  
Wall niche with tileable door  
and integrated shut-off valve 150/300/100  
# 56100, -800



**Available from 02/2022**

# Logis



**Logis**  
Liquid soap dispenser  
# 40514, -000, -820



**Logis**  
Toothbrush tumbler  
# 40518, -000, -820




**Logis**  
Soap dish  
# 40515, -000, -820



**Logis**  
Roll holder with cover  
# 40523, -000, -820



**Logis**  
Roll holder without cover  
# 40526, -000, -820



**Logis**  
Spare roll holder  
# 40517, -000, -820



**Logis**  
Toilet brush holder wall-mounted  
# 40522, -000, -820



**Logis**  
Towel hook  
# 40511, -000, -820



**Logis**  
Towel holder twin-handle  
# 40512, -000, -820




**Logis**  
Grab bar  
# 40513, -000, -820



**Logis**  
Bath towel rail  
# 40516, -000, -820



# AddStoris NEW



**AddStoris**  
Towel hook  
# 41742, -000, -140, -340, -670, -700, -990



**AddStoris**  
Towel hook double  
# 41755, -000, -140, -340, -670, -700, -990



**AddStoris**  
Toothbrush tumbler  
# 41749, -000, -140, -340, -670, -700, -990




**AddStoris**  
Soap dish  
# 41746, -000, -140, -340, -670, -700, -990




**AddStoris**  
Liquid soap dispenser  
# 41745, -000, -140, -340, -670, -700, -990



**AddStoris**  
Toilet brush holder wall-mounted  
# 41752, -000, -140, -340, -670, -700, -990




**AddStoris**  
Bath towel rail  
# 41747, -000, -140, -340, -670, -700, -990




**AddStoris**  
Double bath towel rail  
# 41743, -000, -140, -340, -670, -700, -990




**AddStoris**  
Towel rack with towel holder  
# 41751, -000, -140, -340, -670, -700, -990



**AddStoris**  
Towel holder twin-handle  
# 41770, -000, -140, -340, -670, -700, -990



**AddStoris**  
Towel ring  
# 41754, -000, -140, -340, -670, -700, -990



**AddStoris**  
Corner basket  
# 41741, -000, -140, -340, -670, -700, -990



**AddStoris**  
Roll holder with cover  
# 41753, -000, -140, -340, -670, -700, -990




**AddStoris**  
Roll holder without cover  
# 41771, -000, -140, -340, -670, -700, -990



**AddStoris**  
Roll holder with shelf  
# 41772, -000, -140, -340, -670, -700, -990



**AddStoris**  
Spare roll holder  
# 41756, -000, -140, -340, -670, -700, -990



**AddStoris**  
Double roll holder  
# 41748, -000, -140, -340, -670, -700, -990




**AddStoris**  
Shaving mirror  
# 41791, -000, -140, -340, -670, -700, -990  
Shaving mirror with LED light (not shown)  
# 41790, -000, -140, -340, -670, -700, -990



**AddStoris**  
Tissue box  
# 41774, -000, -140, -340, -670, -700, -990




**AddStoris**  
Sanitary bag dispenser  
# 41773, -000, -140, -340, -670, -700, -990



**AddStoris**  
Pedal Bin  
# 41775, -000, -670, -700



**AddStoris**  
Grab bar  
# 41744, -000, -140, -340, -670, -700, -990



**AddStoris**  
Shower door handle  
# 41759, -000, -140, -340, -670, -700, -990

# Logis Universal



**Logis Universal**  
Liquid soap dispenser  
# 41714, -000



**Logis Universal**  
Toothbrush tumbler  
# 41718, -000



**Logis Universal**  
Soap dish  
# 41715, -000



**Logis Universal**  
Towel hook  
# 41711, -000



**Logis Universal**  
Towel hook double  
# 41725, -000



**Logis Universal**  
Corner basket  
# 41710, -000



**Logis Universal**  
Roll holder with cover  
# 41723, -000



**Logis Universal**  
Spare roll holder  
# 41726, -000



**Logis Universal**  
Double roll holder  
# 41717, -000



**Logis Universal**  
Toilet brush holder wall-mounted  
# 41722, -000



**Logis Universal**  
Shaving mirror  
# 73561, -000



**Logis Universal**  
Towel ring  
# 41724, -000



**Logis Universal**  
Grab bar  
# 41713, -000



**Logis Universal**  
Bath towel rail  
# 41716, -000



**Logis Universal**  
Double bath towel rail  
# 41712, -000



**Logis Universal**  
Towel rack with towel holder  
# 41720, -000




**Logis Universal**  
Bath-accessory set 3 in 1  
# 41727, -000



**Logis Universal**  
Bath-accessory set 5 in 1  
# 41728, -000

Your customers, their wall

# WallStoris **NEW**



**Safe, easy installation:** The strips can be glued on then removed when needed, leaving no residue. They can also be screwed on. The modules simply click into place.



**Intelligent storage system:** A bar with modular accessories and an infinite number of combinations.




**Perfect for the bathroom:** Thanks to the in-built drain, the container collects no water. WallStoris is also dishwasher safe.

## Advantages and benefits

- A flexible, modern storage system with almost infinite combinations
- Perfect for wet environments: thanks to the integrated drain no water collects in the containers or racks
- High-quality bars in two lengths (50, 70 cm) and two surfaces (matt black and matt white)
- Easy assembly: either with screws or simply stuck to the wall, so that the bar can be removed later without leaving any residue.







**WallStoris**  
 Wall bar 50 cm  
 # 27902, -670, -700  
 Wall bar 70 cm (not shown)  
 # 27904, -670, -700



**Available from 04/2022**



**WallStoris**  
 Towel hook wide  
 # 27914, -670, -700



**Available from 04/2022**



**WallStoris**  
 Towel hook slim  
 # 27929, -670, -700



**Available from 04/2022**



**WallStoris**  
 Storage basket deep  
 # 27912, -670, -700



**Available from 04/2022**



**WallStoris**  
 Storage basket  
 # 27913, -670, -700



**Available from 04/2022**



**WallStoris**  
 Cover for storage basket  
 # 27925, -670, -700

**Available from 04/2022**



**WallStoris**  
 Shelf  
 # 27915, -670, -700



**Available from 04/2022**



**WallStoris**  
 Tumbler  
 # 27921, -670, -700



**Available from 04/2022**



**WallStoris**  
 Squeegee  
 # 27916, -670, -700

**Available from 04/2022**



**WallStoris**  
Push slider  
# 27917, -670, -700



Available from 04/2022



**WallStoris**  
Towel rail  
# 27926, -670, -700



Available from 04/2022



**WallStoris**  
Toilet brush holder  
# 27927, -670, -700



Available from 04/2022



**WallStoris**  
Toilet paper holder with shelf  
# 27928, -670, -700



Available from 04/2022



**WallStoris**  
Toilet bundle  
# 27969, -670, -700



Available from 04/2022



**WallStoris**  
Bathtub bundle  
# 27966, -670, -700



Available from 04/2022



**WallStoris**  
Shower bundle  
# 27967, -670, -700



Available from 04/2022



**WallStoris**  
Bathroom bundle  
# 27968, -670, -700



Available from 04/2022

Subtle in design, faultless in functionality

# Drainage systems

Clean, hygienic bathrooms depend on excellent drainage, which is why hansgrohe has developed a number of innovative

drainage systems. They work in all installation scenarios and are easy to both install and use, ensuring that water drains away quickly and

easily. Overflow regulation and other smart features ensure long-lasting comfort, both during and after a shower.

## Shower

The RainDrain drainage channel ensures perfect drainage in floor-level showers, working in aesthetic harmony with the rest of the space. The clever system means that a basic set works for all shower channels – whether it's a flat shower tray or one with a raised rim, a small or large drainage hole, Staro works with them all.



## Bath

With Exafill, we combine drain technology into an integrated bath inlet, outlet and overflow function. This replaces the conventional bath tap. If you have a separate bath filler, Flexaplust provides the ideal solution. Both drainage systems can be individually cut to length and are easy to install. It's this flexibility that hansgrohe is known for.



## Basin

The linear design of the Flowstar siphon is a subtle under-the-sink design highlight. A push-open valve is suitable for sinks without a pull rod, since it opens or closes simply by pressing it.



# Shower



## RainDrain Spot

Complete set 150/150 point drain and installation set  
# 56055, -800

Complete set 150/150 point drain tileable rear cover  
and installation set (not shown)  
# 56112, -800



## Raindrain

Complete set waste set 90 XXL  
# 60067, -000, -140, -340




## Staro

Complete set waste set 90  
# 60056, -000, -140, -340, -990

Eye catching with integrated gradient

# RainDrain Flex NEW



**Perfect length:** It can be shortened on-site if necessary, since there is no channel under the drain cover.




**Individual:** Available in chrome, brushed stainless steel and five exclusive FinishPlus surfaces.



**A basic set for all shower channels:** Can be installed using the universal uBox, without a separate installation set, since it can be laid directly onto screed.


## Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- Available in chrome, brushed stainless steel and five exclusive FinishPlus surfaces
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials



**RainDrain Flex**

Finish set shower drain 700 cuttable  
# 56043, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 800 cuttable (not shown)  
# 56044, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 900 cuttable (not shown)  
# 56045, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 1000 cuttable (not shown)  
# 56046, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 1200 cuttable (not shown)  
# 56047, -000, -140, -340, -670, -700, -800, -990



**RainDrain Flex**

Finish set shower drain 700 cuttable  
for wall mounting  
# 56050, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 800 cuttable  
for wall mounting (not shown)  
# 56051, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 900 cuttable  
for wall mounting (not shown)  
# 56052, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 1000 cuttable  
for wall mounting (not shown)  
# 56053, -000, -140, -340, -670, -700, -800, -990  
Finish set shower drain 1200 cuttable  
for wall mounting (not shown)  
# 56054, -000, -140, -340, -670, -700, -800, -990



**uBox universal**

Base set for finish sets for flat installation  
# 01000180



**uBox universal**

Base set for finish sets for standard installation  
# 01001180  
Base set for finish sets for vertical installation (not shown)  
# 01002180



The shower channel for every bathroom

# RainDrain Match NEW

Can be tiled on the back of the cover



Easy height adjustment thanks to the height-adjustable frame

High drainage capacity: Dryphon included



**Can be tiled on the back:** The cover of this product can be tiled on the back, up to a thickness of 18m. This is not recommended with glass versions.

**Individuality:** Available in chrome, brushed stainless steel, matte black, matte white and two glass surfaces (-450 and -610).

**Easy installation:** The universal uBox and installation kit are available as a complete set.

## Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- Available in chrome, brushed stainless steel, matte black, matte white and two glass surfaces (-450 and -610)
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials





**RainDrain Match**

Finish set shower drain 600  
with height adjustable frame  
# 56036, -000, -450, -610, -670, -700, -800


Finish set shower drain 700  
with height adjustable frame (not shown)  
# 56037, -000, -450, -610, -670, -700, -800

Finish set shower drain 800  
with height adjustable frame (not shown)  
# 56038, -000, -450, -610, -670, -700, -800

Finish set shower drain 900  
with height adjustable frame (not shown)  
# 56040, -000, -450, -610, -670, -700, -800

Finish set shower drain 1000  
with height adjustable frame (not shown)  
# 56041, -000, -450, -610, -670, -700, -800

Finish set shower drain 1200  
with height adjustable frame (not shown)  
# 56042, -000, -450, -610, -670, -700, -800



**uBox universal**

Complete set for flat installation 600  
for shower drains finish sets  
# 56016180

Complete set for flat installation 700  
for shower drains finish sets (not shown)  
# 56017180

Complete set for flat installation 800  
for shower drains finish sets (not shown)  
# 56018180

Complete set for flat installation 900  
for shower drains finish sets (not shown)  
# 56019180

Complete set for flat installation 1000  
for shower drains finish sets (not shown)  
# 56020180

Complete set for flat installation 1200  
for shower drains finish sets (not shown)  
# 56021180



**uBox universal**

Complete set for standard installation 600  
for shower drains finish sets  
# 56022180


Complete set for standard installation 700  
for shower drains finish sets (not shown)  
# 56023180

Complete set for standard installation 800  
for shower drains finish sets (not shown)  
# 56024180

Complete set for standard installation 900  
for shower drains finish sets (not shown)  
# 56025180

Complete set for standard installation 1000  
for shower drains finish sets (not shown)  
# 56026180


Complete set for standard installation 1200  
for shower drains finish sets (not shown)  
# 56027180



Designed to be tiled with natural stone or tiles

# RainDrain Rock NEW

Flat surface, suitable for tiles and natural stone up to 40 mm thick



Easy height adjustment using adjustable bases

High drainage capacity: Dryphon included

Easy maintenance via accessible removal panel

Adaptable length: cover can be shortened by up to 50 mm per side



**Perfect length:** Shower panel can be shortened by up to 50 mm per side.



**Individual:** Designed to be tiled with natural stone or tiles in thicknesses of up to 40 mm.



**Easy installation:** The universal uBox and installation kit are available as a complete set.

## Advantages and benefits

- The full range contains products that work with every hansgrohe surface. That means you can buy everything from a single source, maintaining design cohesion.
- To be tiled with natural stone/tiles up to 40 mm thick
- Products seamlessly integrate at floor level, for ultimate freedom of movement when showering
- Drainage capacity is optimised to hansgrohe shower systems, while the innovative siphon solution blocks odours
- High-quality materials



**RainDrain Rock**

Finish set shower drain 600  
cut on size and tileable  
# 56029, -000

Finish set shower drain 700  
cut on size and tileable (not shown)  
# 56030, -000

Finish set shower drain 800  
cut on size and tileable (not shown)  
# 56031, -000

Finish set shower drain 900  
cut on size and tileable (not shown)  
# 56032, -000

Finish set shower drain 1000  
cut on size and tileable (not shown)  
# 56033, -000

Finish set shower drain 1200  
cut on size and tileable (not shown)  
# 56034, -000



**uBox universal**

Complete set for flat installation 600  
for shower drains finish sets  
# 56016180

Complete set for flat installation 700  
for shower drains finish sets (not shown)  
# 56017180

Complete set for flat installation 800  
for shower drains finish sets (not shown)  
# 56018180

Complete set for flat installation 900  
for shower drains finish sets (not shown)  
# 56019180

Complete set for flat installation 1000  
for shower drains finish sets (not shown)  
# 56020180

Complete set for flat installation 1200  
for shower drains finish sets (not shown)  
# 56021180



**uBox universal**

Complete set for standard installation 600  
for shower drains finish sets  
# 56022180

Complete set for standard installation 700  
for shower drains finish sets (not shown)  
# 56023180

Complete set for standard installation 800  
for shower drains finish sets (not shown)  
# 56024180

Complete set for standard installation 900  
for shower drains finish sets (not shown)  
# 56025180

Complete set for standard installation 1000  
for shower drains finish sets (not shown)  
# 56026180


Complete set for standard installation 1200  
for shower drains finish sets (not shown)  
# 56027180



# Bath



**Flexaplust**  
Complete set waste and overflow set  
for standard bath tubs  
# 58143, -000




**Flexaplust S**  
Complete set waste and overflow set  
for standard bath tubs  
# 58150, -000



**Flexaplust**  
Basic set waste and overflow set  
for standard bath tubs  
# 58140180



**Flexaplust**  
Basic set waste and overflow set  
for special bath tubs  
# 58141180



**Flexaplust**  
Finish set waste and overflow set  
# 58185, -000, -140, -340, -670, -700, -990



**Flexaplust S**  
Finish set waste and overflow set  
# 58186, -000



**Exafill**  
Complete set bath filler, waste and overflow set  
for standard bath tubs  
# 58123, -000




**Exafill**  
Basic set bath filler, waste and overflow set  
for standard bath tubs  
# 58125180



**Exafill**  
Basic set bath filler, waste and overflow set  
for special bath tubs  
# 58126180




**Exafill**  
Finish set bath filler, waste and overflow set  
# 58127, -000



**Exafill S**  
Complete set bath filler, waste and overflow set  
for standard bath tubs  
# 58113, -000



**Exafill S**  
Basic set bath filler, waste and overflow set  
for standard bath tubs  
# 58115180



**Exafill S**  
Basic set bath filler, waste and overflow set  
for special bath tubs  
# 58116180



**Exafill S**  
Finish set bath filler, waste and overflow set  
# 58117, -000, -140, -340, -670, -700, -820, -990




# Basin




Design trap Flowstar  
# 52100, -000  
Design trap Flowstar set (not shown)  
# 52120, -000




Design trap Flowstar S  
# 52105, -000, -140, -340, -670, -700, -990



Waste set push-open for basin and bidet mixers  
# 50100, -000, -140, -340, -670, -700, -990




Waste set push-open for basin and bidet mixers  
# 50105, -000




Waste set non-closing for washbasins  
# 50001, -000



Waste set pop-up for basin and bidet mixers  
# 94139, -000



Angle valve E outlet G 3/8  
# 13902, -000



Angle valve S outlet G 3/8  
# 13901, -000



Angle valve with microfilter outlet G 3/8  
# 13904, -000



Cover  
# 13950, -000, -140, -340, -670, -700, -990




ShowerSelect: Design where everything fits

## iBox universal


With the iBox universal, the mixer technology is concealed in the wall. This not only looks good, but also creates more space and thus greater shower pleasure. Another

advantage is the flexibility of the system and design. The iBox universal may be installed before the decision has been made for a shower system. As the basic set for any

hansgrohe standard and thermostatic solutions, it is easy to change or upgrade at any time.




**Concealed installation:** The basic set disappears completely into the wall. Mixers and shower finish sets from various ranges can be fitted to it.




**Over the long term:** The basic set is retained when the bathroom is refurbished. The functions block and finish set can then be easily replaced.



# iBox universal: one for all



## iBox universal: the perfect all-rounder




### Advantages and benefits

- One basic set for 19 function solutions
- Suitable for over 200 hansgrohe and AXOR finish sets
- Pre-installation enhances decision making flexibility for mixers
- An attractive bathroom, as bulky technology is out of sight behind the wall
- Greater freedom of movement when showering
- Easy to replace with new mixers or finish set designs when renovating
- Concealed installation solutions tried and tested millions of times

### Advantages and benefits specifically for project activities


- The iBox universal offers a high level of flexibility and lots of design options
- One basic set for all solutions, simplifying project planning
- The iBox is suitable for use in private or public facilities and complies with all the main international standards
- Covers any solution with up to 4 functions

## iBox universal: the all-rounder with many strengths




### Rotation-symmetrical installation

- Symmetrical construction; all the connections are the same
- It is important that cold water is connected on the right and hot water on the left
- The lower outlet has priority for bath mixers
- Either the upper or lower outlet can be connected for shower mixers




### Safe and economical

- Basic set includes only the connection block. The valuable functions block is supplied later and mounted with the finish set
- Prevents problems like theft, dirt and frost damage occurring during the building phase and expensive warehousing becomes unnecessary




### Many installation types

- Coordinated with to all the standard installation systems, connection types and mixers
- Patented flexible adjustment ring
- Attachment options on 2 levels and G $\frac{3}{4}$  connections for universal installation possibilities
- Also suitable for stronger wall constructions and dry wall installations as well as for pre-fabricated houses




### Integrated safety combination

- Used in conjunction with Exafill baths with an outflow and overflow mixer, it eliminates the need for an external pipe breaker on concealed installation single lever bath mixers: lower installation costs and fewer functional parts in the wall




### Perfect moisture protection

- Sealing sleeves on all 4 connections, sealing sleeve under the tiles and the carrier escutcheon that seals against splashes perfectly protect the masonry against moisture on all sides




### Solutions for walls that are very deep or very shallow

- If the iBox universal is too deep in the wall, the basic set extension is inserted between the connection and functions block
- The extension set provides safety right up to the wall and perfectly protects the masonry against moisture
- The standard body of the iBox universal has become flatter and is therefore even more suitable for walls with shallow installation depths




### Low noise levels

- Brass bodies on seals ensure that the noise of water-bearing parts is transferred to the masonry
- The carrier escutcheon is screwed to the housing of the iBox universal and not to the functions block, which means that the noise cannot be transmitted to the tiles



### Collar extension


- Thanks to the extension, even shallow installation depths are no longer a problem
- The extension collar means that the iBox can be installed even in narrow walls





### Easy rinsing

- Flush block included and can be mounted in various different positions. This means that pipes can be flushed through to the end just in front of the wall, as per DIN 1988/EN 1717 part 2



## Installation options and dimension drawings iBox universal





Installation directly on the wall





Installation in front of the wall; here with variable spacers on hanger bolts M 10





Installation on carrier system




Installation on prefab house mounting panels or prefab shell



Installation directly in the wall



Installation with mounting rail set




Assembly aid for iBox universal  
#93500000

### Advantages and benefits

- Even faster, safer and more convenient installation of the iBox universal
- No more cumbersome use of a spirit level
- Easier installation for square pre-fab sets, at the perfect right angle
- Helps with tiling
- The installation aid is simply fitted to the iBox universal

## Technical details, assembly tips and installation information



### iBox universal, Front and side views

#01800180	
Operating pressure:	max. 1 MPa
Recommended operating pressure:	0.1-0.5 MPa
Test pressure:	1.6 MPa (1 MPa = 10 bar = 147 psi)
Hot water temperature:	max. 80 °C
Recommended hot water temperature:	65 °C
Connection dimensions:	G 3/4
Connections:	cold right, warm left
Free flow at:	0.3 MPa
Bath mixer outlet bath:	31 l/min
Bath mixer outlet shower:	24 l/min
Shower mixer:	32 l/min
Thermostat:	43 l/min
Thermostat with shut-off valve:	26 l/min
Thermostat with shut-off and changeover valve:	26 l/min
Thermostat Highflow:	48 l/min
Test mark:	DVGW, SVGW

#### Tips for raw installation

**Fit the basic set with the hot water connection on the left and the cold water connection on the right.**

Installation depth: 80 mm to 108 mm.

#### Extension set 25 mm for too deep installation:

# 13595000

#### Extension set 22 mm for too low installation depths:

- # 13596000 for rosettes 170 mm diameter
- # 13597000 for rosettes 150 mm diameter
- # 15597000 for PuraVida measuring 155 x 155 mm
- # 13593000 for ShowerSelect
- # 13601000 for ShowerSelect including FixFit and holder
- # 13604000 for ShowerSelect glass


The basic set can be fitted to suit the structural conditions. The iBox universal is suitable for both bath and shower installation. With single lever basin mixers, the lower outlet (outlet 1) has priority. With shower installations, the outlet that is not required needs to be stopped with a plug.

The rotation-symmetrical base unit of the iBox universal can be used horizontally or vertically.


**Exception:** installation of basin mixers with safety combinations; only vertical installation is possible here.

### Flushing

Complete installation as per DIN 1988/EN 1717, part 2, Flushing. The arrows on the flush block indicate which inlet is connected to which outlet pipe, for instance cold water to outlet 1 and hot water to outlet 2. If only outlet 1 is required, then the flush block needs to be rotated by 90° after the first flush.



### Tips for the bath tub




#### iBox universal in combination with Exafill bath filler with outlet and overflow fitting:

switch off water to the Exafill during the construction stage!

#### Raw installation:

1. Install iBox universal
2. Lay pipes to Exafill and block (metal plug)
3. Flush and press pipe system



#### Place bath:

1. Switch off water
2. Install bath with Exafill and connect to mains water
3. Flush pipe to Exafill with sample filler necks and check for leaks
4. Switch off water at floor level
5. Remove flush block
6. Insert plug (A) in outlet for Exafill
7. Fit flush block
8. Switch on water

Practical hose coiling system for added convenience

## sBox bath

Our sBox creates relaxed feel-good moments in the bath tub. The innovative shower hose solution has many smart benefits, such as an easy-access hose that offers plenty of freedom to move and convenient access to the

hand shower at all times. The neatly rolled up shower hose looks attractive and the smooth surfaces are easy to clean and available in two flange designs. Hand showers are sold separately, with free choice of placement

along the bath tub rim and the option of a tiled surface installation to enable you to furnish your bathroom however you like.


### The sBox bath tub pre-fab set

G ½ hose connection for universal compatibility with all conventional hand showers

Translucent polypropylene box (hard, solid, able to withstand thermal stress, chemically resistant)




Two escutcheon designs, to suit every bathroom, are available in six different finishes: -000, -140, -340, -670, -700, -990



Metal flange for a high-end feel and long lifespan

Installation frame can be screwed to the bath tub rim/ edge of the tiles; four screws in each corner guarantee it will stay in place

Safe in accordance with EN1717



### Advantages and benefits

- Concealed shower hose improves the appearance of the bath tub
- Choose between two stylish designs and six different finishes
- More flexibility with a long hose (1.45 m)

## The sBox bath tub installation options



Installation example: tiled surface installation.

- Can be mounted on the bath tub rim or edge of the tiles
- Easy, hassle-free installation in two steps
- Extremely low maintenance, suitable for all age groups and needs
- For easy and neat tiled surface installation, we recommend the original hansgrohe installation bracket (# 28021, -000) and plate (# 28016, -000)

## The sBox bath tub basic set



Plug for rinsing the connected pipeline

Place holder for the installation frame to be positioned here later

Cardboard place holder to simulate free space under the bath tub or tile so that this space is saved for the sBox

Hose to be connected to the mixed water pipe

Holder for the connection hose prevents the shower hose from falling behind the bath tub



- More freedom to move in the bath tub
- Position it anywhere along the bath tub rim

- Optimised workflow with two-step installation: basic and pre-fab sets


A basic kit for all installation scenarios

# uBox universal NEW

The uBox universal is suitable for all shower channels and installation scenarios, meaning you can enjoy a simple and uncomplicated installation. The RainDrain shower channels are a modular system. A

shower channel order will only consist of the finish set (RainDrain) and the basic set (uBox universal), with or without an installation set. All you have to do is choose uBox universal for standard or uBox universal for flat installation.

A uBox universal with a vertical outlet is also available. Thanks to the low installation depth, the uBox universal is suitable for different installation scenarios, in new buildings as well as in renovation.



## Advantages and benefits


- Pre-assembled seal prevents water damage
- Flexible installation: three connections fit almost any installation scenario, and ensuring it is level is easy thanks to three height adjustment plates
- Versatility: uBox universal is suitable for primary (standard) and secondary drainage
- The high quality of our products ensures safety on the construction site, as well as satisfied customers




## Dryphon: higher drainage capacity with minimal cleaning effort



The innovative Dryphon siphon solution is included with every finish set (RainDrain) of the drainage channels and, on request, can replace the supplied siphon of the uBox universal (basic set) and its drainage capacity of up to 42 l/min. The patented design offers a significant improvement in drainage capacity, of up to 60 l/min. Thanks to the high flow rate, dirt and hair cannot stick, which reduces cleaning to a minimum.



**Conventional siphon technology**  
Odour barrier created via water




**Dryphon technology**  
Mechanical odour barrier

The Dryphon system permanently blocks sewer odour, even without water as a barrier. Since no water is used, the siphon will not dry out if it is not used for a while. Dryphon also regulates pressure differences in the sewer while blocking sewer gases.




**uBox universal**  
Base set for finish sets for flat installation  
# 01000180



Water seal height: 30 mm  
Minimum height: 57 mm  
Drainage capacity siphon: 33 l/min  
Drainage capacity Dryphon: 55 l/min




**uBox universal**  
Base set for finish sets for standard installation  
# 01001180



Water seal height: 50 mm  
Minimum height: 75 mm  
Drainage capacity siphon: 42 l/min  
(according to EN 1253)  
Drainage capacity Dryphon: up to 60 l/min



**uBox universal**  
Base set for finish sets for vertical installation  
# 01002180




Water seal height: 50 mm  
Minimum height: 0 mm  
Drainage capacity siphon: 42 l/min  
(according to EN 1253)  
Drainage capacity Dryphon: up to 60 l/min

You can find videos and tips on installation at [youtube.com/hansgrohe](https://www.youtube.com/hansgrohe)


## Concealed installation 1 function:

- (A) Raindance Select S**  
Shower set 120 3jet  
with shower bar 90 cm  
and soap dish  
# 26631, -000
- (B) ShowerSelect**  
Thermostat for concealed installation  
for 1 function  
# 15762, -000  
Basic set iBox universal (not shown)  
# 01800180
- (C) FixFit**  
Wall outlet Square  
with non-return valve  
# 26455, -000
- (D) Staro**  
Complete set waste set 90  
# 60056, -000



### Flow diagram

**Raindance Select S**  
Hand shower 120 3jet  
# 26530, -000




### Legend

- ① RainAir
- ② Rain
- ③ Whirl

\* denotes minimum operating pressure

## Exposed installation 1 function:


- (A) Pulsify Select S**  
Shower set 105 3jet Relaxation  
with shower bar 90 cm  
# 24170, -000
- (B) ShowerTablet Select**  
Shower thermostat 400  
for exposed installation  
# 24360, -000
- (C) RainDrain Flex**  
Finish set shower drain 700 cuttable  
# 56043, -000  
  
Base set for finish sets  
for standard installation (not shown)  
# 01001180



### Flow diagram

#### Pulsify Select S

Hand shower 105 3jet Relaxation  
# 24110, -000




### Legend

- ① Massage
- ② PowderRain
- ③ IntenseRain

• denotes minimum operating pressure

## Concealed installation 2 functions:


- (A) Rainmaker Select**  
Overhead shower 460 1jet  
with shower arm  
# 24003, -400
- (B) ShowerSelect Glas**  
Thermostat for concealed installation  
for 2 functions  
# 15738, -400  
  
Basic set iBox universal (not shown)  
# 01800180
- (C) Raindance Select S**  
Shower holder set 120 3jet  
with shower hose 160 cm  
# 26721, -000
- (D) FixFit**  
Wall outlet Square  
with non-return valve  
# 26455, -000
- (E) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000



### Flow diagram

#### Rainmaker Select


Overhead shower 460 1jet with shower arm  
# 24003, -400



### Flow diagram

#### Raindance Select S

Hand shower 120 3jet  
# 26530, -000




### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure


## Concealed installation 2 functions:

- (A) Rainfinity**  
Overhead shower 360 1jet  
with wall connector  
# 26230, -000
- (B) Rainfinity**  
Shower holder set 100 1jet  
with shower hose 160 cm  
# 26856, -000
- (C) ShowerSelect**  
Thermostat for concealed installation  
for 2 functions  
# 15763, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (D) FixFit**  
Wall outlet Square  
with non-return valve  
# 26455, -000
- (E) RainDrain Flex**  
Finish set shower drain 700 cuttable  
# 56043, -000  
  
Base set for finish sets for standard  
installation (not shown)  
# 01001180




### Flow diagram

**Rainfinity**  
Overhead shower 360 1jet with wall connector  
# 26230, -700



### Flow diagram

**Rainfinity**  
Shower holder set 100 1jet with shower hose 160 cm  
# 26856, -700



• denotes minimum operating pressure


## Concealed installation 2 functions:

- (A) Raindance S**  
Overhead shower 240 1jet  
PowderRain with shower arm  
# 27607, -000
- (B) Raindance Select S**  
Shower set 120 3jet  
with shower bar 110 cm right  
# 26326, -000
- (C) ShowerSelect S**  
Thermostat for concealed installation  
for 2 functions  
# 15743, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (D) FixFit**  
Wall outlet S  
without non-return valve  
# 27453, -000
- (E) Unica**  
Foot support Comfort  
# 26329, -000
- (F) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000

### Flow diagram

#### Raindance S


Overhead shower 240 1jet PowderRain with shower arm  
# 27607, -000



### Flow diagram


#### Raindance Select S

Hand shower 120 3jet  
# 26530, -000



### Legend


- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

## Exposed/concealed installation 2 functions:


- (A) Rainmaker Select**  
Overhead shower 460 1jet  
with shower arm  
# 24003, -400
- (B) ShowerTablet Select**  
Thermostat 700 universal  
for exposed installation  
for 2 functions  
# 13184, -400
- (C) Raindance Select S**  
Hand shower 120 3jet  
# 26530, -400  
Shower holder Porter S  
# 28331, -000
- (D) Isiflex**  
Shower hose 160 cm  
# 28276, -000
- (E) RainDrain Flex**  
Finish set shower drain 700 cuttable  
# 56043, -000  
  
Base set for finish sets for standard  
installation (not shown)  
# 01001180



### Flow diagram

#### Rainmaker Select


Overhead shower 460 1jet with shower arm  
# 24003, -400



### Flow diagram

#### Raindance Select S

Hand shower 120 3jet  
# 26530, -400



### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure


## Concealed installation 3 functions:

- (A) Raindance Rainfall**  
Overhead shower 180 2jet  
# 28433, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Raindance Select S**  
Hand shower 120 3jet  
# 26530, -400  
  
Shower holder Porter S  
# 28331, -000  
  
**Isiflex**  
Shower hose 160 cm  
# 28276, -000
- (C) Shut-off/diverter valve S Trio/Quattro** for concealed installation  
# 15932, -000  
  
Basic set for Quattro four-way diverter valve for concealed installation (not shown)  
# 15930180
- (D) Shut-off valve S** for concealed installation  
# 15972, -000  
  
Basic set 130 l/min for shut-off valve for concealed installation spindle (not shown)  
# 15970180
- (E) Ecostat S**  
Thermostat HighFlow for concealed installation  
# 15756, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (F) FixFit**  
Wall outlet S without non-return valve  
# 27453, -000
- (G) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000

### Flow diagram

#### Raindance Rainfall



Overhead shower 180 2jet  
# 28433, -000



### Flow diagram

#### Raindance Select S

Hand shower 120 3jet  
# 26530, -400



### Legend

- ① RainAir
- ② RainFlow

### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure




## Concealed installation 3 functions:

- (A) Pulsify S**  
Overhead shower 260 2jet  
with wall connector  
# 24150, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Pulsify Select S**  
Shower set 105 3jet Relaxation  
with shower bar 90 cm  
# 24170, -000  
  
**FixFit**  
Wall outlet Square  
with non-return valve  
# 26455, -000
- (C) ShowerSelect**  
Valve for concealed installation  
for 3 functions  
# 15764, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (D) ShowerSelect**  
Thermostat HighFlow  
for concealed installation  
# 15760, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (E) RainDrain Flex**  
Finish set shower drain 700 cuttable  
# 56043, -000  
  
Base set for finish sets for standard  
installation (not shown)  
# 01001180

### Flow diagram

#### Pulsify S

Overhead shower 260 2jet with wall connector  
# 24150, -000




#### Legend

- ① Intense PowderRain
- ② PowderRain

### Flow diagram


#### Pulsify Select S

Hand shower 105 3jet Relaxation  
# 24110, -000



#### Legend


- ① Massage
- ② PowderRain
- ③ IntenseRain



• denotes minimum operating pressure

## Concealed installation 3 functions:


- (A) Rainmaker Select**  
Overhead shower 460 2jet  
with shower arm  
# 24005, -400  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Raindance Select S**  
Hand shower 120 3jet  
# 26530, -400
- (C) RainSelect**  
Thermostat for concealed installation  
for 3 functions with integrated  
shower holder  
# 15356, -400  
  
Basic set for 3 functions (not shown)  
# 15311180
- (D) Isiflex**  
Shower hose 125 cm  
# 28272, -000
- (E) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000



### Flow diagram

#### Rainmaker Select

Overhead shower 460 2jet with shower arm  
# 24005, -400




#### Legend

- ① Rain XL
- ② RainStream

### Flow diagram

#### Raindance Select S

Hand shower 120 3jet  
# 26530, -400



#### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure


## Concealed installation 3 functions:

- (A) Rainfinity**  
Overhead shower 360 1jet  
# 26231, -700  
  
Ceiling connector S 10 cm  
# 27393, -700
- (B) Rainfinity**  
Shoulder shower 500 1jet  
with shower shelf  
# 26243, -700

- (C) Rainfinity**  
Hand shower 130 3jet  
# 26864, -700  
  
**Rainfinity**  
Wall outlet Porter 500  
with shower holder  
and shower shelf left  
# 26843, -700
- (D) RainSelect**  
Thermostat for concealed installation  
for 3 functions  
# 15381, -700  
  
Basic set for 3 functions (not shown)  
# 15311180
- (E) Isiflex**  
Shower hose 125 cm  
# 28272, -700
- (F) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000


### Flow diagram

**Rainfinity**  
Overhead shower 360 1jet  
# 26231, -700




### Flow diagram

**Rainfinity**  
Shoulder shower 500 1jet with shower shelf  
# 26243, -700



### Flow diagram


**Rainfinity**  
Hand shower 130 3jet  
# 26864, -700



### Legend


- ① MonoRain
- ② Intense PowderRain
- ③ PowderRain

• denotes minimum operating pressure



## Concealed installation 4 functions:


- (A) Rainmaker Select**  
Overhead shower 460 3jet  
with shower arm  
# 24007, -600  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Raindance Select S**  
Hand shower 120 3jet  
# 26530, -000  
  
**Isiflex**  
Shower hose 125 cm  
# 28272, -000
- (C) RainSelect**  
Thermostat for concealed installation  
for 4 functions with integrated  
shower holder  
# 15357, -600  
  
Basic set for 4 functions (not shown)  
# 15312180
- (D) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000



### Flow diagram

#### Rainmaker Select

Overhead shower 460 3jet with shower arm  
# 24007, -600




#### Legend

- ① RainAir
- ② RainStream
- ③ MonoRain

### Flow diagram

#### Raindance Select S

Hand shower 120 3jet  
# 26530, -000




#### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure

# Concealed installation 4 functions:


- (A) Rainfinity**  
Overhead shower 360 3jet  
with wall connector  
# 26234, -700  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Rainfinity**  
Hand shower 130 3jet  
# 26864, -700  
  
**FixFit**  
Wall outlet Porter 500  
with shower holder  
and shower shelf left  
# 26843, -700  
  
**Isiflex**  
Shower hose 125 cm  
# 28272, -700
- (C) RainSelect**  
Thermostat for concealed installation  
for 4 functions  
# 15382, -700  
  
Basic set for 4 functions (not shown)  
# 15312180
- (D) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000



## Flow diagram

### Rainfinity

Overhead shower 360 3jet with wall connector  
# 26234, -700




### Legend

- ① Intense PowderRain
- ② PowderRain
- ③ RainStream

## Flow diagram

### Rainfinity

Hand shower 130 3jet  
# 26864, -700



### Legend

- ① MonoRain
- ② Intense PowderRain
- ③ PowderRain

• denotes minimum operating pressure


## Concealed installation 4 functions:

- (A) Rainmaker Select**  
Overhead shower 580 3jet  
# 24001, -400  
Basic set iBox universal (not shown)  
# 01800180
- (B) Raindance Select S**  
Hand shower 120 3jet  
# 26530, -400  
Shower holder Porter S  
# 28331, -000  
**Isiflex**  
Shower hose 160 cm  
# 28276, -000
- (C) ShowerSelect Glas**  
Valve for concealed installation  
for 3 functions  
# 15736, -400  
Basic set iBox universal (not shown)  
# 01800180

- (D) ShowerSelect Glas**  
Thermostat HighFlow  
for concealed installation  
for 1 function and additional outlet  
# 15735, -400 34 l/min  
Basic set iBox universal (not shown)  
# 01800180
- (E) FixFit**  
Wall outlet Square  
with non-return valve  
# 26455, -000
- (F) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000

### Flow diagram

**Rainmaker Select**  
Overhead shower 580 3jet  
# 24001, -400




### Legend

- ① Rain XL
- ② RainFlow
- ③ Mono


### Flow diagram

**Raindance Select S**  
Hand shower 120 3jet  
# 26530, -400



### Legend

- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure


# Concealed installation 5 functions:

- (A) Rainfinity**  
Overhead shower 360 3jet  
with wall connector  
# 26234, -700  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) Rainfinity**  
Shoulder shower 500 1jet  
with shower shelf  
# 26243, -700
- (C) Rainfinity**  
Hand shower 130 3jet  
# 26864, -700  
  
**FixFit**  
Wall outlet Porter 500 with shower  
holder and shower shelf left  
# 26843, -700  
  
**Isiflex**  
Shower hose 125 cm  
# 28272, -700

- (D) RainSelect**  
Thermostat for concealed installation  
for 5 functions  
# 15384, -700  
  
Basic set for 5 functions (not shown)  
# 15313180
- (E) Raindrain**  
Complete set waste set 90 XXL  
# 60067, -000


**Flow diagram**

**Rainfinity**  
Shoulder shower 500 1jet with shower shelf  
# 26243, -700





**Flow diagram**

**Rainfinity**  
Overhead shower 360 3jet with wall connector  
# 26234, -700



**Flow diagram**

**Rainfinity**  
Hand shower 130 3jet  
# 26864, -700




• denotes minimum operating pressure

## Round tube Showerpipes – flexible in height


Regardless of the height of the room and the water connections, a number of round tube Showerpipes can always be placed in the optimum position. The round tube can only be cut to the right length on the underside, which

means that individual customer requirements can also be met. You will find additional information in the assembly instructions.

### Room height A



### Room height B






## Versatile positioning


The swivelling spray makes the Showerpipes extremely versatile – perfect for use in any bath or shower situation.

### Bath installation



Showerpipes can easily be installed on the front or long side of the bath, according to the positions of the water connections. The overhead shower can also be aligned individually.


### Shower installation



Often, the existing water connections are not positioned in the middle of a shower. Thanks to the swivelling shower arm, the head shower can still be placed in the middle of the shower after installation.

## Wall-mounted installation of Showerpipe


- (A) Pulsify S**  
Showerpipe 260 1jet  
with ShowerTablet Select 400  
# 24220, -000
- (B) RainDrain Flex**  
Finish set shower drain 700 cuttable  
# 56043, -000  
  
Base set for finish sets for standard  
installation (not shown)  
# 01001180



### Flow diagram

#### Pulsify S

Showerpipe 260 1jet with ShowerTablet Select 400  
# 24220, -000



### Legend

- ① Hand shower
- ② Overhead shower


• denotes minimum operating pressure

# Showerpipe concealed installation:

- (A) Rainfinity**  
 Showerpipe 360 1jet  
 for concealed installation  
 # 26842, -700


Basic set for Showerpipe 360 1jet  
 for concealed installation  
 # 26840180
- (B) RainSelect**  
 Thermostat for concealed installation  
 for 2 functions  
 # 15380, -700

Basic set for 2 functions (not shown)  
 # 15310180
- (C) Raindrain**  
 Complete set waste set 90 XXL  
 # 60067, -000



## Flow diagram


**Rainfinity**  
 Showerpipe 360 1jet for concealed installation  
 # 26842, -700



### Legend

- ① Hand shower
- ② Overhead shower

• denotes minimum operating pressure



## Exposed installation bath:

**(A) ShowerTablet Select**

Bath thermostat 700  
for exposed installation  
# 13183, -000

**(B) Raindance Select S**

Hand shower 120 3jet  
# 26530, -000  
Shower holder Porter S  
# 28331, -000

**Isiflex**

Shower hose 125 cm  
# 28272, -000


**(C) Flexaplust S**

Complete set waste and overflow set  
for standard bath tubs  
# 58150, -000

**Flow diagram**

**ShowerTablet Select**

Bath thermostat 700 for exposed installation  
# 13183, -000




**Legend**

- ① Shower outflow with 1-B resistance
- ② Bath outflow

**Flow diagram**


**Raindance Select S**

Hand shower 120 3jet  
# 26530, -000



**Legend**


- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure

## Exposed installation bath:


- (A) ShowerTablet Select**  
Bath thermostat 400  
for exposed installation  
# 24340, -000
- (B) Pulsify Select S**  
Hand shower 105 3jet Relaxation  
# 24110, -000  
**Isiflex**  
Shower hose 125 cm  
# 28272, -000
- (C) Flexaplust S**  
Complete set waste and overflow set  
for standard bath tubs  
# 58150, -000



### Flow diagram

#### Pulsify Select S

Hand shower 105 3jet Relaxation  
# 24110, -000



#### Legend

- ① Massage
- ② RowderRain
- ③ IntenseRain

• denotes minimum operating pressure

## Bath tub rim concealed installation:


- (A) Metropol**  
 Single lever bath mixer  
 for concealed installation  
 with lever handle and integrated  
 security combination according  
 to EN1717 for iBox universal  
 # 32546, -000

Basic set iBox universal (not shown)  
 # 01800180
- (B) sBox**  
 Finish set square  
 # 28010, -000

Rim and tile mounted bath basic set  
 # 13560180
- (C) Raindance Select E**  
 Hand shower 120 3jet  
 # 26520, -000
- (D) Exafill S**  
 Complete set bath filler, waste and  
 overflow set for standard bath tubs  
 # 58113, -000


### Flow diagram

**Raindance Select E**  
 Hand shower 120 3jet  
 # 26520, -000



### Legend

- ① RainAir
- ② Rain
- ③ Whirl




• denotes minimum operating pressure

## Tile mounted concealed installation:

- (A) Metropol**  
Single lever bath mixer  
for concealed installation  
with lever handle and integrated  
security combination according  
to EN1717 for iBox universal  
# 32546, -000  
  
Basic set iBox universal (not shown)  
# 01800180
- (B) sBox**  
Finish set square  
# 28010, -000  
  
Rim and tile mounted bath basic set  
# 13560180
- (C) Rainsance Select E**  
Hand shower 120 3jet  
# 26520, -000
- (D) Exafill S**  
Complete set bath filler, waste and  
overflow set for standard bath tubs  
# 58113, -000
- (E)** Installation plate for tile mounted  
installation  
# 28016, -000
- (F)** Mounting angle set for installation  
plate for tile mounted installation  
# 28021, -000


### Flow diagram

**Rainsance Select E**  
Hand shower 120 3jet  
# 26520, -000



### Legend


- ① RainAir
- ② Rain
- ③ Whirl



• denotes minimum operating pressure


## Concealed installation bath:

- (A) Raindance Select S**  
Shower set 120 3jet  
with shower bar 110 cm right  
# 26326, -000
- (B) FixFit**  
Wall outlet S without non-return valve  
# 27453, -000
- (C) Focus**  
Single lever bath mixer  
for concealed installation  
with integrated security  
combination according to  
EN1717 for iBox universal  
# 31946, -000  
Basic set iBox universal (not shown)  
# 01800180
- (D) Exafill**  
Complete set bath filler, waste and  
overflow set for standard bath tubs  
# 58123, -000



### Flow diagram

**Raindance Select S**  
Hand shower 120 3jet  
# 26530, -000



### Legend

- ① RainAir
- ② Rain
- ③ Whirl

• denotes minimum operating pressure






hansgrohe kitchen tap

# Product ranges at a glance

## Aquno Select M81



## Metris Select M71



Surface	-000, -670, -800	-000, -670, -800	-000, -340, -670, -800	-000, -800	-000, -800
Standard	■	■	■	■	■
EcoSmart					
sBox	■	■	■	■	■
For window installation					
Low pressure/open water heater					
Device shut-off valve					
CoolStart					
Multiple spray types	■	■	■		■
Pull-out function	■	■	■	■	■
Swivel spout	■	■	■	■	■
Select	■	■	■	■	■


Page 268

Page 270

## Talis Select M51



## Talis M51



Surface	-000, -800	-000, -800	-000, -800	-000, -800	-000, -800
Standard	■	■	■	■	■
EcoSmart		■	■	■	■
sBox	■	■		■	
For window installation					
Low pressure/open water heater					■
Device shut-off valve					■
CoolStart					
Multiple spray types	■			■	
Pull-out function	■	■		■	
Swivel spout	■	■	■	■	■
Select	■	■	■		

Page 274

Page 276

**Metris M71**



-000, -800

-000, -800

-000, -800

-000, -800

-000, -800

■	■	■	■	■
■	■	■	■	■
■		■		■
				■
				■
■		■		
■	■	■	■	■
■	■			

Page 273

**Talis M52**



-000, -800

-000, -800

**Talis M54**



-000, -670, -800

-000, -670, -800

-000, -670, -800

-000, -670, -800

■	■	■	■	■	■
■	■	■	■	■	■
■		■			■
■				■	■
		■		■	
■		■		■	
■	■	■	■	■	■
■	■				

Page 277

Page 278

hansgrohe kitchen tap

# Product ranges at a glance

## Talis M54



Surface	-000, -670, -800	-000, -670, -800
Standard	■	■
EcoSmart	■	
sBox	■	
For window installation		
Low pressure/open water heater		
Device shut-off valve		■
CoolStart		
Multiple spray types		
Pull-out function	■	
Swivel spout	■	■
Select		

Page 278

## Focus M41



	-000, -800	-000, -670, -800	-000, -670, -800
Standard	■	■	■
EcoSmart	■	■	■
sBox	■		
For window installation			
Low pressure/open water heater		■	
Device shut-off valve		■	
CoolStart			
Multiple spray types	■		
Pull-out function	■		
Swivel spout	■	■	■
Select			

Page 280

## Zesis M33



Surface	-000, -670, -800	-000, -670, -800
Standard	■	■
EcoSmart		■
sBox		
For window installation		■
Low pressure/open water heater		■
Device shut-off valve		■
CoolStart		■
Multiple spray types	■	
Pull-out function	■	
Swivel spout	■	■
Select		

Page 284

## Logis M31



	-000	-000	-000
Standard	■	■	■
EcoSmart	■		■
sBox			
For window installation			■
Low pressure/open water heater			
Device shut-off valve			■
CoolStart			■
Multiple spray types			
Pull-out function			
Swivel spout	■	■	■
Select			

Page 286

**Focus M42**



-000, -800

-000, -800

-000, -800

-000, -800

-000, -800


-000, -800

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 282

**Logis M32**

**Vernis M35**



-000

-000

-000, -670

-000, -670

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Page 287

Page 287

The future of intelligent kitchen workflow

# Aquno Select M81



**Multitask with the multi-function filter:** Tailored perfectly to the dimensions of the splash-free SatinFlow spray, the included multifunctional filter makes it easy to gently wash and rinse food.



**Pull out and switch spray types:** Your customers get even more functionality with the pull-out spray. In combination with the innovative sBox, it extends the working radius at the sink by up to 76 cm. There's also the choice of different spray types.

## Advantages and benefits

- The flat SatinFlow spray is ideal for rinsing food, hand washing and cleaning large objects without splashing, all at an economical 4 l/min.
- All-in-one concept for maximum water efficiency
- Multi-function filter included in delivery
- Easy installation on standard 35 mm tap hole
- Installation of the Aquno Select M81 is reco ended for all single basins. Due to the central bar, installations on double sinks must be checked separately.
- Extend the operating radius by up to 76 cm with the pull-out spout and sBox



**Aquno Select M81**

Single lever kitchen mixer 170,  
pull-out spray, 3jet, sBox  
# 73831, -000, -670, -800



Single lever kitchen mixer 170,  
pull-out spray, 3jet  
# 73837, -000, -670, -800



**Aquno Select M81**

Single lever kitchen mixer 250,  
pull-out spout, 2jet, sBox  
# 73830, -000, -670, -800



Single lever kitchen mixer 250,  
pull-out spout, 2jet  
# 73836, -000, -670, -800



A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800

Easy operation is the best recipe

# Metris M71



**Flexible:** Tasks blend seamlessly thanks to the combination of the intuitive Select button and the practical pull-out spout – for more comfort in the kitchen and beyond the sink. Extended working space with the help of the pull-out function and the sBox by up to 76 cm, and without the sBox by up to 50 cm.

## Advantages and benefits

- Mixer easy to turn on and off at the touch of a button
- Intuitive control concept makes it ideal for all ages
- New spray design for easy handling with no irritating twisting of the wrist
- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Integrates harmoniously into the kitchen and sink area
- Greater range of up to 76 cm with the pull-out spout and sBox






**Metris Select M71**

2-hole single lever kitchen mixer 200,  
pull-out spray, 2jet, sBox  
# 73818, -000, -340, -670, -800


2-hole single lever kitchen mixer 200,  
pull-out spray, 2jet  
# 73819, -000, -800



**Metris Select M71**

2-hole single lever kitchen mixer 200,  
pull-out spout, 1jet, sBox  
# 73804, -000, -800



2-hole single lever kitchen mixer 200,  
Eco, pull-out spout, 1jet, sBox  
# 73825, -000



**Metris Select M71**

Single lever kitchen mixer 320,  
pull-out spray, 2jet, sBox  
# 73816, -000, -800


Single lever kitchen mixer 320,  
pull-out spray, 2jet  
# 73820, -000, -800



**Metris Select M71**

Single lever kitchen mixer 240,  
pull-out spray, 2jet, sBox  
# 73817, -000, -800

Single lever kitchen mixer 240,  
pull-out spray, 2jet  
# 73822, -000, -800





**Metris Select M71**

Single lever kitchen mixer 320,  
pull-out spout, 1jet, sBox  
# 73803, -000, -800

Single lever kitchen mixer 320,  
Eco, pull-out spout, 1jet, sBox  
# 73807, -000

Single lever kitchen mixer 320,  
pull-out spout, 1jet  
# 14884, -000, -800


Single lever kitchen mixer 320,  
Eco, pull-out spout, 1jet  
# 14786, -000



**Metris Select M71**

Single lever kitchen mixer 240,  
pull-out spout, 1jet, sBox  
# 73802, -000, -800

Single lever kitchen mixer 240,  
pull-out spout, 1jet  
# 14857, -000, -800






**Metris Select M71**


Single lever kitchen mixer 320, 1jet  
# 14883, -000, -800

Single lever kitchen mixer 320, Eco, 1jet  
# 14785, -000



**Metris Select M71**

Single lever kitchen mixer 260, 1jet  
# 14847, -000, -800





**Metris M71**

Single lever kitchen mixer 320,  
pull-out spray, 2jet, sBox  
# 73801, -000, -800

Single lever kitchen mixer 320,  
Eco, pull-out spray, 2jet, sBox  
# 73824, -000

Single lever kitchen mixer 320,  
pull-out spray, 2jet  
# 14820, -000, -800

Single lever kitchen mixer 320,  
Eco, pull-out spray, 2jet  
# 14780, -000




**Metris M71**

Single lever kitchen mixer 220,  
pull-out spray, 2jet, sBox  
# 73800, -000, -800

Single lever kitchen mixer 220,  
Eco, pull-out spray, 2jet, sBox  
# 73823, -000

Single lever kitchen mixer 220,  
pull-out spray, 2jet  
# 14834, -000, -800






**Metris M71**

Single lever kitchen mixer 320,  
pull-out spout, 1jet, sBox  
# 73812, -000, -800

Single lever kitchen mixer 320,  
Eco, pull-out spout, 1jet, sBox  
# 73828, -000

Single lever kitchen mixer 320,  
pull-out spout, 1jet  
# 14821, -000, -800


Single lever kitchen mixer 320,  
Eco, pull-out spout, 1jet  
# 14781, -000



**Metris M71**

Single lever kitchen mixer 320, 1jet  
# 14822, -000, -800



Single lever kitchen mixer 320, Eco, 1jet  
# 14782, -000



**Metris M71**

Single lever kitchen mixer 320,  
installation in front of a window, 1jet  
# 14823, -000


Single lever kitchen mixer 320,  
device shut-off valve, 1jet (not shown)  
# 14888, -000



A71 Soap-/lotion dispenser  
# 40468, -000, -670, -800

An all-rounder for the modern kitchen

# Talis M51



**Versatile:** Even containers that are some distance away are easy to reach and fill without splashing thanks to the Select button and the pull-out hose – even with just one hand.



**Robust:** Whether on the pull-out spray or the 150° swivel spout, the Select button is purely mechanical, which makes it especially robust.

## Advantages and benefits


- Select version with intuitive operation at the touch of a button
- Easy to clean: thanks to the large areas and precise transitions
- Select technology integrated harmoniously in the slender spout
- Two Select fittings available: with pull-out or swivel spout
- Conical basic shape radiates a luxurious elegance
- Greater range of up to 76 cm with the pull-out spout and sBox



**Talis Select M51**

Single lever kitchen mixer 300,  
pull-out spray, 2jet, sBox  
# 73867, -000, -800


Single lever kitchen mixer 300,  
pull-out spray, 2jet  
# 72823, -000, -800



**Talis Select M51**

Single lever kitchen mixer 220,  
pull-out spray, 2jet, sBox  
# 73868, -000, -800

Single lever kitchen mixer 220,  
pull-out spray, 2jet  
# 72824, -000, -800




**Talis Select M51**

Single lever kitchen mixer 300,  
pull-out spout, 1jet, sBox  
# 73853, -000, -800

Single lever kitchen mixer 300,  
pull-out spout, 1jet  
# 72821, -000, -800


Single lever kitchen mixer 300,  
Eco, pull-out spout, 1jet  
# 72826, -000



**Talis Select M51**

Single lever kitchen mixer 220,  
pull-out spout, 1jet, sBox  
# 73852, -000, -800

Single lever kitchen mixer 220,  
pull-out spout, 1jet  
# 72822, -000, -800



**Talis Select M51**

Single lever kitchen mixer 300, 1jet  
# 72820, -000, -800

Single lever kitchen mixer 300, Eco, 1jet  
# 72825, -000






**Talis M51**

Single lever kitchen mixer 200,  
pull-out spray, 2jet, sBox  
# 73851, -000, -800

Single lever kitchen mixer 200,  
Eco, pull-out spray, 2jet, sBox  
# 73876, -000

Single lever kitchen mixer 200,  
pull-out spray, 2jet  
# 72813, -000, -800


Single lever kitchen mixer 200,  
Eco, pull-out spray, 2jet  
# 72817, -000



**Talis M51**

Single lever kitchen mixer 160,  
pull-out spray, 2jet, sBox  
# 73850, -000, -800

Single lever kitchen mixer 160,  
pull-out spray, 2jet  
# 72815, -000, -800



**Talis M51**

Single lever kitchen mixer 260, 1jet  
# 72810, -000, -800

Single lever kitchen mixer 260, Eco, 1jet  
# 72816, -000


Single lever kitchen mixer 260,  
LowPressure/vented hot water cylinders, 1jet  
# 72812, -000



**Talis M51**

Single lever kitchen mixer 220, 1jet  
# 72814, -000, -800

Single lever kitchen mixer 220,  
device shut-off valve, 1jet (not shown)  
# 72811, -000



A51 Soap-/lotion dispenser  
# 40448, -000, -670, -800

# Talis M52




**Talis M52**  
Single lever kitchen mixer 170,  
pull-out spray, 2jet, sBox  
# 73860, -000, -800

Single lever kitchen mixer 170,  
pull-out spray, 2jet  
# 32841, -000



Single lever kitchen mixer 170,  
Eco, pull-out spray, 2jet  
# 32845, -000

Single lever kitchen mixer 170,  
LowPressure/vented hot water cylinders,  
pull-out spray, 2jet  
# 32842, -000



**Talis M52**  
Single lever kitchen mixer 170, 1jet  
# 32851, -000

Single lever kitchen mixer 170, Eco, 1jet  
# 32857, -000



A51 Soap-/lotion dispenser  
# 40448, -000, -670, -800

Universal minimalism

# Talis M54



Incrementally adjustable rotation  
(60°/110°/150°/360°)



**Flexible:** Available in three shapes to suit your needs: arched, L-shaped and U-shaped.



**Design:** Available in chrome, stainless steel and matte black.



**Variable:** Two spray types: laminar or shower.

## Advantages and benefits

- Available in three shapes to suit your needs: arched, L-shaped and U-shaped
- Three finishes to choose from: chrome, stainless steel and matte black
- The finish of all components, including the shower hose, are matched
- The sBox is available as an option for the versions with a pull-out spout or shower
- Extend the operating radius by up to 76 cm with the pull-out spout and sBox






**Talis M54**

Single lever kitchen mixer 210, pull-out spray, 2jet, sBox # 72801, -000, -670, -800

Single lever kitchen mixer 210, pull-out spray, 2jet # 72800, -000, -670, -800


Single lever kitchen mixer 210, Eco, pull-out spray, 2jet # 72842, -000, -670



**Talis M54**

Single lever kitchen mixer 210, pull-out spout, 1jet, sBox # 72803, -000, -670, -800

Single lever kitchen mixer 210, pull-out spout, 1jet # 72802, -000, -670, -800





**Talis M54**

Single lever kitchen mixer 220, 1jet # 72804, -000, -670, -800

Single lever kitchen mixer 220, Eco, 1jet # 72843, -000, -670

Single lever kitchen mixer 220, device shut-off valve, 1jet (not shown) # 72805, -000, -670, -800





**Talis M54**

Single lever kitchen mixer U 220, 1jet # 72806, -000, -670, -800

Single lever kitchen mixer U 220, Eco, 1jet # 72844, -000, -670

Single lever kitchen mixer U 220, device shut-off valve, 1jet (not shown) # 72807, -000, -670, -800





**Talis M54**

Single lever kitchen mixer 270, pull-out spout, 1jet, sBox # 72809, -000, -670, -800

Single lever kitchen mixer 270, pull-out spout, 1jet # 72808, -000, -670, -800


Single lever kitchen mixer 270, Eco, pull-out spout, 1jet # 72845, -000, -670



**Talis M54**

Single lever kitchen mixer 270, 1jet # 72840, -000, -670, -800

Single lever kitchen mixer 270, device shut-off valve, 1jet (not shown) # 72827, -000, -670, -800



A41 Soap-/lotion dispenser # 40438, -000, -340, -670, -800

More freedom to move about when cooking and washing up

# Focus M41




**QuickClean:** Dirt and limescale deposits can be simply rubbed off with your finger – low effort with no need to use cleaning products.



**ComfortZone:** The ultra high spout offers plenty of space and is ideal for filling large containers and pots.

## Advantages and benefits

- Ergonomic flat handle design for better adjustment of the water temperature and quantity
- Suitable for continuous-flow water heaters
- Swivel range 150°
- Mixer with 2 spray types (standard/shower spray)
- MagFit magnetic holder for spray
- Excellent value with a high level of comfort
- Extend your working radius at the sink by up to 76 cm using the pull-out spout and sBox





**Focus M41**

Single lever kitchen mixer 240, pull-out spray, 2jet, sBox # 73880, -000, -800

Single lever kitchen mixer 240, Eco, pull-out spray, 2jet, sBox # 73895, -000

Single lever kitchen mixer 240, pull-out spray, 2jet # 31815, -000, -670, -800

Single lever kitchen mixer 240, Eco, pull-out spray, 2jet # 31833, -000



**Focus M41**

Single lever kitchen mixer 260, 1jet # 31820, -000, -670, -800

Single lever kitchen mixer 260, Eco, 1jet # 31821, -000, -800

Single lever kitchen mixer 260, LowPressure/vented hot water cylinders, 1jet # 31822, -000


Single lever kitchen mixer 260, device shut-off valve, 1jet (not shown) # 31823, -000



**Focus M41**

Single lever kitchen mixer 280, 1jet # 31817, -000, -670, -800

Single lever kitchen mixer 280, Eco, 1jet # 31827, -000



**Focus M41**


Single lever kitchen mixer 160, 1jet # 31806, -000, -800

Single lever kitchen mixer 160, Eco, 1jet # 31826, -000

Single lever kitchen mixer 160, CoolStart, EcoSmart, 1jet # 31816, -000



Single lever kitchen mixer 160, LowPressure/vented hot water cylinders, 1jet # 31804, -000

Single lever kitchen mixer 200, device shut-off valve, 1jet (not shown) # 31803, -000



**Focus M41**

Single lever kitchen mixer, wall-mounted lowspout, 1jet # 31825, -000



A41 Soap-/lotion dispenser # 40438, -000, -340, -670, -800

Flexibility for the modern kitchen

# Focus M42



**Flexible:** The flexible pull-out spout offers plenty of freedom of movement.



**Swivel range:** 110° to 360° rotation range to make washing up easier.



**Smart installation in front of the window:** The tilt function is perfect for complicated constructions.

## Advantages and benefits


- Wide product range at an attractive price
- Three different basic shapes and five different ComfortZone heights for individual requirements
- Modern design that will look great in any kitchen setting
- Choice of two surface finishes: chrome and stainless steel
- Large handle design for sturdy handling
- Greater range of up to 76 cm with the pull-out spout and sBox



**Focus M42**

Single lever kitchen mixer 220,  
pull-out spray, 2jet, sBox  
# 71820, -000, -800

Single lever kitchen mixer 220,  
pull-out spray, 2jet  
# 71800, -000, -800




**Focus M42**

Single lever kitchen mixer 180,  
pull-out spray, 2jet, sBox  
# 71821, -000, -800

Single lever kitchen mixer 180,  
pull-out spray, 2jet  
# 71801, -000, -800

Single lever kitchen mixer 180,  
Eco, pull-out spray, 2jet  
# 71862, -000



**Focus M42**

Single lever kitchen mixer 220, 1jet  
# 71802, -000, -800

Single lever kitchen mixer 220,  
device shut-off valve, 1jet (not shown)  
# 71803, -000



**Focus M42**

Single lever kitchen mixer 120, 1jet  
# 71806, -000, -800


Single lever kitchen mixer 120,  
CoolStart, EcoSmart, 1jet  
# 71805, -000

Single lever kitchen mixer 120,  
CoolStart, Eco, 1jet  
# 71864, -000

Single lever kitchen mixer 120,  
LowPressure/vented hot water cylinders, 1jet  
# 71804, -000

Single lever kitchen mixer 120,  
installation in front of a window, 1jet (not shown)  
# 71807, -000

Single lever kitchen mixer 180,  
device shut-off valve, 1jet (not shown)  
# 71813, -000





**Focus M42**

Single lever kitchen mixer 150,  
pull-out spout, 1jet, sBox  
# 71829, -000, -800

Single lever kitchen mixer 150,  
pull-out spout, 1jet  
# 71814, -000, -800

Single lever kitchen mixer 150,  
Eco, pull-out spout, 1jet  
# 71865, -000





**Focus M42**

Single lever kitchen mixer 100, 1jet  
# 71808, -000, -800

Single lever kitchen mixer 100,  
CoolStart, EcoSmart, 1jet  
# 71809, -000

Single lever kitchen mixer 100,  
CoolStart, Eco, 1jet  
# 71866, -000



A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800

For a balanced life

# Zesis M33 NEW



**Individual:** Choice of three finishes: chrome, stainless steel and matte black.



**Variable:** Switch between two spray types at the touch of a button: laminar and shower.



**sBox lite:** Installation with the sBox lite ensures safe hose routing and keeps things neat under the sink.

## Advantages and benefits


- Minimalist design with extensive functionality
- Saves time, water and energy, speeding up work at the sink
- Attractive price/performance ratio
- One click installation of the retractable hose weight
- More flexibility thanks to the sBox lite



**Zesis M33**

Single lever kitchen mixer, 160,  
pull-out spray, 2jet, sBox lite  
# 74804, -000, -670, -800

Single lever kitchen mixer 160,  
pull-out spray, 2jet  
# 74801, -000, -670, -800





**Zesis M33**

Single lever kitchen mixer 150,  
pull-out spray, 2jet, sBox lite  
# 74803, -000, -670, -800

Single lever kitchen mixer 150,  
pull-out spray, 2jet  
# 74800, -000, -670, -800

Single lever kitchen mixer 150,  
Eco, pull-out spray, 2jet  
# 74810, -000




**Zesis M33**

Single lever kitchen mixer 150, 1jet  
# 74802, -000, -670, -800

Single lever kitchen mixer 150, Eco, 1jet  
# 74811, -000

Single lever kitchen mixer 150,  
CoolStart, EcoSmart, 1jet  
# 74813, -000

Single lever kitchen mixer 150,  
LowPressure/vented hot water cylinders, 1jet  
# 74806, -000





**Zesis M33**

Single lever kitchen mixer 160,  
installation in front of a window, 1jet  
# 74805, -000

Single lever kitchen mixer 200,  
device shut-off valve, 1jet (not shown)  
# 74808, -000

Single lever kitchen mixer 200,  
device shut-off valve, CoolStart, 1jet (not shown)  
# 74807, -000



A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800


# Logis M31



**Logis M31**


Single lever kitchen mixer 260, 1jet  
# 71835, -000

Single lever kitchen mixer 260, Eco, 1jet  
# 71861, -000



**Logis M31**

2-handle kitchen mixer 220, 1jet  
# 71280, -000



**Logis M31**



Single lever kitchen mixer 160, 1jet  
# 71832, -000

Single lever kitchen mixer 160, Eco, 1jet  
# 71860, -000

Single lever kitchen mixer 160,  
CoolStart, EcoSmart, 1jet  
# 71839, -000

Single lever kitchen mixer 160,  
installation in front of a window, 1jet (not shown)  
# 71833, -000

Single lever kitchen mixer 220,  
device shut-off valve, 1jet (not shown)  
# 71834, -000





**Logis M31**

Single lever kitchen mixer 120, 1jet  
# 71830, -000


Single lever kitchen mixer 120,  
CoolStart, EcoSmart, 1jet  
# 71837, -000

Single lever kitchen mixer 120,  
LowPressure/vented hot water cylinders, 1jet  
# 71831, -000



**Logis M31**

Single lever kitchen mixer,  
wall-mounted lowspout, 1jet  
# 71836, -000




A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800




# Logis M32



**Logis M32**  
2-handle kitchen mixer 220, 1jet  
# 71285, -000  
2-handle kitchen mixer 220, Eco, 1jet  
# 71283, -000



**Logis M32**  
2-handle kitchen mixer,  
wall-mounted, highspout, 1jet  
# 71286, -000  
2-handle kitchen mixer, Eco,  
wall-mounted highspout, 1jet  
# 71284, -000




**Logis M32**  
2-handle kitchen mixer,  
wall-mounted lowspout, 1jet  
# 71287, -000





# Vernis M35 NEW



**Vernis Shape M35**  
Single lever kitchen mixer 210  
with swivel spout  
# 71871, -000, -670



**Vernis Blend M35**  
Single lever kitchen mixer 210  
with swivel spout  
# 71870, -000, -670



A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800


# Accessories



A71 Soap-/lotion dispenser  
# 40468, -000, -670, -800




A51 Soap-/lotion dispenser  
# 40448, -000, -670, -800



A41 Soap-/lotion dispenser  
# 40438, -000, -340, -670, -800



Kitchen device shut-off valve  
# 10823, -000, -800



**Talis M54**  
F21 Shut-off valve for concealed installation  
# 72841, -000, -670, -800



F12 compensating element for sBox  
# 43333000




F15 Cutting board walnut  
# 40960000



F16 Cutting board oak  
# 40961000



F14 Multifunctional strainer  
# 40963000



F17 Mobile drainboard  
# 40962000





All products are subject to availability. Availability can be temporarily reduced by material shortages, interruptions in the supply chain or other events of force majeure. Please contact us for further details.

## Headquarters

Hansgrohe SE · P.O. Box 1145 · D-77757 Schiltach  
Tel. +49 7836 51-0 · Fax +49 7836 51-1300  
info@hansgrohe.com · hansgrohe-int.com

## Australia

Hansgrohe Pty Ltd · Unit 4/71 Victoria Crescent · Abbotsford · VIC 3067 · Australia  
Tel. +61 03 8319 5753 · info@hansgrohe.com.au · hansgrohe.com.au

## Baltics

Hansgrohe Eesti · Mäealuse 2/1 · 12618 Tallinn  
Tel. +372 6826829 · info@hansgrohe.ee · hansgrohe.ee

## India

Hansgrohe India (pvt.) Ltd. · Office Nos. 601 – 604 · Sky Station · Viman Nagar · 411 016 Pune · Maharashtra · India  
Tel. +91 20 6625 9595 · info@hansgrohe.in

## Singapore

Hansgrohe Pte. Ltd. · 69 Mohamed Sultan Road · Singapore 239015  
Tel. +65 6884 5060 · Fax +65 6884 5070 · info@hansgrohe.com.sg · hansgrohe.com.sg

## United Kingdom

Hansgrohe · Unit D1 · Sandown Park Trading Estate · Royal Mills · Esher · Surrey · KT10 8BL  
Tel. +44 1372 472001 · Fax +44 1372 470670 · enquiries@hansgrohe.co.uk · hansgrohe.co.uk · pro.hansgrohe.co.uk

Please bear in mind that we can present only a selection of our products in this sales manual.  
Our full range can be found at [www.hansgrohe-int.com](http://www.hansgrohe-int.com).



Find hansgrohe online and on social media.

